

**10'-10000 Double-Wall Compartment Tank Extension  
10318 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	4	6 1/8	214	12 1/8	566	18 1/8	1005	24 1/8	1508	30 1/8	2059
1/4	6	6 1/4	220	12 1/4	574	18 1/4	1015	24 1/4	1519	30 1/4	2071
3/8	8	6 3/8	227	12 3/8	583	18 3/8	1025	24 3/8	1530	30 3/8	2083
1/2	10	6 1/2	233	12 1/2	591	18 1/2	1035	24 1/2	1541	30 1/2	2095
5/8	12	6 5/8	239	12 5/8	600	18 5/8	1045	24 5/8	1552	30 5/8	2107
3/4	15	6 3/4	246	12 3/4	608	18 3/4	1055	24 3/4	1563	30 3/4	2119
7/8	17	6 7/8	252	12 7/8	617	18 7/8	1065	24 7/8	1574	30 7/8	2131
1	20	7	259	13	625	19	1075	25	1585	31	2143
1 1/8	23	7 1/8	265	13 1/8	634	19 1/8	1085	25 1/8	1596	31 1/8	2155
1 1/4	26	7 1/4	272	13 1/4	643	19 1/4	1095	25 1/4	1608	31 1/4	2167
1 3/8	29	7 3/8	279	13 3/8	651	19 3/8	1105	25 3/8	1619	31 3/8	2179
1 1/2	32	7 1/2	285	13 1/2	660	19 1/2	1115	25 1/2	1630	31 1/2	2191
1 5/8	36	7 5/8	292	13 5/8	669	19 5/8	1125	25 5/8	1641	31 5/8	2203
1 3/4	39	7 3/4	299	13 3/4	677	19 3/4	1135	25 3/4	1653	31 3/4	2215
1 7/8	43	7 7/8	306	13 7/8	686	19 7/8	1146	25 7/8	1664	31 7/8	2227
2	47	8	313	14	695	20	1156	26	1675	32	2239
2 1/8	50	8 1/8	320	14 1/8	704	20 1/8	1166	26 1/8	1687	32 1/8	2251
2 1/4	54	8 1/4	327	14 1/4	713	20 1/4	1177	26 1/4	1698	32 1/4	2264
2 3/8	58	8 3/8	334	14 3/8	722	20 3/8	1187	26 3/8	1709	32 3/8	2276
2 1/2	62	8 1/2	341	14 1/2	731	20 1/2	1197	26 1/2	1721	32 1/2	2288
2 5/8	67	8 5/8	348	14 5/8	740	20 5/8	1208	26 5/8	1732	32 5/8	2300
2 3/4	71	8 3/4	355	14 3/4	749	20 3/4	1218	26 3/4	1743	32 3/4	2312
2 7/8	75	8 7/8	362	14 7/8	758	20 7/8	1228	26 7/8	1755	32 7/8	2325
3	80	9	370	15	767	21	1239	27	1766	33	2337
3 1/8	84	9 1/8	377	15 1/8	776	21 1/8	1249	27 1/8	1778	33 1/8	2349
3 1/4	89	9 1/4	385	15 1/4	786	21 1/4	1260	27 1/4	1789	33 1/4	2361
3 3/8	94	9 3/8	392	15 3/8	795	21 3/8	1270	27 3/8	1801	33 3/8	2374
3 1/2	98	9 1/2	399	15 1/2	804	21 1/2	1281	27 1/2	1812	33 1/2	2386
3 5/8	103	9 5/8	407	15 5/8	813	21 5/8	1291	27 5/8	1824	33 5/8	2398
3 3/4	108	9 3/4	414	15 3/4	823	21 3/4	1302	27 3/4	1836	33 3/4	2411
3 7/8	113	9 7/8	422	15 7/8	832	21 7/8	1313	27 7/8	1847	33 7/8	2423
4	118	10	430	16	841	22	1323	28	1859	34	2435
4 1/8	123	10 1/8	437	16 1/8	851	22 1/8	1334	28 1/8	1870	34 1/8	2448
4 1/4	128	10 1/4	445	16 1/4	860	22 1/4	1345	28 1/4	1882	34 1/4	2460
4 3/8	134	10 3/8	453	16 3/8	870	22 3/8	1355	28 3/8	1894	34 3/8	2472
4 1/2	139	10 1/2	461	16 1/2	879	22 1/2	1366	28 1/2	1905	34 1/2	2485
4 5/8	144	10 5/8	469	16 5/8	889	22 5/8	1377	28 5/8	1917	34 5/8	2497
4 3/4	150	10 3/4	477	16 3/4	898	22 3/4	1388	28 3/4	1929	34 3/4	2510
4 7/8	155	10 7/8	484	16 7/8	908	22 7/8	1398	28 7/8	1941	34 7/8	2522
5	161	11	492	17	917	23	1409	29	1952	35	2535
5 1/8	167	11 1/8	500	17 1/8	927	23 1/8	1420	29 1/8	1964	35 1/8	2547
5 1/4	172	11 1/4	509	17 1/4	937	23 1/4	1431	29 1/4	1976	35 1/4	2560
5 3/8	178	11 3/8	517	17 3/8	946	23 3/8	1442	29 3/8	1988	35 3/8	2572
5 1/2	184	11 1/2	525	17 1/2	956	23 1/2	1453	29 1/2	1999	35 1/2	2585
5 5/8	190	11 5/8	533	17 5/8	966	23 5/8	1464	29 5/8	2011	35 5/8	2597
5 3/4	196	11 3/4	541	17 3/4	975	23 3/4	1475	29 3/4	2023	35 3/4	2610
5 7/8	202	11 7/8	549	17 7/8	985	23 7/8	1486	29 7/8	2035	35 7/8	2622
6	208	12	558	18	995	24	1497	30	2047	36	2635

**10'-10000 Double-Wall Compartment Tank Extension  
10318 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	2647	42 1/8	3264	48 1/8	3901	54 1/8	4551	60 1/8	5207	66 1/8	5863
36 1/4	2660	42 1/4	3277	48 1/4	3915	54 1/4	4565	60 1/4	5221	66 1/4	5876
36 3/8	2673	42 3/8	3290	48 3/8	3928	54 3/8	4578	60 3/8	5234	66 3/8	5890
36 1/2	2685	42 1/2	3304	48 1/2	3941	54 1/2	4592	60 1/2	5248	66 1/2	5903
36 5/8	2698	42 5/8	3317	48 5/8	3955	54 5/8	4606	60 5/8	5262	66 5/8	5917
36 3/4	2711	42 3/4	3330	48 3/4	3968	54 3/4	4619	60 3/4	5275	66 3/4	5931
36 7/8	2723	42 7/8	3343	48 7/8	3982	54 7/8	4633	60 7/8	5289	66 7/8	5944
37	2736	43	3356	49	3995	55	4646	61	5303	67	5958
37 1/8	2749	43 1/8	3369	49 1/8	4009	55 1/8	4660	61 1/8	5317	67 1/8	5971
37 1/4	2761	43 1/4	3382	49 1/4	4022	55 1/4	4674	61 1/4	5330	67 1/4	5985
37 3/8	2774	43 3/8	3396	49 3/8	4036	55 3/8	4687	61 3/8	5344	67 3/8	5998
37 1/2	2787	43 1/2	3409	49 1/2	4049	55 1/2	4701	61 1/2	5358	67 1/2	6012
37 5/8	2799	43 5/8	3422	49 5/8	4063	55 5/8	4715	61 5/8	5371	67 5/8	6026
37 3/4	2812	43 3/4	3435	49 3/4	4076	55 3/4	4728	61 3/4	5385	67 3/4	6039
37 7/8	2825	43 7/8	3448	49 7/8	4090	55 7/8	4742	61 7/8	5399	67 7/8	6053
38	2838	44	3461	50	4103	56	4756	62	5412	68	6066
38 1/8	2850	44 1/8	3475	50 1/8	4117	56 1/8	4769	62 1/8	5426	68 1/8	6080
38 1/4	2863	44 1/4	3488	50 1/4	4130	56 1/4	4783	62 1/4	5440	68 1/4	6093
38 3/8	2876	44 3/8	3501	50 3/8	4144	56 3/8	4797	62 3/8	5453	68 3/8	6107
38 1/2	2889	44 1/2	3514	50 1/2	4157	56 1/2	4810	62 1/2	5467	68 1/2	6120
38 5/8	2902	44 5/8	3528	50 5/8	4171	56 5/8	4824	62 5/8	5481	68 5/8	6134
38 3/4	2914	44 3/4	3541	50 3/4	4184	56 3/4	4838	62 3/4	5494	68 3/4	6148
38 7/8	2927	44 7/8	3554	50 7/8	4198	56 7/8	4851	62 7/8	5508	68 7/8	6161
39	2940	45	3567	51	4211	57	4865	63	5522	69	6175
39 1/8	2953	45 1/8	3581	51 1/8	4225	57 1/8	4879	63 1/8	5535	69 1/8	6188
39 1/4	2966	45 1/4	3594	51 1/4	4238	57 1/4	4892	63 1/4	5549	69 1/4	6202
39 3/8	2979	45 3/8	3607	51 3/8	4252	57 3/8	4906	63 3/8	5563	69 3/8	6215
39 1/2	2991	45 1/2	3621	51 1/2	4266	57 1/2	4920	63 1/2	5576	69 1/2	6229
39 5/8	3004	45 5/8	3634	51 5/8	4279	57 5/8	4933	63 5/8	5590	69 5/8	6242
39 3/4	3017	45 3/4	3647	51 3/4	4293	57 3/4	4947	63 3/4	5604	69 3/4	6256
39 7/8	3030	45 7/8	3660	51 7/8	4306	57 7/8	4961	63 7/8	5617	69 7/8	6269
40	3043	46	3674	52	4320	58	4974	64	5631	70	6283
40 1/8	3056	46 1/8	3687	52 1/8	4333	58 1/8	4988	64 1/8	5645	70 1/8	6296
40 1/4	3069	46 1/4	3700	52 1/4	4347	58 1/4	5002	64 1/4	5658	70 1/4	6310
40 3/8	3082	46 3/8	3714	52 3/8	4361	58 3/8	5015	64 3/8	5672	70 3/8	6323
40 1/2	3095	46 1/2	3727	52 1/2	4374	58 1/2	5029	64 1/2	5685	70 1/2	6336
40 5/8	3108	46 5/8	3740	52 5/8	4388	58 5/8	5043	64 5/8	5699	70 5/8	6350
40 3/4	3121	46 3/4	3754	52 3/4	4401	58 3/4	5057	64 3/4	5713	70 3/4	6363
40 7/8	3134	46 7/8	3767	52 7/8	4415	58 7/8	5070	64 7/8	5726	70 7/8	6377
41	3147	47	3781	53	4429	59	5084	65	5740	71	6390
41 1/8	3160	47 1/8	3794	53 1/8	4442	59 1/8	5098	65 1/8	5754	71 1/8	6404
41 1/4	3173	47 1/4	3807	53 1/4	4456	59 1/4	5111	65 1/4	5767	71 1/4	6417
41 3/8	3186	47 3/8	3821	53 3/8	4469	59 3/8	5125	65 3/8	5781	71 3/8	6431
41 1/2	3199	47 1/2	3834	53 1/2	4483	59 1/2	5139	65 1/2	5795	71 1/2	6444
41 5/8	3212	47 5/8	3848	53 5/8	4497	59 5/8	5152	65 5/8	5808	71 5/8	6457
41 3/4	3225	47 3/4	3861	53 3/4	4510	59 3/4	5166	65 3/4	5822	71 3/4	6471
41 7/8	3238	47 7/8	3874	53 7/8	4524	59 7/8	5180	65 7/8	5835	71 7/8	6484
42	3251	48	3888	54	4537	60	5193	66	5849	72	6498

**10'-10000 Double-Wall Compartment Tank Extension  
10318 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	6511	78 1/8	7145	84 1/8	7759	90 1/8	8342	96 1/8	8887	102 1/8	9382
72 1/4	6524	78 1/4	7158	84 1/4	7771	90 1/4	8354	96 1/4	8898	102 1/4	9391
72 3/8	6538	78 3/8	7171	84 3/8	7784	90 3/8	8366	96 3/8	8909	102 3/8	9401
72 1/2	6551	78 1/2	7184	84 1/2	7796	90 1/2	8378	96 1/2	8920	102 1/2	9411
72 5/8	6565	78 5/8	7197	84 5/8	7809	90 5/8	8389	96 5/8	8931	102 5/8	9420
72 3/4	6578	78 3/4	7210	84 3/4	7821	90 3/4	8401	96 3/4	8941	102 3/4	9430
72 7/8	6591	78 7/8	7223	84 7/8	7833	90 7/8	8413	96 7/8	8952	102 7/8	9439
73	6605	79	7236	85	7846	91	8425	97	8963	103	9449
73 1/8	6618	79 1/8	7249	85 1/8	7858	91 1/8	8436	97 1/8	8974	103 1/8	9458
73 1/4	6631	79 1/4	7262	85 1/4	7871	91 1/4	8448	97 1/4	8984	103 1/4	9468
73 3/8	6645	79 3/8	7275	85 3/8	7883	91 3/8	8460	97 3/8	8995	103 3/8	9477
73 1/2	6658	79 1/2	7288	85 1/2	7895	91 1/2	8471	97 1/2	9006	103 1/2	9486
73 5/8	6671	79 5/8	7301	85 5/8	7908	91 5/8	8483	97 5/8	9016	103 5/8	9496
73 3/4	6685	79 3/4	7314	85 3/4	7920	91 3/4	8494	97 3/4	9027	103 3/4	9505
73 7/8	6698	79 7/8	7327	85 7/8	7932	91 7/8	8506	97 7/8	9037	103 7/8	9514
74	6711	80	7340	86	7945	92	8517	98	9048	104	9524
74 1/8	6724	80 1/8	7353	86 1/8	7957	92 1/8	8529	98 1/8	9058	104 1/8	9533
74 1/4	6738	80 1/4	7365	86 1/4	7969	92 1/4	8540	98 1/4	9069	104 1/4	9542
74 3/8	6751	80 3/8	7378	86 3/8	7981	92 3/8	8552	98 3/8	9079	104 3/8	9551
74 1/2	6764	80 1/2	7391	86 1/2	7994	92 1/2	8563	98 1/2	9090	104 1/2	9560
74 5/8	6777	80 5/8	7404	86 5/8	8006	92 5/8	8575	98 5/8	9100	104 5/8	9569
74 3/4	6791	80 3/4	7417	86 3/4	8018	92 3/4	8586	98 3/4	9111	104 3/4	9578
74 7/8	6804	80 7/8	7430	86 7/8	8030	92 7/8	8598	98 7/8	9121	104 7/8	9587
75	6817	81	7442	87	8043	93	8609	99	9131	105	9596
75 1/8	6830	81 1/8	7455	87 1/8	8055	93 1/8	8620	99 1/8	9142	105 1/8	9605
75 1/4	6844	81 1/4	7468	87 1/4	8067	93 1/4	8632	99 1/4	9152	105 1/4	9614
75 3/8	6857	81 3/8	7481	87 3/8	8079	93 3/8	8643	99 3/8	9162	105 3/8	9623
75 1/2	6870	81 1/2	7494	87 1/2	8091	93 1/2	8654	99 1/2	9173	105 1/2	9632
75 5/8	6883	81 5/8	7506	87 5/8	8103	93 5/8	8666	99 5/8	9183	105 5/8	9641
75 3/4	6896	81 3/4	7519	87 3/4	8115	93 3/4	8677	99 3/4	9193	105 3/4	9650
75 7/8	6910	81 7/8	7532	87 7/8	8128	93 7/8	8688	99 7/8	9203	105 7/8	9658
76	6923	82	7544	88	8140	94	8700	100	9213	106	9667
76 1/8	6936	82 1/8	7557	88 1/8	8152	94 1/8	8711	100 1/8	9223	106 1/8	9676
76 1/4	6949	82 1/4	7570	88 1/4	8164	94 1/4	8722	100 1/4	9234	106 1/4	9684
76 3/8	6962	82 3/8	7582	88 3/8	8176	94 3/8	8733	100 3/8	9244	106 3/8	9693
76 1/2	6975	82 1/2	7595	88 1/2	8188	94 1/2	8744	100 1/2	9254	106 1/2	9702
76 5/8	6989	82 5/8	7608	88 5/8	8200	94 5/8	8755	100 5/8	9264	106 5/8	9710
76 3/4	7002	82 3/4	7620	88 3/4	8212	94 3/4	8766	100 3/4	9274	106 3/4	9719
76 7/8	7015	82 7/8	7633	88 7/8	8224	94 7/8	8778	100 7/8	9284	106 7/8	9727
77	7028	83	7646	89	8236	95	8789	101	9294	107	9736
77 1/8	7041	83 1/8	7658	89 1/8	8248	95 1/8	8800	101 1/8	9304	107 1/8	9744
77 1/4	7054	83 1/4	7671	89 1/4	8259	95 1/4	8811	101 1/4	9313	107 1/4	9752
77 3/8	7067	83 3/8	7683	89 3/8	8271	95 3/8	8822	101 3/8	9323	107 3/8	9761
77 1/2	7080	83 1/2	7696	89 1/2	8283	95 1/2	8833	101 1/2	9333	107 1/2	9769
77 5/8	7093	83 5/8	7709	89 5/8	8295	95 5/8	8844	101 5/8	9343	107 5/8	9777
77 3/4	7106	83 3/4	7721	89 3/4	8307	95 3/4	8855	101 3/4	9353	107 3/4	9785
77 7/8	7119	83 7/8	7734	89 7/8	8319	95 7/8	8866	101 7/8	9362	107 7/8	9794
78	7132	84	7746	90	8331	96	8877	102	9372	108	9802

# 10'-10000 Double-Wall Compartment Tank Extension 10318 Gals



**CONTAINMENT  
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	9810	114 1/8	10146
108 1/4	9818	114 1/4	10152
108 3/8	9826	114 3/8	10157
108 1/2	9834	114 1/2	10163
108 5/8	9842	114 5/8	10168
108 3/4	9850	114 3/4	10174
108 7/8	9858	114 7/8	10179
109	9865	115	10185
109 1/8	9873	115 1/8	10190
109 1/4	9881	115 1/4	10195
109 3/8	9889	115 3/8	10200
109 1/2	9896	115 1/2	10205
109 5/8	9904	115 5/8	10210
109 3/4	9911	115 3/4	10215
109 7/8	9919	115 7/8	10220
110	9926	116	10225
110 1/8	9934	116 1/8	10229
110 1/4	9941	116 1/4	10234
110 3/8	9949	116 3/8	10239
110 1/2	9956	116 1/2	10243
110 5/8	9963	116 5/8	10247
110 3/4	9970	116 3/4	10252
110 7/8	9977	116 7/8	10256
111	9985	117	10260
111 1/8	9992	117 1/8	10264
111 1/4	9999	117 1/4	10268
111 3/8	10006	117 3/8	10272
111 1/2	10013	117 1/2	10275
111 5/8	10019	117 5/8	10279
111 3/4	10026	117 3/4	10283
111 7/8	10033	117 7/8	10286
112	10040	118	10289
112 1/8	10046	118 1/8	10292
112 1/4	10053	118 1/4	10295
112 3/8	10060	118 3/8	10298
112 1/2	10066	118 1/2	10301
112 5/8	10073	118 5/8	10304
112 3/4	10079	118 3/4	10306
112 7/8	10085	118 7/8	10309
113	10092	119	10311
113 1/8	10098	119 1/8	10313
113 1/4	10104	119 1/4	10314
113 3/8	10110	119 3/8	10316
113 1/2	10116	119 1/2	10317
113 5/8	10122	119 5/8	10318
113 3/4	10128		
113 7/8	10134		
114	10140		

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste  
Federal Process Corp.  
800-846-7325  
www.gasoila.com

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
**5150 Jefferson Chemical Road**  
**Conroe, TX 77301**  
**Tel: 409-756-7731**  
**Fax: 409-756-7766**