

## 10'-10000 SWT D6 Single-Wall Tank 9988 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	2	6 1/8	159	12 1/8	451	18 1/8	840	24 1/8	1308	30 1/8	1840
1/4	4	6 1/4	164	12 1/4	458	18 1/4	849	24 1/4	1319	30 1/4	1851
3/8	5	6 3/8	168	12 3/8	465	18 3/8	858	24 3/8	1329	30 3/8	1863
1/2	6	6 1/2	173	12 1/2	472	18 1/2	867	24 1/2	1340	30 1/2	1875
5/8	8	6 5/8	179	12 5/8	480	18 5/8	877	24 5/8	1350	30 5/8	1886
3/4	10	6 3/4	184	12 3/4	487	18 3/4	886	24 3/4	1361	30 3/4	1898
7/8	11	6 7/8	189	12 7/8	494	18 7/8	895	24 7/8	1371	30 7/8	1910
1	13	7	194	13	502	19	904	25	1382	31	1922
1 1/8	15	7 1/8	199	13 1/8	509	19 1/8	913	25 1/8	1393	31 1/8	1933
1 1/4	17	7 1/4	205	13 1/4	517	19 1/4	923	25 1/4	1403	31 1/4	1945
1 3/8	19	7 3/8	210	13 3/8	524	19 3/8	932	25 3/8	1414	31 3/8	1957
1 1/2	22	7 1/2	215	13 1/2	532	19 1/2	941	25 1/2	1425	31 1/2	1969
1 5/8	24	7 5/8	221	13 5/8	540	19 5/8	951	25 5/8	1436	31 5/8	1981
1 3/4	27	7 3/4	227	13 3/4	547	19 3/4	960	25 3/4	1446	31 3/4	1993
1 7/8	29	7 7/8	232	13 7/8	555	19 7/8	969	25 7/8	1457	31 7/8	2005
2	32	8	238	14	563	20	979	26	1468	32	2017
2 1/8	34	8 1/8	243	14 1/8	571	20 1/8	988	26 1/8	1479	32 1/8	2029
2 1/4	37	8 1/4	249	14 1/4	579	20 1/4	998	26 1/4	1490	32 1/4	2041
2 3/8	40	8 3/8	255	14 3/8	586	20 3/8	1007	26 3/8	1501	32 3/8	2053
2 1/2	43	8 1/2	261	14 1/2	594	20 1/2	1017	26 1/2	1512	32 1/2	2065
2 5/8	46	8 5/8	267	14 5/8	602	20 5/8	1027	26 5/8	1523	32 5/8	2077
2 3/4	49	8 3/4	273	14 3/4	610	20 3/4	1036	26 3/4	1534	32 3/4	2089
2 7/8	52	8 7/8	279	14 7/8	618	20 7/8	1046	26 7/8	1545	32 7/8	2101
3	56	9	285	15	626	21	1056	27	1556	33	2113
3 1/8	59	9 1/8	291	15 1/8	635	21 1/8	1065	27 1/8	1567	33 1/8	2125
3 1/4	62	9 1/4	297	15 1/4	643	21 1/4	1075	27 1/4	1578	33 1/4	2137
3 3/8	66	9 3/8	303	15 3/8	651	21 3/8	1085	27 3/8	1589	33 3/8	2149
3 1/2	69	9 1/2	309	15 1/2	659	21 1/2	1095	27 1/2	1600	33 1/2	2162
3 5/8	73	9 5/8	316	15 5/8	667	21 5/8	1105	27 5/8	1611	33 5/8	2174
3 3/4	77	9 3/4	322	15 3/4	676	21 3/4	1115	27 3/4	1623	33 3/4	2186
3 7/8	80	9 7/8	328	15 7/8	684	21 7/8	1125	27 7/8	1634	33 7/8	2198
4	84	10	335	16	692	22	1135	28	1645	34	2211
4 1/8	88	10 1/8	341	16 1/8	701	22 1/8	1145	28 1/8	1656	34 1/8	2223
4 1/4	92	10 1/4	348	16 1/4	709	22 1/4	1155	28 1/4	1668	34 1/4	2235
4 3/8	96	10 3/8	354	16 3/8	718	22 3/8	1165	28 3/8	1679	34 3/8	2248
4 1/2	100	10 1/2	361	16 1/2	726	22 1/2	1175	28 1/2	1690	34 1/2	2260
4 5/8	104	10 5/8	367	16 5/8	735	22 5/8	1185	28 5/8	1702	34 5/8	2272
4 3/4	109	10 3/4	374	16 3/4	743	22 3/4	1195	28 3/4	1713	34 3/4	2285
4 7/8	113	10 7/8	381	16 7/8	752	22 7/8	1205	28 7/8	1724	34 7/8	2297
5	117	11	388	17	761	23	1215	29	1736	35	2309
5 1/8	121	11 1/8	394	17 1/8	769	23 1/8	1225	29 1/8	1747	35 1/8	2322
5 1/4	126	11 1/4	401	17 1/4	778	23 1/4	1236	29 1/4	1759	35 1/4	2334
5 3/8	130	11 3/8	408	17 3/8	787	23 3/8	1246	29 3/8	1770	35 3/8	2347
5 1/2	135	11 1/2	415	17 1/2	796	23 1/2	1256	29 1/2	1782	35 1/2	2359
5 5/8	140	11 5/8	422	17 5/8	805	23 5/8	1267	29 5/8	1793	35 5/8	2372
5 3/4	144	11 3/4	429	17 3/4	813	23 3/4	1277	29 3/4	1805	35 3/4	2384
5 7/8	149	11 7/8	436	17 7/8	822	23 7/8	1287	29 7/8	1816	35 7/8	2397
6	154	12	443	18	831	24	1298	30	1828	36	2409

## 10'-10000 SWT D6 Single-Wall Tank 9988 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	2422	42 1/8	3044	48 1/8	3695	54 1/8	4365	60 1/8	5044	66 1/8	5722
36 1/4	2435	42 1/4	3057	48 1/4	3709	54 1/4	4379	60 1/4	5058	66 1/4	5736
36 3/8	2447	42 3/8	3070	48 3/8	3722	54 3/8	4393	60 3/8	5072	66 3/8	5750
36 1/2	2460	42 1/2	3084	48 1/2	3736	54 1/2	4407	60 1/2	5086	66 1/2	5764
36 5/8	2472	42 5/8	3097	48 5/8	3750	54 5/8	4421	60 5/8	5101	66 5/8	5778
36 3/4	2485	42 3/4	3111	48 3/4	3764	54 3/4	4435	60 3/4	5115	66 3/4	5792
36 7/8	2498	42 7/8	3124	48 7/8	3778	54 7/8	4449	60 7/8	5129	66 7/8	5806
37	2510	43	3137	49	3792	55	4464	61	5143	67	5820
37 1/8	2523	43 1/8	3151	49 1/8	3805	55 1/8	4478	61 1/8	5157	67 1/8	5834
37 1/4	2536	43 1/4	3164	49 1/4	3819	55 1/4	4492	61 1/4	5171	67 1/4	5848
37 3/8	2549	43 3/8	3177	49 3/8	3833	55 3/8	4506	61 3/8	5186	67 3/8	5862
37 1/2	2561	43 1/2	3191	49 1/2	3847	55 1/2	4520	61 1/2	5200	67 1/2	5876
37 5/8	2574	43 5/8	3204	49 5/8	3861	55 5/8	4534	61 5/8	5214	67 5/8	5890
37 3/4	2587	43 3/4	3218	49 3/4	3875	55 3/4	4548	61 3/4	5228	67 3/4	5904
37 7/8	2600	43 7/8	3231	49 7/8	3889	55 7/8	4562	61 7/8	5242	67 7/8	5918
38	2613	44	3245	50	3903	56	4576	62	5256	68	5932
38 1/8	2625	44 1/8	3258	50 1/8	3917	56 1/8	4591	62 1/8	5270	68 1/8	5946
38 1/4	2638	44 1/4	3272	50 1/4	3931	56 1/4	4605	62 1/4	5285	68 1/4	5960
38 3/8	2651	44 3/8	3285	50 3/8	3944	56 3/8	4619	62 3/8	5299	68 3/8	5974
38 1/2	2664	44 1/2	3299	50 1/2	3958	56 1/2	4633	62 1/2	5313	68 1/2	5988
38 5/8	2677	44 5/8	3312	50 5/8	3972	56 5/8	4647	62 5/8	5327	68 5/8	6002
38 3/4	2690	44 3/4	3326	50 3/4	3986	56 3/4	4661	62 3/4	5341	68 3/4	6016
38 7/8	2703	44 7/8	3339	50 7/8	4000	56 7/8	4676	62 7/8	5355	68 7/8	6030
39	2716	45	3353	51	4014	57	4690	63	5370	69	6044
39 1/8	2729	45 1/8	3366	51 1/8	4028	57 1/8	4704	63 1/8	5384	69 1/8	6058
39 1/4	2742	45 1/4	3380	51 1/4	4042	57 1/4	4718	63 1/4	5398	69 1/4	6072
39 3/8	2755	45 3/8	3394	51 3/8	4056	57 3/8	4732	63 3/8	5412	69 3/8	6086
39 1/2	2768	45 1/2	3407	51 1/2	4070	57 1/2	4746	63 1/2	5426	69 1/2	6100
39 5/8	2781	45 5/8	3421	51 5/8	4084	57 5/8	4760	63 5/8	5440	69 5/8	6114
39 3/4	2794	45 3/4	3434	51 3/4	4098	57 3/4	4775	63 3/4	5454	69 3/4	6127
39 7/8	2807	45 7/8	3448	51 7/8	4112	57 7/8	4789	63 7/8	5468	69 7/8	6141
40	2820	46	3462	52	4126	58	4803	64	5483	70	6155
40 1/8	2833	46 1/8	3475	52 1/8	4140	58 1/8	4817	64 1/8	5497	70 1/8	6169
40 1/4	2846	46 1/4	3489	52 1/4	4154	58 1/4	4831	64 1/4	5511	70 1/4	6183
40 3/8	2859	46 3/8	3503	52 3/8	4168	58 3/8	4845	64 3/8	5525	70 3/8	6197
40 1/2	2872	46 1/2	3516	52 1/2	4182	58 1/2	4860	64 1/2	5539	70 1/2	6211
40 5/8	2885	46 5/8	3530	52 5/8	4196	58 5/8	4874	64 5/8	5553	70 5/8	6225
40 3/4	2898	46 3/4	3544	52 3/4	4210	58 3/4	4888	64 3/4	5567	70 3/4	6238
40 7/8	2912	46 7/8	3557	52 7/8	4224	58 7/8	4902	64 7/8	5581	70 7/8	6252
41	2925	47	3571	53	4238	59	4916	65	5595	71	6266
41 1/8	2938	47 1/8	3585	53 1/8	4252	59 1/8	4930	65 1/8	5610	71 1/8	6280
41 1/4	2951	47 1/4	3599	53 1/4	4266	59 1/4	4945	65 1/4	5624	71 1/4	6294
41 3/8	2964	47 3/8	3612	53 3/8	4280	59 3/8	4959	65 3/8	5638	71 3/8	6307
41 1/2	2978	47 1/2	3626	53 1/2	4294	59 1/2	4973	65 1/2	5652	71 1/2	6321
41 5/8	2991	47 5/8	3640	53 5/8	4309	59 5/8	4987	65 5/8	5666	71 5/8	6335
41 3/4	3004	47 3/4	3654	53 3/4	4323	59 3/4	5001	65 3/4	5680	71 3/4	6349
41 7/8	3017	47 7/8	3667	53 7/8	4337	59 7/8	5015	65 7/8	5694	71 7/8	6362
42	3031	48	3681	54	4351	60	5030	66	5708	72	6376

## 10'-10000 SWT D6 Single-Wall Tank 9988 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	6390	78 1/8	7037	84 1/8	7654	90 1/8	8230	96 1/8	8753	102 1/8	9210
72 1/4	6404	78 1/4	7051	84 1/4	7667	90 1/4	8241	96 1/4	8763	102 1/4	9219
72 3/8	6417	78 3/8	7064	84 3/8	7679	90 3/8	8253	96 3/8	8773	102 3/8	9228
72 1/2	6431	78 1/2	7077	84 1/2	7691	90 1/2	8264	96 1/2	8783	102 1/2	9236
72 5/8	6445	78 5/8	7090	84 5/8	7704	90 5/8	8276	96 5/8	8794	102 5/8	9245
72 3/4	6459	78 3/4	7103	84 3/4	7716	90 3/4	8287	96 3/4	8804	102 3/4	9254
72 7/8	6472	78 7/8	7116	84 7/8	7729	90 7/8	8298	96 7/8	8814	102 7/8	9262
73	6486	79	7129	85	7741	91	8310	97	8824	103	9271
73 1/8	6500	79 1/8	7143	85 1/8	7753	91 1/8	8321	97 1/8	8834	103 1/8	9279
73 1/4	6513	79 1/4	7156	85 1/4	7766	91 1/4	8332	97 1/4	8844	103 1/4	9288
73 3/8	6527	79 3/8	7169	85 3/8	7778	91 3/8	8343	97 3/8	8854	103 3/8	9296
73 1/2	6540	79 1/2	7182	85 1/2	7790	91 1/2	8355	97 1/2	8864	103 1/2	9304
73 5/8	6554	79 5/8	7195	85 5/8	7802	91 5/8	8366	97 5/8	8874	103 5/8	9313
73 3/4	6568	79 3/4	7208	85 3/4	7815	91 3/4	8377	97 3/4	8884	103 3/4	9321
73 7/8	6581	79 7/8	7221	85 7/8	7827	91 7/8	8388	97 7/8	8894	103 7/8	9329
74	6595	80	7234	86	7839	92	8399	98	8903	104	9338
74 1/8	6609	80 1/8	7247	86 1/8	7851	92 1/8	8411	98 1/8	8913	104 1/8	9346
74 1/4	6622	80 1/4	7260	86 1/4	7863	92 1/4	8422	98 1/4	8923	104 1/4	9354
74 3/8	6636	80 3/8	7273	86 3/8	7875	92 3/8	8433	98 3/8	8933	104 3/8	9362
74 1/2	6649	80 1/2	7286	86 1/2	7888	92 1/2	8444	98 1/2	8942	104 1/2	9370
74 5/8	6663	80 5/8	7299	86 5/8	7900	92 5/8	8455	98 5/8	8952	104 5/8	9378
74 3/4	6676	80 3/4	7312	86 3/4	7912	92 3/4	8466	98 3/4	8962	104 3/4	9386
74 7/8	6690	80 7/8	7324	86 7/8	7924	92 7/8	8477	98 7/8	8971	104 7/8	9394
75	6703	81	7337	87	7936	93	8488	99	8981	105	9402
75 1/8	6717	81 1/8	7350	87 1/8	7948	93 1/8	8499	99 1/8	8991	105 1/8	9410
75 1/4	6730	81 1/4	7363	87 1/4	7960	93 1/4	8509	99 1/4	9000	105 1/4	9418
75 3/8	6744	81 3/8	7376	87 3/8	7972	93 3/8	8520	99 3/8	9010	105 3/8	9426
75 1/2	6757	81 1/2	7389	87 1/2	7984	93 1/2	8531	99 1/2	9019	105 1/2	9433
75 5/8	6771	81 5/8	7402	87 5/8	7996	93 5/8	8542	99 5/8	9028	105 5/8	9441
75 3/4	6784	81 3/4	7414	87 3/4	8008	93 3/4	8553	99 3/4	9038	105 3/4	9449
75 7/8	6798	81 7/8	7427	87 7/8	8019	93 7/8	8564	99 7/8	9047	105 7/8	9456
76	6811	82	7440	88	8031	94	8574	100	9057	106	9464
76 1/8	6824	82 1/8	7453	88 1/8	8043	94 1/8	8585	100 1/8	9066	106 1/8	9472
76 1/4	6838	82 1/4	7465	88 1/4	8055	94 1/4	8596	100 1/4	9075	106 1/4	9479
76 3/8	6851	82 3/8	7478	88 3/8	8067	94 3/8	8606	100 3/8	9084	106 3/8	9487
76 1/2	6865	82 1/2	7491	88 1/2	8079	94 1/2	8617	100 1/2	9094	106 1/2	9494
76 5/8	6878	82 5/8	7503	88 5/8	8090	94 5/8	8628	100 5/8	9103	106 5/8	9501
76 3/4	6891	82 3/4	7516	88 3/4	8102	94 3/4	8638	100 3/4	9112	106 3/4	9509
76 7/8	6905	82 7/8	7529	88 7/8	8114	94 7/8	8649	100 7/8	9121	106 7/8	9516
77	6918	83	7541	89	8126	95	8659	101	9130	107	9523
77 1/8	6931	83 1/8	7554	89 1/8	8137	95 1/8	8670	101 1/8	9139	107 1/8	9531
77 1/4	6945	83 1/4	7567	89 1/4	8149	95 1/4	8680	101 1/4	9148	107 1/4	9538
77 3/8	6958	83 3/8	7579	89 3/8	8160	95 3/8	8691	101 3/8	9157	107 3/8	9545
77 1/2	6971	83 1/2	7592	89 1/2	8172	95 1/2	8701	101 1/2	9166	107 1/2	9552
77 5/8	6984	83 5/8	7604	89 5/8	8184	95 5/8	8711	101 5/8	9175	107 5/8	9559
77 3/4	6998	83 3/4	7617	89 3/4	8195	95 3/4	8722	101 3/4	9184	107 3/4	9566
77 7/8	7011	83 7/8	7629	89 7/8	8207	95 7/8	8732	101 7/8	9193	107 7/8	9573
78	7024	84	7642	90	8218	96	8742	102	9201	108	9580

# 10'-10000 SWT D6 Single-Wall Tank 9988 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	9587	114 1/8	9863
108 1/4	9594	114 1/4	9867
108 3/8	9601	114 3/8	9871
108 1/2	9608	114 1/2	9876
108 5/8	9614	114 5/8	9880
108 3/4	9621	114 3/4	9884
108 7/8	9628	114 7/8	9888
109	9634	115	9892
109 1/8	9641	115 1/8	9896
109 1/4	9647	115 1/4	9900
109 3/8	9654	115 3/8	9904
109 1/2	9660	115 1/2	9908
109 5/8	9667	115 5/8	9912
109 3/4	9673	115 3/4	9915
109 7/8	9679	115 7/8	9919
110	9685	116	9923
110 1/8	9692	116 1/8	9926
110 1/4	9698	116 1/4	9929
110 3/8	9704	116 3/8	9933
110 1/2	9710	116 1/2	9936
110 5/8	9716	116 5/8	9939
110 3/4	9722	116 3/4	9942
110 7/8	9728	116 7/8	9945
111	9733	117	9948
111 1/8	9739	117 1/8	9951
111 1/4	9745	117 1/4	9954
111 3/8	9751	117 3/8	9957
111 1/2	9756	117 1/2	9959
111 5/8	9762	117 5/8	9962
111 3/4	9767	117 3/4	9964
111 7/8	9773	117 7/8	9967
112	9778	118	9969
112 1/8	9784	118 1/8	9971
112 1/4	9789	118 1/4	9973
112 3/8	9794	118 3/8	9975
112 1/2	9800	118 1/2	9977
112 5/8	9805	118 5/8	9979
112 3/4	9810	118 3/4	9981
112 7/8	9815	118 7/8	9982
113	9820	119	9984
113 1/8	9825	119 1/8	9985
113 1/4	9830	119 1/4	9986
113 3/8	9835	119 3/8	9987
113 1/2	9839	119 1/2	9988
113 5/8	9844	119 5/8	9988
113 3/4	9849		
113 7/8	9854		
114	9858		



**CONTAINMENT  
SOLUTIONS<sup>®</sup>**

**How To Properly Gauge Your Tank**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gauging or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoil Water Finding Paste  
Federal Process Corp.  
800-846-7325  
www.gasoila.com

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.

**Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
**333 North Rivershire Dr., Suite 190**  
**Conroe, TX 77304**  
**Tel: 936-756-7731**  
**Fax: 936-756-7766**

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**