

## 10'-20000 DWT6 Double-Wall Tank 19951 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	6	6 1/8	365	12 1/8	997	18 1/8	1811	24 1/8	2764	30 1/8	3828
1/4	9	6 1/4	376	12 1/4	1012	18 1/4	1829	24 1/4	2785	30 1/4	3851
3/8	12	6 3/8	387	12 3/8	1028	18 3/8	1848	24 3/8	2806	30 3/8	3874
1/2	16	6 1/2	398	12 1/2	1043	18 1/2	1866	24 1/2	2827	30 1/2	3897
5/8	20	6 5/8	410	12 5/8	1059	18 5/8	1885	24 5/8	2849	30 5/8	3920
3/4	24	6 3/4	421	12 3/4	1074	18 3/4	1904	24 3/4	2870	30 3/4	3944
7/8	28	6 7/8	432	12 7/8	1090	18 7/8	1923	24 7/8	2891	30 7/8	3967
1	32	7	444	13	1106	19	1942	25	2913	31	3990
1 1/8	37	7 1/8	455	13 1/8	1121	19 1/8	1961	25 1/8	2934	31 1/8	4014
1 1/4	42	7 1/4	467	13 1/4	1137	19 1/4	1980	25 1/4	2956	31 1/4	4037
1 3/8	48	7 3/8	479	13 3/8	1153	19 3/8	1999	25 3/8	2977	31 3/8	4061
1 1/2	53	7 1/2	491	13 1/2	1169	19 1/2	2018	25 1/2	2999	31 1/2	4084
1 5/8	59	7 5/8	503	13 5/8	1185	19 5/8	2037	25 5/8	3020	31 5/8	4108
1 3/4	64	7 3/4	515	13 3/4	1202	19 3/4	2056	25 3/4	3042	31 3/4	4131
1 7/8	71	7 7/8	527	13 7/8	1218	19 7/8	2076	25 7/8	3064	31 7/8	4155
2	77	8	540	14	1234	20	2095	26	3086	32	4179
2 1/8	83	8 1/8	552	14 1/8	1251	20 1/8	2114	26 1/8	3107	32 1/8	4202
2 1/4	90	8 1/4	565	14 1/4	1267	20 1/4	2134	26 1/4	3129	32 1/4	4226
2 3/8	96	8 3/8	577	14 3/8	1284	20 3/8	2153	26 3/8	3151	32 3/8	4250
2 1/2	103	8 1/2	590	14 1/2	1300	20 1/2	2173	26 1/2	3173	32 1/2	4274
2 5/8	110	8 5/8	603	14 5/8	1317	20 5/8	2193	26 5/8	3195	32 5/8	4298
2 3/4	118	8 3/4	616	14 3/4	1334	20 3/4	2212	26 3/4	3217	32 3/4	4321
2 7/8	125	8 7/8	629	14 7/8	1350	20 7/8	2232	26 7/8	3239	32 7/8	4345
3	133	9	642	15	1367	21	2252	27	3261	33	4369
3 1/8	140	9 1/8	655	15 1/8	1384	21 1/8	2272	27 1/8	3283	33 1/8	4393
3 1/4	148	9 1/4	668	15 1/4	1401	21 1/4	2292	27 1/4	3306	33 1/4	4417
3 3/8	156	9 3/8	682	15 3/8	1418	21 3/8	2312	27 3/8	3328	33 3/8	4441
3 1/2	164	9 1/2	695	15 1/2	1435	21 1/2	2332	27 1/2	3350	33 1/2	4465
3 5/8	173	9 5/8	709	15 5/8	1453	21 5/8	2352	27 5/8	3373	33 5/8	4490
3 3/4	181	9 3/4	722	15 3/4	1470	21 3/4	2372	27 3/4	3395	33 3/4	4514
3 7/8	190	9 7/8	736	15 7/8	1487	21 7/8	2392	27 7/8	3417	33 7/8	4538
4	198	10	750	16	1505	22	2412	28	3440	34	4562
4 1/8	207	10 1/8	764	16 1/8	1522	22 1/8	2433	28 1/8	3462	34 1/8	4586
4 1/4	216	10 1/4	778	16 1/4	1540	22 1/4	2453	28 1/4	3485	34 1/4	4611
4 3/8	225	10 3/8	792	16 3/8	1557	22 3/8	2473	28 3/8	3507	34 3/8	4635
4 1/2	234	10 1/2	806	16 1/2	1575	22 1/2	2494	28 1/2	3530	34 1/2	4659
4 5/8	244	10 5/8	820	16 5/8	1593	22 5/8	2514	28 5/8	3553	34 5/8	4684
4 3/4	253	10 3/4	834	16 3/4	1611	22 3/4	2535	28 3/4	3575	34 3/4	4708
4 7/8	263	10 7/8	849	16 7/8	1628	22 7/8	2555	28 7/8	3598	34 7/8	4732
5	273	11	863	17	1646	23	2576	29	3621	35	4757
5 1/8	282	11 1/8	878	17 1/8	1664	23 1/8	2597	29 1/8	3644	35 1/8	4781
5 1/4	292	11 1/4	892	17 1/4	1682	23 1/4	2617	29 1/4	3666	35 1/4	4806
5 3/8	302	11 3/8	907	17 3/8	1701	23 3/8	2638	29 3/8	3689	35 3/8	4830
5 1/2	313	11 1/2	922	17 1/2	1719	23 1/2	2659	29 1/2	3712	35 1/2	4855
5 5/8	323	11 5/8	937	17 5/8	1737	23 5/8	2680	29 5/8	3735	35 5/8	4879
5 3/4	333	11 3/4	952	17 3/4	1755	23 3/4	2701	29 3/4	3758	35 3/4	4904
5 7/8	344	11 7/8	967	17 7/8	1774	23 7/8	2722	29 7/8	3781	35 7/8	4929
6	355	12	982	18	1792	24	2743	30	3804	36	4953

## 10'-20000 DWT6 Double-Wall Tank 19951 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	4978	42 1/8	6196	48 1/8	7462	54 1/8	8759	60 1/8	10072	66 1/8	11383
36 1/4	5003	42 1/4	6222	48 1/4	7488	54 1/4	8786	60 1/4	10099	66 1/4	11410
36 3/8	5028	42 3/8	6248	48 3/8	7515	54 3/8	8814	60 3/8	10126	66 3/8	11437
36 1/2	5053	42 1/2	6274	48 1/2	7542	54 1/2	8841	60 1/2	10154	66 1/2	11464
36 5/8	5077	42 5/8	6300	48 5/8	7569	54 5/8	8868	60 5/8	10181	66 5/8	11491
36 3/4	5102	42 3/4	6326	48 3/4	7596	54 3/4	8895	60 3/4	10208	66 3/4	11519
36 7/8	5127	42 7/8	6352	48 7/8	7622	54 7/8	8923	60 7/8	10236	66 7/8	11546
37	5152	43	6378	49	7649	55	8950	61	10263	67	11573
37 1/8	5177	43 1/8	6404	49 1/8	7676	55 1/8	8977	61 1/8	10291	67 1/8	11600
37 1/4	5202	43 1/4	6430	49 1/4	7703	55 1/4	9005	61 1/4	10318	67 1/4	11627
37 3/8	5227	43 3/8	6456	49 3/8	7730	55 3/8	9032	61 3/8	10345	67 3/8	11654
37 1/2	5252	43 1/2	6482	49 1/2	7757	55 1/2	9059	61 1/2	10373	67 1/2	11681
37 5/8	5277	43 5/8	6508	49 5/8	7784	55 5/8	9086	61 5/8	10400	67 5/8	11708
37 3/4	5302	43 3/4	6534	49 3/4	7811	55 3/4	9114	61 3/4	10427	67 3/4	11736
37 7/8	5327	43 7/8	6561	49 7/8	7838	55 7/8	9141	61 7/8	10455	67 7/8	11763
38	5352	44	6587	50	7865	56	9168	62	10482	68	11790
38 1/8	5378	44 1/8	6613	50 1/8	7891	56 1/8	9196	62 1/8	10510	68 1/8	11817
38 1/4	5403	44 1/4	6639	50 1/4	7918	56 1/4	9223	62 1/4	10537	68 1/4	11844
38 3/8	5428	44 3/8	6666	50 3/8	7945	56 3/8	9250	62 3/8	10564	68 3/8	11871
38 1/2	5453	44 1/2	6692	50 1/2	7972	56 1/2	9278	62 1/2	10592	68 1/2	11898
38 5/8	5478	44 5/8	6718	50 5/8	7999	56 5/8	9305	62 5/8	10619	68 5/8	11925
38 3/4	5504	44 3/4	6745	50 3/4	8026	56 3/4	9332	62 3/4	10646	68 3/4	11952
38 7/8	5529	44 7/8	6771	50 7/8	8053	56 7/8	9360	62 7/8	10674	68 7/8	11979
39	5554	45	6797	51	8080	57	9387	63	10701	69	12006
39 1/8	5580	45 1/8	6824	51 1/8	8107	57 1/8	9414	63 1/8	10728	69 1/8	12033
39 1/4	5605	45 1/4	6850	51 1/4	8135	57 1/4	9442	63 1/4	10756	69 1/4	12060
39 3/8	5631	45 3/8	6876	51 3/8	8162	57 3/8	9469	63 3/8	10783	69 3/8	12087
39 1/2	5656	45 1/2	6903	51 1/2	8189	57 1/2	9497	63 1/2	10810	69 1/2	12114
39 5/8	5681	45 5/8	6929	51 5/8	8216	57 5/8	9524	63 5/8	10838	69 5/8	12141
39 3/4	5707	45 3/4	6956	51 3/4	8243	57 3/4	9551	63 3/4	10865	69 3/4	12168
39 7/8	5732	45 7/8	6982	51 7/8	8270	57 7/8	9579	63 7/8	10892	69 7/8	12195
40	5758	46	7009	52	8297	58	9606	64	10920	70	12221
40 1/8	5784	46 1/8	7035	52 1/8	8324	58 1/8	9633	64 1/8	10947	70 1/8	12248
40 1/4	5809	46 1/4	7062	52 1/4	8351	58 1/4	9661	64 1/4	10974	70 1/4	12275
40 3/8	5835	46 3/8	7088	52 3/8	8378	58 3/8	9688	64 3/8	11001	70 3/8	12302
40 1/2	5860	46 1/2	7115	52 1/2	8406	58 1/2	9716	64 1/2	11029	70 1/2	12329
40 5/8	5886	46 5/8	7142	52 5/8	8433	58 5/8	9743	64 5/8	11056	70 5/8	12356
40 3/4	5912	46 3/4	7168	52 3/4	8460	58 3/4	9770	64 3/4	11083	70 3/4	12383
40 7/8	5937	46 7/8	7195	52 7/8	8487	58 7/8	9798	64 7/8	11110	70 7/8	12409
41	5963	47	7221	53	8514	59	9825	65	11138	71	12436
41 1/8	5989	47 1/8	7248	53 1/8	8541	59 1/8	9852	65 1/8	11165	71 1/8	12463
41 1/4	6015	47 1/4	7275	53 1/4	8569	59 1/4	9880	65 1/4	11192	71 1/4	12490
41 3/8	6040	47 3/8	7301	53 3/8	8596	59 3/8	9907	65 3/8	11219	71 3/8	12516
41 1/2	6066	47 1/2	7328	53 1/2	8623	59 1/2	9935	65 1/2	11247	71 1/2	12543
41 5/8	6092	47 5/8	7355	53 5/8	8650	59 5/8	9962	65 5/8	11274	71 5/8	12570
41 3/4	6118	47 3/4	7381	53 3/4	8677	59 3/4	9989	65 3/4	11301	71 3/4	12597
41 7/8	6144	47 7/8	7408	53 7/8	8705	59 7/8	10017	65 7/8	11328	71 7/8	12623
42	6170	48	7435	54	8732	60	10044	66	11356	72	12650

## 10'-20000 DWT6 Double-Wall Tank 19951 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	12677	78 1/8	13937	84 1/8	15146	90 1/8	16285	96 1/8	17334	102 1/8	18269
72 1/4	12703	78 1/4	13962	84 1/4	15170	90 1/4	16308	96 1/4	17355	102 1/4	18287
72 3/8	12730	78 3/8	13988	84 3/8	15195	90 3/8	16331	96 3/8	17375	102 3/8	18305
72 1/2	12757	78 1/2	14014	84 1/2	15219	90 1/2	16353	96 1/2	17396	102 1/2	18323
72 5/8	12783	78 5/8	14040	84 5/8	15243	90 5/8	16376	96 5/8	17417	102 5/8	18341
72 3/4	12810	78 3/4	14065	84 3/4	15268	90 3/4	16399	96 3/4	17437	102 3/4	18359
72 7/8	12836	78 7/8	14091	84 7/8	15292	90 7/8	16421	96 7/8	17458	102 7/8	18376
73	12863	79	14117	85	15317	91	16444	97	17478	103	18394
73 1/8	12889	79 1/8	14142	85 1/8	15341	91 1/8	16467	97 1/8	17498	103 1/8	18412
73 1/4	12916	79 1/4	14168	85 1/4	15365	91 1/4	16489	97 1/4	17519	103 1/4	18429
73 3/8	12943	79 3/8	14193	85 3/8	15389	91 3/8	16512	97 3/8	17539	103 3/8	18447
73 1/2	12969	79 1/2	14219	85 1/2	15414	91 1/2	16534	97 1/2	17559	103 1/2	18464
73 5/8	12995	79 5/8	14244	85 5/8	15438	91 5/8	16556	97 5/8	17579	103 5/8	18481
73 3/4	13022	79 3/4	14270	85 3/4	15462	91 3/4	16579	97 3/4	17600	103 3/4	18499
73 7/8	13048	79 7/8	14295	85 7/8	15486	91 7/8	16601	97 7/8	17620	103 7/8	18516
74	13075	80	14321	86	15510	92	16623	98	17640	104	18533
74 1/8	13101	80 1/8	14346	86 1/8	15534	92 1/8	16646	98 1/8	17660	104 1/8	18550
74 1/4	13128	80 1/4	14372	86 1/4	15558	92 1/4	16668	98 1/4	17680	104 1/4	18567
74 3/8	13154	80 3/8	14397	86 3/8	15582	92 3/8	16690	98 3/8	17699	104 3/8	18584
74 1/2	13180	80 1/2	14422	86 1/2	15606	92 1/2	16712	98 1/2	17719	104 1/2	18601
74 5/8	13207	80 5/8	14448	86 5/8	15630	92 5/8	16734	98 5/8	17739	104 5/8	18618
74 3/4	13233	80 3/4	14473	86 3/4	15654	92 3/4	16756	98 3/4	17759	104 3/4	18635
74 7/8	13259	80 7/8	14498	86 7/8	15678	92 7/8	16778	98 7/8	17778	104 7/8	18651
75	13286	81	14523	87	15701	93	16800	99	17798	105	18668
75 1/8	13312	81 1/8	14549	87 1/8	15725	93 1/8	16822	99 1/8	17817	105 1/8	18684
75 1/4	13338	81 1/4	14574	87 1/4	15749	93 1/4	16844	99 1/4	17837	105 1/4	18701
75 3/8	13364	81 3/8	14599	87 3/8	15773	93 3/8	16866	99 3/8	17856	105 3/8	18717
75 1/2	13391	81 1/2	14624	87 1/2	15796	93 1/2	16888	99 1/2	17876	105 1/2	18734
75 5/8	13417	81 5/8	14649	87 5/8	15820	93 5/8	16909	99 5/8	17895	105 5/8	18750
75 3/4	13443	81 3/4	14674	87 3/4	15843	93 3/4	16931	99 3/4	17914	105 3/4	18766
75 7/8	13469	81 7/8	14699	87 7/8	15867	93 7/8	16953	99 7/8	17933	105 7/8	18782
76	13495	82	14724	88	15891	94	16974	100	17953	106	18798
76 1/8	13521	82 1/8	14749	88 1/8	15914	94 1/8	16996	100 1/8	17972	106 1/8	18814
76 1/4	13548	82 1/4	14774	88 1/4	15937	94 1/4	17017	100 1/4	17991	106 1/4	18830
76 3/8	13574	82 3/8	14799	88 3/8	15961	94 3/8	17039	100 3/8	18010	106 3/8	18846
76 1/2	13600	82 1/2	14824	88 1/2	15984	94 1/2	17060	100 1/2	18029	106 1/2	18861
76 5/8	13626	82 5/8	14849	88 5/8	16008	94 5/8	17081	100 5/8	18047	106 5/8	18877
76 3/4	13652	82 3/4	14874	88 3/4	16031	94 3/4	17103	100 3/4	18066	106 3/4	18893
76 7/8	13678	82 7/8	14899	88 7/8	16054	94 7/8	17124	100 7/8	18085	106 7/8	18908
77	13704	83	14924	89	16077	95	17145	101	18104	107	18924
77 1/8	13730	83 1/8	14948	89 1/8	16101	95 1/8	17166	101 1/8	18122	107 1/8	18939
77 1/4	13756	83 1/4	14973	89 1/4	16124	95 1/4	17187	101 1/4	18141	107 1/4	18954
77 3/8	13782	83 3/8	14998	89 3/8	16147	95 3/8	17209	101 3/8	18159	107 3/8	18969
77 1/2	13808	83 1/2	15023	89 1/2	16170	95 1/2	17230	101 1/2	18178	107 1/2	18985
77 5/8	13833	83 5/8	15047	89 5/8	16193	95 5/8	17251	101 5/8	18196	107 5/8	19000
77 3/4	13859	83 3/4	15072	89 3/4	16216	95 3/4	17271	101 3/4	18214	107 3/4	19015
77 7/8	13885	83 7/8	15096	89 7/8	16239	95 7/8	17292	101 7/8	18233	107 7/8	19029
78	13911	84	15121	90	16262	96	17313	102	18251	108	19044

# 10'-20000 DWT6 Double-Wall Tank

## 19951 Gals



**CONTAINMENT**  
SOLUTIONS®

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	19059	114 1/8	19659
108 1/4	19074	114 1/4	19669
108 3/8	19088	114 3/8	19679
108 1/2	19103	114 1/2	19689
108 5/8	19117	114 5/8	19698
108 3/4	19131	114 3/4	19708
108 7/8	19146	114 7/8	19717
109	19160	115	19726
109 1/8	19174	115 1/8	19735
109 1/4	19188	115 1/4	19744
109 3/8	19202	115 3/8	19753
109 1/2	19215	115 1/2	19762
109 5/8	19229	115 5/8	19770
109 3/4	19243	115 3/4	19779
109 7/8	19256	115 7/8	19787
110	19270	116	19795
110 1/8	19283	116 1/8	19803
110 1/4	19296	116 1/4	19811
110 3/8	19310	116 3/8	19819
110 1/2	19323	116 1/2	19826
110 5/8	19336	116 5/8	19834
110 3/4	19349	116 3/4	19841
110 7/8	19361	116 7/8	19848
111	19374	117	19855
111 1/8	19387	117 1/8	19862
111 1/4	19399	117 1/4	19868
111 3/8	19412	117 3/8	19875
111 1/2	19424	117 1/2	19881
111 5/8	19436	117 5/8	19887
111 3/4	19448	117 3/4	19893
111 7/8	19460	117 7/8	19898
112	19472	118	19904
112 1/8	19484	118 1/8	19909
112 1/4	19496	118 1/4	19914
112 3/8	19508	118 3/8	19919
112 1/2	19519	118 1/2	19923
112 5/8	19530	118 5/8	19928
112 3/4	19542	118 3/4	19932
112 7/8	19553	118 7/8	19936
113	19564	119	19939
113 1/8	19575	119 1/8	19942
113 1/4	19586	119 1/4	19945
113 3/8	19597	119 3/8	19948
113 1/2	19607	119 1/2	19950
113 5/8	19618	119 5/8	19951
113 3/4	19628		
113 7/8	19639		
114	19649		

### How To Properly Gauge Your Tank

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

### Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870

DAYCO/NATIONAL

DAYTON, OH

TEL: 1-800-283-2926

FAX: 1-800-688-4854

### Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled.

**Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**

