

10'-6000 Double-Wall Compartment Tank Extension 6018 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	2	6 1/8	127	12 1/8	335	18 1/8	595	24 1/8	892	30 1/8	1219
1/4	3	6 1/4	130	12 1/4	340	18 1/4	601	24 1/4	899	30 1/4	1226
3/8	5	6 3/8	134	12 3/8	345	18 3/8	607	24 3/8	906	30 3/8	1233
1/2	6	6 1/2	138	12 1/2	350	18 1/2	613	24 1/2	912	30 1/2	1240
5/8	7	6 5/8	142	12 5/8	355	18 5/8	618	24 5/8	919	30 5/8	1247
3/4	9	6 3/4	145	12 3/4	360	18 3/4	624	24 3/4	925	30 3/4	1254
7/8	10	6 7/8	149	12 7/8	365	18 7/8	630	24 7/8	932	30 7/8	1261
1	12	7	153	13	370	19	636	25	938	31	1268
1 1/8	14	7 1/8	157	13 1/8	375	19 1/8	642	25 1/8	945	31 1/8	1275
1 1/4	15	7 1/4	161	13 1/4	380	19 1/4	648	25 1/4	952	31 1/4	1283
1 3/8	17	7 3/8	165	13 3/8	386	19 3/8	654	25 3/8	958	31 3/8	1290
1 1/2	19	7 1/2	169	13 1/2	391	19 1/2	660	25 1/2	965	31 1/2	1297
1 5/8	21	7 5/8	173	13 5/8	396	19 5/8	666	25 5/8	972	31 5/8	1304
1 3/4	23	7 3/4	177	13 3/4	401	19 3/4	672	25 3/4	978	31 3/4	1311
1 7/8	25	7 7/8	181	13 7/8	406	19 7/8	678	25 7/8	985	31 7/8	1318
2	28	8	185	14	412	20	684	26	992	32	1326
2 1/8	30	8 1/8	189	14 1/8	417	20 1/8	690	26 1/8	998	32 1/8	1333
2 1/4	32	8 1/4	193	14 1/4	422	20 1/4	696	26 1/4	1005	32 1/4	1340
2 3/8	35	8 3/8	198	14 3/8	427	20 3/8	703	26 3/8	1012	32 3/8	1347
2 1/2	37	8 1/2	202	14 1/2	433	20 1/2	709	26 1/2	1019	32 1/2	1354
2 5/8	39	8 5/8	206	14 5/8	438	20 5/8	715	26 5/8	1025	32 5/8	1362
2 3/4	42	8 3/4	210	14 3/4	443	20 3/4	721	26 3/4	1032	32 3/4	1369
2 7/8	45	8 7/8	215	14 7/8	449	20 7/8	727	26 7/8	1039	32 7/8	1376
3	47	9	219	15	454	21	733	27	1046	33	1383
3 1/8	50	9 1/8	223	15 1/8	460	21 1/8	740	27 1/8	1052	33 1/8	1391
3 1/4	53	9 1/4	228	15 1/4	465	21 1/4	746	27 1/4	1059	33 1/4	1398
3 3/8	55	9 3/8	232	15 3/8	470	21 3/8	752	27 3/8	1066	33 3/8	1405
3 1/2	58	9 1/2	236	15 1/2	476	21 1/2	758	27 1/2	1073	33 1/2	1412
3 5/8	61	9 5/8	241	15 5/8	481	21 5/8	765	27 5/8	1080	33 5/8	1420
3 3/4	64	9 3/4	245	15 3/4	487	21 3/4	771	27 3/4	1087	33 3/4	1427
3 7/8	67	9 7/8	250	15 7/8	492	21 7/8	777	27 7/8	1093	33 7/8	1434
4	70	10	254	16	498	22	783	28	1100	34	1442
4 1/8	73	10 1/8	259	16 1/8	504	22 1/8	790	28 1/8	1107	34 1/8	1449
4 1/4	76	10 1/4	264	16 1/4	509	22 1/4	796	28 1/4	1114	34 1/4	1456
4 3/8	79	10 3/8	268	16 3/8	515	22 3/8	802	28 3/8	1121	34 3/8	1464
4 1/2	82	10 1/2	273	16 1/2	520	22 1/2	809	28 1/2	1128	34 1/2	1471
4 5/8	85	10 5/8	277	16 5/8	526	22 5/8	815	28 5/8	1135	34 5/8	1478
4 3/4	89	10 3/4	282	16 3/4	532	22 3/4	821	28 3/4	1142	34 3/4	1486
4 7/8	92	10 7/8	287	16 7/8	537	22 7/8	828	28 7/8	1149	34 7/8	1493
5	95	11	292	17	543	23	834	29	1156	35	1500
5 1/8	99	11 1/8	296	17 1/8	549	23 1/8	841	29 1/8	1163	35 1/8	1508
5 1/4	102	11 1/4	301	17 1/4	554	23 1/4	847	29 1/4	1170	35 1/4	1515
5 3/8	105	11 3/8	306	17 3/8	560	23 3/8	854	29 3/8	1177	35 3/8	1523
5 1/2	109	11 1/2	311	17 1/2	566	23 1/2	860	29 1/2	1184	35 1/2	1530
5 5/8	112	11 5/8	315	17 5/8	572	23 5/8	866	29 5/8	1191	35 5/8	1538
5 3/4	116	11 3/4	320	17 3/4	577	23 3/4	873	29 3/4	1198	35 3/4	1545
5 7/8	120	11 7/8	325	17 7/8	583	23 7/8	879	29 7/8	1205	35 7/8	1552
6	123	12	330	18	589	24	886	30	1212	36	1560

**10'-6000 Double-Wall Compartment Tank Extension
6018 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	1567	42 1/8	1932	48 1/8	2309	54 1/8	2694	60 1/8	3082	66 1/8	3471
36 1/4	1575	42 1/4	1940	48 1/4	2317	54 1/4	2702	60 1/4	3091	66 1/4	3479
36 3/8	1582	42 3/8	1948	48 3/8	2325	54 3/8	2710	60 3/8	3099	66 3/8	3487
36 1/2	1590	42 1/2	1956	48 1/2	2333	54 1/2	2718	60 1/2	3107	66 1/2	3495
36 5/8	1597	42 5/8	1963	48 5/8	2341	54 5/8	2726	60 5/8	3115	66 5/8	3503
36 3/4	1605	42 3/4	1971	48 3/4	2349	54 3/4	2734	60 3/4	3123	66 3/4	3511
36 7/8	1612	42 7/8	1979	48 7/8	2357	54 7/8	2743	60 7/8	3131	66 7/8	3519
37	1620	43	1987	49	2365	55	2751	61	3139	67	3527
37 1/8	1627	43 1/8	1994	49 1/8	2373	55 1/8	2759	61 1/8	3147	67 1/8	3535
37 1/4	1635	43 1/4	2002	49 1/4	2381	55 1/4	2767	61 1/4	3155	67 1/4	3543
37 3/8	1642	43 3/8	2010	49 3/8	2389	55 3/8	2775	61 3/8	3163	67 3/8	3551
37 1/2	1650	43 1/2	2018	49 1/2	2397	55 1/2	2783	61 1/2	3172	67 1/2	3559
37 5/8	1657	43 5/8	2026	49 5/8	2405	55 5/8	2791	61 5/8	3180	67 5/8	3567
37 3/4	1665	43 3/4	2033	49 3/4	2413	55 3/4	2799	61 3/4	3188	67 3/4	3575
37 7/8	1672	43 7/8	2041	49 7/8	2421	55 7/8	2807	61 7/8	3196	67 7/8	3583
38	1680	44	2049	50	2429	56	2815	62	3204	68	3591
38 1/8	1687	44 1/8	2057	50 1/8	2437	56 1/8	2823	62 1/8	3212	68 1/8	3599
38 1/4	1695	44 1/4	2065	50 1/4	2445	56 1/4	2831	62 1/4	3220	68 1/4	3607
38 3/8	1702	44 3/8	2073	50 3/8	2453	56 3/8	2840	62 3/8	3228	68 3/8	3615
38 1/2	1710	44 1/2	2080	50 1/2	2461	56 1/2	2848	62 1/2	3236	68 1/2	3623
38 5/8	1718	44 5/8	2088	50 5/8	2469	56 5/8	2856	62 5/8	3244	68 5/8	3631
38 3/4	1725	44 3/4	2096	50 3/4	2477	56 3/4	2864	62 3/4	3253	68 3/4	3639
38 7/8	1733	44 7/8	2104	50 7/8	2485	56 7/8	2872	62 7/8	3261	68 7/8	3647
39	1740	45	2112	51	2493	57	2880	63	3269	69	3655
39 1/8	1748	45 1/8	2120	51 1/8	2501	57 1/8	2888	63 1/8	3277	69 1/8	3663
39 1/4	1756	45 1/4	2128	51 1/4	2509	57 1/4	2896	63 1/4	3285	69 1/4	3671
39 3/8	1763	45 3/8	2135	51 3/8	2517	57 3/8	2904	63 3/8	3293	69 3/8	3679
39 1/2	1771	45 1/2	2143	51 1/2	2525	57 1/2	2912	63 1/2	3301	69 1/2	3687
39 5/8	1779	45 5/8	2151	51 5/8	2533	57 5/8	2920	63 5/8	3309	69 5/8	3695
39 3/4	1786	45 3/4	2159	51 3/4	2541	57 3/4	2929	63 3/4	3317	69 3/4	3703
39 7/8	1794	45 7/8	2167	51 7/8	2549	57 7/8	2937	63 7/8	3325	69 7/8	3711
40	1801	46	2175	52	2557	58	2945	64	3333	70	3719
40 1/8	1809	46 1/8	2183	52 1/8	2565	58 1/8	2953	64 1/8	3341	70 1/8	3727
40 1/4	1817	46 1/4	2191	52 1/4	2573	58 1/4	2961	64 1/4	3350	70 1/4	3735
40 3/8	1824	46 3/8	2198	52 3/8	2581	58 3/8	2969	64 3/8	3358	70 3/8	3743
40 1/2	1832	46 1/2	2206	52 1/2	2589	58 1/2	2977	64 1/2	3366	70 1/2	3751
40 5/8	1840	46 5/8	2214	52 5/8	2597	58 5/8	2985	64 5/8	3374	70 5/8	3759
40 3/4	1847	46 3/4	2222	52 3/4	2606	58 3/4	2993	64 3/4	3382	70 3/4	3767
40 7/8	1855	46 7/8	2230	52 7/8	2614	58 7/8	3001	64 7/8	3390	70 7/8	3775
41	1863	47	2238	53	2622	59	3010	65	3398	71	3783
41 1/8	1871	47 1/8	2246	53 1/8	2630	59 1/8	3018	65 1/8	3406	71 1/8	3791
41 1/4	1878	47 1/4	2254	53 1/4	2638	59 1/4	3026	65 1/4	3414	71 1/4	3799
41 3/8	1886	47 3/8	2262	53 3/8	2646	59 3/8	3034	65 3/8	3422	71 3/8	3807
41 1/2	1894	47 1/2	2270	53 1/2	2654	59 1/2	3042	65 1/2	3430	71 1/2	3815
41 5/8	1901	47 5/8	2278	53 5/8	2662	59 5/8	3050	65 5/8	3438	71 5/8	3823
41 3/4	1909	47 3/4	2286	53 3/4	2670	59 3/4	3058	65 3/4	3446	71 3/4	3831
41 7/8	1917	47 7/8	2294	53 7/8	2678	59 7/8	3066	65 7/8	3454	71 7/8	3839
42	1925	48	2301	54	2686	60	3074	66	3462	72	3846

10'-6000 Double-Wall Compartment Tank Extension 6018 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	3854	78 1/8	4230	84 1/8	4593	90 1/8	4939	96 1/8	5261	102 1/8	5554
72 1/4	3862	78 1/4	4238	84 1/4	4600	90 1/4	4946	96 1/4	5268	102 1/4	5560
72 3/8	3870	78 3/8	4245	84 3/8	4608	90 3/8	4953	96 3/8	5274	102 3/8	5565
72 1/2	3878	78 1/2	4253	84 1/2	4615	90 1/2	4959	96 1/2	5280	102 1/2	5571
72 5/8	3886	78 5/8	4261	84 5/8	4623	90 5/8	4966	96 5/8	5287	102 5/8	5577
72 3/4	3894	78 3/4	4268	84 3/4	4630	90 3/4	4973	96 3/4	5293	102 3/4	5582
72 7/8	3902	78 7/8	4276	84 7/8	4637	90 7/8	4980	96 7/8	5300	102 7/8	5588
73	3910	79	4284	85	4645	91	4987	97	5306	103	5594
73 1/8	3918	79 1/8	4291	85 1/8	4652	91 1/8	4994	97 1/8	5312	103 1/8	5599
73 1/4	3926	79 1/4	4299	85 1/4	4659	91 1/4	5001	97 1/4	5319	103 1/4	5605
73 3/8	3933	79 3/8	4307	85 3/8	4667	91 3/8	5008	97 3/8	5325	103 3/8	5610
73 1/2	3941	79 1/2	4314	85 1/2	4674	91 1/2	5015	97 1/2	5331	103 1/2	5616
73 5/8	3949	79 5/8	4322	85 5/8	4681	91 5/8	5022	97 5/8	5337	103 5/8	5621
73 3/4	3957	79 3/4	4330	85 3/4	4689	91 3/4	5028	97 3/4	5344	103 3/4	5627
73 7/8	3965	79 7/8	4337	85 7/8	4696	91 7/8	5035	97 7/8	5350	103 7/8	5632
74	3973	80	4345	86	4703	92	5042	98	5356	104	5638
74 1/8	3981	80 1/8	4353	86 1/8	4710	92 1/8	5049	98 1/8	5362	104 1/8	5643
74 1/4	3989	80 1/4	4360	86 1/4	4718	92 1/4	5056	98 1/4	5369	104 1/4	5649
74 3/8	3996	80 3/8	4368	86 3/8	4725	92 3/8	5063	98 3/8	5375	104 3/8	5654
74 1/2	4004	80 1/2	4375	86 1/2	4732	92 1/2	5069	98 1/2	5381	104 1/2	5659
74 5/8	4012	80 5/8	4383	86 5/8	4739	92 5/8	5076	98 5/8	5387	104 5/8	5665
74 3/4	4020	80 3/4	4391	86 3/4	4747	92 3/4	5083	98 3/4	5393	104 3/4	5670
74 7/8	4028	80 7/8	4398	86 7/8	4754	92 7/8	5090	98 7/8	5400	104 7/8	5676
75	4036	81	4406	87	4761	93	5096	99	5406	105	5681
75 1/8	4043	81 1/8	4413	87 1/8	4768	93 1/8	5103	99 1/8	5412	105 1/8	5686
75 1/4	4051	81 1/4	4421	87 1/4	4775	93 1/4	5110	99 1/4	5418	105 1/4	5691
75 3/8	4059	81 3/8	4428	87 3/8	4783	93 3/8	5117	99 3/8	5424	105 3/8	5697
75 1/2	4067	81 1/2	4436	87 1/2	4790	93 1/2	5123	99 1/2	5430	105 1/2	5702
75 5/8	4075	81 5/8	4444	87 5/8	4797	93 5/8	5130	99 5/8	5436	105 5/8	5707
75 3/4	4083	81 3/4	4451	87 3/4	4804	93 3/4	5137	99 3/4	5442	105 3/4	5712
75 7/8	4090	81 7/8	4459	87 7/8	4811	93 7/8	5143	99 7/8	5448	105 7/8	5718
76	4098	82	4466	88	4818	94	5150	100	5454	106	5723
76 1/8	4106	82 1/8	4474	88 1/8	4826	94 1/8	5157	100 1/8	5460	106 1/8	5728
76 1/4	4114	82 1/4	4481	88 1/4	4833	94 1/4	5163	100 1/4	5466	106 1/4	5733
76 3/8	4122	82 3/8	4489	88 3/8	4840	94 3/8	5170	100 3/8	5472	106 3/8	5738
76 1/2	4129	82 1/2	4496	88 1/2	4847	94 1/2	5176	100 1/2	5478	106 1/2	5743
76 5/8	4137	82 5/8	4504	88 5/8	4854	94 5/8	5183	100 5/8	5484	106 5/8	5748
76 3/4	4145	82 3/4	4511	88 3/4	4861	94 3/4	5190	100 3/4	5490	106 3/4	5753
76 7/8	4153	82 7/8	4519	88 7/8	4868	94 7/8	5196	100 7/8	5496	106 7/8	5758
77	4160	83	4526	89	4875	95	5203	101	5502	107	5763
77 1/8	4168	83 1/8	4534	89 1/8	4882	95 1/8	5209	101 1/8	5507	107 1/8	5768
77 1/4	4176	83 1/4	4541	89 1/4	4889	95 1/4	5216	101 1/4	5513	107 1/4	5773
77 3/8	4184	83 3/8	4548	89 3/8	4897	95 3/8	5222	101 3/8	5519	107 3/8	5778
77 1/2	4191	83 1/2	4556	89 1/2	4904	95 1/2	5229	101 1/2	5525	107 1/2	5783
77 5/8	4199	83 5/8	4563	89 5/8	4911	95 5/8	5235	101 5/8	5531	107 5/8	5788
77 3/4	4207	83 3/4	4571	89 3/4	4918	95 3/4	5242	101 3/4	5537	107 3/4	5793
77 7/8	4215	83 7/8	4578	89 7/8	4925	95 7/8	5248	101 7/8	5542	107 7/8	5798
78	4222	84	4586	90	4932	96	5255	102	5548	108	5802

10'-6000 Double-Wall Compartment Tank Extension 6018 Gals



**CONTAINMENT
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	5807	114 1/8	6006
108 1/4	5812	114 1/4	6010
108 3/8	5817	114 3/8	6013
108 1/2	5821	114 1/2	6016
108 5/8	5826	114 5/8	6020
108 3/4	5831	114 3/4	6023
108 7/8	5835	114 7/8	6026
109	5840	115	6029
109 1/8	5845	115 1/8	6032
109 1/4	5849	115 1/4	6035
109 3/8	5854	115 3/8	6038
109 1/2	5858	115 1/2	6041
109 5/8	5863	115 5/8	6044
109 3/4	5867	115 3/4	6047
109 7/8	5872	115 7/8	6050
110	5876	116	6053
110 1/8	5881	116 1/8	6056
110 1/4	5885	116 1/4	6058
110 3/8	5889	116 3/8	6061
110 1/2	5894	116 1/2	6064
110 5/8	5898	116 5/8	6066
110 3/4	5902	116 3/4	6069
110 7/8	5906	116 7/8	6071
111	5911	117	6074
111 1/8	5915	117 1/8	6076
111 1/4	5919	117 1/4	6078
111 3/8	5923	117 3/8	6081
111 1/2	5927	117 1/2	6083
111 5/8	5931	117 5/8	6085
111 3/4	5935	117 3/4	6087
111 7/8	5939	117 7/8	6089
112	5943	118	6091
112 1/8	5947	118 1/8	6093
112 1/4	5951	118 1/4	6095
112 3/8	5955	118 3/8	6096
112 1/2	5959	118 1/2	6098
112 5/8	5963	118 5/8	6100
112 3/4	5967	118 3/4	6101
112 7/8	5970	118 7/8	6102
113	5974	119	6104
113 1/8	5978	119 1/8	6105
113 1/4	5981	119 1/4	6106
113 3/8	5985	119 3/8	6107
113 1/2	5989	119 1/2	6108
113 5/8	5992	119 5/8	6108
113 3/4	5996		
113 7/8	5999		
114	6003		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 409-756-7731
Fax: 409-756-7766