

**10'-7000 DWT6 DWB2 Compartment Extension
6915 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	1	6 1/8	95	12 1/8	282	18 1/8	541	24 1/8	859	30 1/8	1226
1/4	2	6 1/4	98	12 1/4	287	18 1/4	547	24 1/4	866	30 1/4	1235
3/8	3	6 3/8	101	12 3/8	291	18 3/8	553	24 3/8	874	30 3/8	1243
1/2	3	6 1/2	104	12 1/2	296	18 1/2	559	24 1/2	881	30 1/2	1251
5/8	4	6 5/8	107	12 5/8	301	18 5/8	565	24 5/8	888	30 5/8	1259
3/4	5	6 3/4	110	12 3/4	306	18 3/4	572	24 3/4	895	30 3/4	1267
7/8	6	6 7/8	114	12 7/8	311	18 7/8	578	24 7/8	903	30 7/8	1275
1	7	7	117	13	316	19	584	25	910	31	1283
1 1/8	8	7 1/8	120	13 1/8	321	19 1/8	590	25 1/8	917	31 1/8	1292
1 1/4	10	7 1/4	124	13 1/4	326	19 1/4	596	25 1/4	925	31 1/4	1300
1 3/8	11	7 3/8	127	13 3/8	330	19 3/8	603	25 3/8	932	31 3/8	1308
1 1/2	12	7 1/2	131	13 1/2	336	19 1/2	609	25 1/2	939	31 1/2	1316
1 5/8	13	7 5/8	134	13 5/8	341	19 5/8	615	25 5/8	947	31 5/8	1325
1 3/4	15	7 3/4	138	13 3/4	346	19 3/4	622	25 3/4	954	31 3/4	1333
1 7/8	16	7 7/8	141	13 7/8	351	19 7/8	628	25 7/8	962	31 7/8	1341
2	18	8	145	14	356	20	635	26	969	32	1350
2 1/8	19	8 1/8	148	14 1/8	361	20 1/8	641	26 1/8	977	32 1/8	1358
2 1/4	21	8 1/4	152	14 1/4	366	20 1/4	647	26 1/4	984	32 1/4	1366
2 3/8	23	8 3/8	156	14 3/8	371	20 3/8	654	26 3/8	992	32 3/8	1375
2 1/2	25	8 1/2	159	14 1/2	377	20 1/2	660	26 1/2	999	32 1/2	1383
2 5/8	26	8 5/8	163	14 5/8	382	20 5/8	667	26 5/8	1007	32 5/8	1392
2 3/4	28	8 3/4	167	14 3/4	387	20 3/4	674	26 3/4	1014	32 3/4	1400
2 7/8	30	8 7/8	171	14 7/8	393	20 7/8	680	26 7/8	1022	32 7/8	1409
3	32	9	175	15	398	21	687	27	1030	33	1417
3 1/8	34	9 1/8	178	15 1/8	403	21 1/8	693	27 1/8	1037	33 1/8	1425
3 1/4	36	9 1/4	182	15 1/4	409	21 1/4	700	27 1/4	1045	33 1/4	1434
3 3/8	38	9 3/8	186	15 3/8	414	21 3/8	707	27 3/8	1053	33 3/8	1442
3 1/2	40	9 1/2	190	15 1/2	420	21 1/2	713	27 1/2	1060	33 1/2	1451
3 5/8	42	9 5/8	194	15 5/8	425	21 5/8	720	27 5/8	1068	33 5/8	1460
3 3/4	45	9 3/4	198	15 3/4	431	21 3/4	727	27 3/4	1076	33 3/4	1468
3 7/8	47	9 7/8	203	15 7/8	436	21 7/8	734	27 7/8	1084	33 7/8	1477
4	49	10	207	16	442	22	740	28	1091	34	1485
4 1/8	51	10 1/8	211	16 1/8	448	22 1/8	747	28 1/8	1099	34 1/8	1494
4 1/4	54	10 1/4	215	16 1/4	453	22 1/4	754	28 1/4	1107	34 1/4	1502
4 3/8	56	10 3/8	219	16 3/8	459	22 3/8	761	28 3/8	1115	34 3/8	1511
4 1/2	59	10 1/2	224	16 1/2	465	22 1/2	768	28 1/2	1123	34 1/2	1520
4 5/8	61	10 5/8	228	16 5/8	470	22 5/8	775	28 5/8	1131	34 5/8	1528
4 3/4	64	10 3/4	232	16 3/4	476	22 3/4	782	28 3/4	1138	34 3/4	1537
4 7/8	66	10 7/8	237	16 7/8	482	22 7/8	789	28 7/8	1146	34 7/8	1546
5	69	11	241	17	488	23	796	29	1154	35	1554
5 1/8	72	11 1/8	245	17 1/8	493	23 1/8	803	29 1/8	1162	35 1/8	1563
5 1/4	75	11 1/4	250	17 1/4	499	23 1/4	810	29 1/4	1170	35 1/4	1572
5 3/8	77	11 3/8	254	17 3/8	505	23 3/8	817	29 3/8	1178	35 3/8	1581
5 1/2	80	11 1/2	259	17 1/2	511	23 1/2	824	29 1/2	1186	35 1/2	1589
5 5/8	83	11 5/8	263	17 5/8	517	23 5/8	831	29 5/8	1194	35 5/8	1598
5 3/4	86	11 3/4	268	17 3/4	523	23 3/4	838	29 3/4	1202	35 3/4	1607
5 7/8	89	11 7/8	273	17 7/8	529	23 7/8	845	29 7/8	1210	35 7/8	1616
6	92	12	277	18	535	24	852	30	1218	36	1625

**10'-7000 DWT6 DWB2 Compartment Extension
6915 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
36 1/8	1633	42 1/8	2072	48 1/8	2533	54 1/8	3009	60 1/8	3493	66 1/8	3976
36 1/4	1642	42 1/4	2081	48 1/4	2543	54 1/4	3019	60 1/4	3503	66 1/4	3986
36 3/8	1651	42 3/8	2090	48 3/8	2553	54 3/8	3029	60 3/8	3513	66 3/8	3996
36 1/2	1660	42 1/2	2100	48 1/2	2562	54 1/2	3039	60 1/2	3523	66 1/2	4006
36 5/8	1669	42 5/8	2109	48 5/8	2572	54 5/8	3049	60 5/8	3533	66 5/8	4016
36 3/4	1678	42 3/4	2119	48 3/4	2582	54 3/4	3060	60 3/4	3543	66 3/4	4026
36 7/8	1687	42 7/8	2128	48 7/8	2592	54 7/8	3070	60 7/8	3554	66 7/8	4036
37	1696	43	2138	49	2602	55	3080	61	3564	67	4046
37 1/8	1704	43 1/8	2147	49 1/8	2612	55 1/8	3090	61 1/8	3574	67 1/8	4056
37 1/4	1713	43 1/4	2157	49 1/4	2621	55 1/4	3100	61 1/4	3584	67 1/4	4066
37 3/8	1722	43 3/8	2166	49 3/8	2631	55 3/8	3110	61 3/8	3594	67 3/8	4076
37 1/2	1731	43 1/2	2176	49 1/2	2641	55 1/2	3120	61 1/2	3604	67 1/2	4086
37 5/8	1740	43 5/8	2185	49 5/8	2651	55 5/8	3130	61 5/8	3614	67 5/8	4096
37 3/4	1749	43 3/4	2195	49 3/4	2661	55 3/4	3140	61 3/4	3624	67 3/4	4106
37 7/8	1758	43 7/8	2204	49 7/8	2671	55 7/8	3150	61 7/8	3634	67 7/8	4116
38	1767	44	2214	50	2681	56	3160	62	3644	68	4126
38 1/8	1776	44 1/8	2223	50 1/8	2690	56 1/8	3170	62 1/8	3654	68 1/8	4136
38 1/4	1785	44 1/4	2233	50 1/4	2700	56 1/4	3180	62 1/4	3665	68 1/4	4145
38 3/8	1795	44 3/8	2242	50 3/8	2710	56 3/8	3190	62 3/8	3675	68 3/8	4155
38 1/2	1804	44 1/2	2252	50 1/2	2720	56 1/2	3200	62 1/2	3685	68 1/2	4165
38 5/8	1813	44 5/8	2262	50 5/8	2730	56 5/8	3210	62 5/8	3695	68 5/8	4175
38 3/4	1822	44 3/4	2271	50 3/4	2740	56 3/4	3220	62 3/4	3705	68 3/4	4185
38 7/8	1831	44 7/8	2281	50 7/8	2750	56 7/8	3231	62 7/8	3715	68 7/8	4195
39	1840	45	2290	51	2760	57	3241	63	3725	69	4205
39 1/8	1849	45 1/8	2300	51 1/8	2770	57 1/8	3251	63 1/8	3735	69 1/8	4215
39 1/4	1858	45 1/4	2310	51 1/4	2780	57 1/4	3261	63 1/4	3745	69 1/4	4225
39 3/8	1867	45 3/8	2319	51 3/8	2790	57 3/8	3271	63 3/8	3755	69 3/8	4235
39 1/2	1877	45 1/2	2329	51 1/2	2800	57 1/2	3281	63 1/2	3765	69 1/2	4245
39 5/8	1886	45 5/8	2338	51 5/8	2810	57 5/8	3291	63 5/8	3775	69 5/8	4254
39 3/4	1895	45 3/4	2348	51 3/4	2819	57 3/4	3301	63 3/4	3785	69 3/4	4264
39 7/8	1904	45 7/8	2358	51 7/8	2829	57 7/8	3311	63 7/8	3795	69 7/8	4274
40	1913	46	2367	52	2839	58	3321	64	3805	70	4284
40 1/8	1923	46 1/8	2377	52 1/8	2849	58 1/8	3331	64 1/8	3816	70 1/8	4294
40 1/4	1932	46 1/4	2387	52 1/4	2859	58 1/4	3342	64 1/4	3826	70 1/4	4304
40 3/8	1941	46 3/8	2396	52 3/8	2869	58 3/8	3352	64 3/8	3836	70 3/8	4314
40 1/2	1950	46 1/2	2406	52 1/2	2879	58 1/2	3362	64 1/2	3846	70 1/2	4323
40 5/8	1960	46 5/8	2416	52 5/8	2889	58 5/8	3372	64 5/8	3856	70 5/8	4333
40 3/4	1969	46 3/4	2426	52 3/4	2899	58 3/4	3382	64 3/4	3866	70 3/4	4343
40 7/8	1978	46 7/8	2435	52 7/8	2909	58 7/8	3392	64 7/8	3876	70 7/8	4353
41	1987	47	2445	53	2919	59	3402	65	3886	71	4363
41 1/8	1997	47 1/8	2455	53 1/8	2929	59 1/8	3412	65 1/8	3896	71 1/8	4372
41 1/4	2006	47 1/4	2465	53 1/4	2939	59 1/4	3422	65 1/4	3906	71 1/4	4382
41 3/8	2015	47 3/8	2474	53 3/8	2949	59 3/8	3432	65 3/8	3916	71 3/8	4392
41 1/2	2025	47 1/2	2484	53 1/2	2959	59 1/2	3442	65 1/2	3926	71 1/2	4402
41 5/8	2034	47 5/8	2494	53 5/8	2969	59 5/8	3453	65 5/8	3936	71 5/8	4412
41 3/4	2043	47 3/4	2504	53 3/4	2979	59 3/4	3463	65 3/4	3946	71 3/4	4421
41 7/8	2053	47 7/8	2513	53 7/8	2989	59 7/8	3473	65 7/8	3956	71 7/8	4431
42	2062	48	2523	54	2999	60	3483	66	3966	72	4441

**10'-7000 DWT6 DWB2 Compartment Extension
6915 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
72 1/8	4451	78 1/8	4909	84 1/8	5343	90 1/8	5745	96 1/8	6106	102 1/8	6416
72 1/4	4460	78 1/4	4918	84 1/4	5352	90 1/4	5753	96 1/4	6113	102 1/4	6422
72 3/8	4470	78 3/8	4928	84 3/8	5361	90 3/8	5761	96 3/8	6120	102 3/8	6428
72 1/2	4480	78 1/2	4937	84 1/2	5369	90 1/2	5769	96 1/2	6127	102 1/2	6433
72 5/8	4490	78 5/8	4946	84 5/8	5378	90 5/8	5777	96 5/8	6134	102 5/8	6439
72 3/4	4499	78 3/4	4956	84 3/4	5387	90 3/4	5785	96 3/4	6141	102 3/4	6445
72 7/8	4509	78 7/8	4965	84 7/8	5396	90 7/8	5793	96 7/8	6147	102 7/8	6451
73	4519	79	4974	85	5404	91	5800	97	6154	103	6456
73 1/8	4528	79 1/8	4983	85 1/8	5413	91 1/8	5808	97 1/8	6161	103 1/8	6462
73 1/4	4538	79 1/4	4993	85 1/4	5421	91 1/4	5816	97 1/4	6168	103 1/4	6468
73 3/8	4548	79 3/8	5002	85 3/8	5430	91 3/8	5824	97 3/8	6175	103 3/8	6473
73 1/2	4557	79 1/2	5011	85 1/2	5439	91 1/2	5832	97 1/2	6182	103 1/2	6479
73 5/8	4567	79 5/8	5020	85 5/8	5447	91 5/8	5839	97 5/8	6188	103 5/8	6484
73 3/4	4577	79 3/4	5029	85 3/4	5456	91 3/4	5847	97 3/4	6195	103 3/4	6490
73 7/8	4586	79 7/8	5039	85 7/8	5464	91 7/8	5855	97 7/8	6202	103 7/8	6496
74	4596	80	5048	86	5473	92	5863	98	6209	104	6501
74 1/8	4606	80 1/8	5057	86 1/8	5481	92 1/8	5870	98 1/8	6215	104 1/8	6506
74 1/4	4615	80 1/4	5066	86 1/4	5490	92 1/4	5878	98 1/4	6222	104 1/4	6512
74 3/8	4625	80 3/8	5075	86 3/8	5498	92 3/8	5886	98 3/8	6228	104 3/8	6517
74 1/2	4635	80 1/2	5084	86 1/2	5507	92 1/2	5893	98 1/2	6235	104 1/2	6523
74 5/8	4644	80 5/8	5093	86 5/8	5515	92 5/8	5901	98 5/8	6242	104 5/8	6528
74 3/4	4654	80 3/4	5103	86 3/4	5524	92 3/4	5908	98 3/4	6248	104 3/4	6533
74 7/8	4663	80 7/8	5112	86 7/8	5532	92 7/8	5916	98 7/8	6255	104 7/8	6539
75	4673	81	5121	87	5540	93	5924	99	6261	105	6544
75 1/8	4682	81 1/8	5130	87 1/8	5549	93 1/8	5931	99 1/8	6268	105 1/8	6549
75 1/4	4692	81 1/4	5139	87 1/4	5557	93 1/4	5939	99 1/4	6274	105 1/4	6554
75 3/8	4702	81 3/8	5148	87 3/8	5566	93 3/8	5946	99 3/8	6281	105 3/8	6559
75 1/2	4711	81 1/2	5157	87 1/2	5574	93 1/2	5954	99 1/2	6287	105 1/2	6565
75 5/8	4721	81 5/8	5166	87 5/8	5582	93 5/8	5961	99 5/8	6293	105 5/8	6570
75 3/4	4730	81 3/4	5175	87 3/4	5590	93 3/4	5968	99 3/4	6300	105 3/4	6575
75 7/8	4740	81 7/8	5184	87 7/8	5599	93 7/8	5976	99 7/8	6306	105 7/8	6580
76	4749	82	5193	88	5607	94	5983	100	6312	106	6585
76 1/8	4759	82 1/8	5202	88 1/8	5615	94 1/8	5991	100 1/8	6319	106 1/8	6590
76 1/4	4768	82 1/4	5211	88 1/4	5624	94 1/4	5998	100 1/4	6325	106 1/4	6595
76 3/8	4778	82 3/8	5220	88 3/8	5632	94 3/8	6005	100 3/8	6331	106 3/8	6600
76 1/2	4787	82 1/2	5229	88 1/2	5640	94 1/2	6013	100 1/2	6337	106 1/2	6605
76 5/8	4796	82 5/8	5238	88 5/8	5648	94 5/8	6020	100 5/8	6344	106 5/8	6609
76 3/4	4806	82 3/4	5246	88 3/4	5656	94 3/4	6027	100 3/4	6350	106 3/4	6614
76 7/8	4815	82 7/8	5255	88 7/8	5664	94 7/8	6034	100 7/8	6356	106 7/8	6619
77	4825	83	5264	89	5673	95	6042	101	6362	107	6624
77 1/8	4834	83 1/8	5273	89 1/8	5681	95 1/8	6049	101 1/8	6368	107 1/8	6629
77 1/4	4844	83 1/4	5282	89 1/4	5689	95 1/4	6056	101 1/4	6374	107 1/4	6633
77 3/8	4853	83 3/8	5291	89 3/8	5697	95 3/8	6063	101 3/8	6380	107 3/8	6638
77 1/2	4862	83 1/2	5299	89 1/2	5705	95 1/2	6070	101 1/2	6386	107 1/2	6643
77 5/8	4872	83 5/8	5308	89 5/8	5713	95 5/8	6077	101 5/8	6392	107 5/8	6647
77 3/4	4881	83 3/4	5317	89 3/4	5721	95 3/4	6085	101 3/4	6398	107 3/4	6652
77 7/8	4890	83 7/8	5326	89 7/8	5729	95 7/8	6092	101 7/8	6404	107 7/8	6656
78	4900	84	5335	90	5737	96	6099	102	6410	108	6661

**10'-7000 DWT6 DWB2 Compartment Extension
6915 Gals**



**CONTAINMENT
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
108 1/8	6665	114 1/8	6841
108 1/4	6670	114 1/4	6843
108 3/8	6674	114 3/8	6846
108 1/2	6679	114 1/2	6849
108 5/8	6683	114 5/8	6851
108 3/4	6687	114 3/4	6854
108 7/8	6692	114 7/8	6856
109	6696	115	6859
109 1/8	6700	115 1/8	6861
109 1/4	6704	115 1/4	6864
109 3/8	6709	115 3/8	6866
109 1/2	6713	115 1/2	6868
109 5/8	6717	115 5/8	6871
109 3/4	6721	115 3/4	6873
109 7/8	6725	115 7/8	6875
110	6729	116	6877
110 1/8	6733	116 1/8	6879
110 1/4	6737	116 1/4	6881
110 3/8	6741	116 3/8	6883
110 1/2	6745	116 1/2	6885
110 5/8	6748	116 5/8	6887
110 3/4	6752	116 3/4	6889
110 7/8	6756	116 7/8	6891
111	6760	117	6892
111 1/8	6763	117 1/8	6894
111 1/4	6767	117 1/4	6896
111 3/8	6771	117 3/8	6897
111 1/2	6774	117 1/2	6899
111 5/8	6778	117 5/8	6900
111 3/4	6781	117 3/4	6902
111 7/8	6785	117 7/8	6903
112	6788	118	6904
112 1/8	6792	118 1/8	6906
112 1/4	6795	118 1/4	6907
112 3/8	6798	118 3/8	6908
112 1/2	6802	118 1/2	6909
112 5/8	6805	118 5/8	6910
112 3/4	6808	118 3/4	6911
112 7/8	6811	118 7/8	6912
113	6814	119	6913
113 1/8	6817	119 1/8	6913
113 1/4	6820	119 1/4	6914
113 3/8	6823	119 3/8	6914
113 1/2	6826	119 1/2	6915
113 5/8	6829	119 5/8	6915
113 3/4	6832		
113 7/8	6835		
114	6838		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. See vendor below or suitable equal.

Gasoila Water Finding Paste
Federal Process Corp.
800-846-7325
www.gasoila.com

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
5150 Jefferson Chemical Road
Conroe, TX 77301
Tel: 409-756-7731
Fax: 409-756-7766