

**12'-25000 DWT6 Double-Wall Tank
25485 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	7	7 1/8	509	14 1/8	1,368	21 1/8	2452	28 1/8	3706	35 1/8	5090
1/4	11	7 1/4	522	14 1/4	1,386	21 1/4	2473	28 1/4	3729	35 1/4	5116
3/8	14	7 3/8	535	14 3/8	1,403	21 3/8	2494	28 3/8	3753	35 3/8	5142
1/2	18	7 1/2	548	14 1/2	1,421	21 1/2	2516	28 1/2	3777	35 1/2	5167
5/8	23	7 5/8	561	14 5/8	1,439	21 5/8	2537	28 5/8	3800	35 5/8	5193
3/4	27	7 3/4	574	14 3/4	1,457	21 3/4	2558	28 3/4	3824	35 3/4	5219
7/8	32	7 7/8	588	14 7/8	1,475	21 7/8	2579	28 7/8	3848	35 7/8	5245
1	38	8	601	15	1493	22	2601	29	3872	36	5271
1 1/8	43	8 1/8	615	15 1/8	1,511	22 1/8	2622	29 1/8	3896	36 1/8	5297
1 1/4	49	8 1/4	628	15 1/4	1,529	22 1/4	2644	29 1/4	3920	36 1/4	5323
1 3/8	55	8 3/8	642	15 3/8	1,547	22 3/8	2665	29 3/8	3944	36 3/8	5349
1 1/2	61	8 1/2	656	15 1/2	1,565	22 1/2	2687	29 1/2	3968	36 1/2	5375
1 5/8	68	8 5/8	670	15 5/8	1,584	22 5/8	2708	29 5/8	3992	36 5/8	5401
1 3/4	74	8 3/4	684	15 3/4	1,602	22 3/4	2730	29 3/4	4016	36 3/4	5427
1 7/8	81	8 7/8	698	15 7/8	1,621	22 7/8	2752	29 7/8	4041	36 7/8	5453
2	88	9	712	16	1639	23	2773	30	4065	37	5479
2 1/8	95	9 1/8	727	16 1/8	1,658	23 1/8	2795	30 1/8	4089	37 1/8	5506
2 1/4	103	9 1/4	741	16 1/4	1,677	23 1/4	2817	30 1/4	4113	37 1/4	5532
2 3/8	111	9 3/8	756	16 3/8	1,695	23 3/8	2839	30 3/8	4138	37 3/8	5558
2 1/2	118	9 1/2	770	16 1/2	1,714	23 1/2	2861	30 1/2	4162	37 1/2	5584
2 5/8	126	9 5/8	785	16 5/8	1,733	23 5/8	2883	30 5/8	4187	37 5/8	5611
2 3/4	135	9 3/4	800	16 3/4	1,752	23 3/4	2905	30 3/4	4211	37 3/4	5637
2 7/8	143	9 7/8	815	16 7/8	1,771	23 7/8	2927	30 7/8	4236	37 7/8	5663
3	151	10	829	17	1790	24	2949	31	4260	38	5690
3 1/8	160	10 1/8	844	17 1/8	1,809	24 1/8	2971	31 1/8	4285	38 1/8	5716
3 1/4	169	10 1/4	860	17 1/4	1,828	24 1/4	2993	31 1/4	4309	38 1/4	5743
3 3/8	178	10 3/8	875	17 3/8	1,848	24 3/8	3016	31 3/8	4334	38 3/8	5769
3 1/2	187	10 1/2	890	17 1/2	1,867	24 1/2	3038	31 1/2	4359	38 1/2	5796
3 5/8	196	10 5/8	905	17 5/8	1,886	24 5/8	3060	31 5/8	4383	38 5/8	5822
3 3/4	206	10 3/4	921	17 3/4	1,906	24 3/4	3083	31 3/4	4408	38 3/4	5849
3 7/8	215	10 7/8	936	17 7/8	1,925	24 7/8	3105	31 7/8	4433	38 7/8	5875
4	225	11	952	18	1,945	25	3128	32	4458	39	5902
4 1/8	235	11 1/8	968	18 1/8	1,964	25 1/8	3150	32 1/8	4483	39 1/8	5929
4 1/4	245	11 1/4	984	18 1/4	1,984	25 1/4	3173	32 1/4	4508	39 1/4	5955
4 3/8	255	11 3/8	999	18 3/8	2,004	25 3/8	3196	32 3/8	4532	39 3/8	5982
4 1/2	265	11 1/2	1,015	18 1/2	2,024	25 1/2	3218	32 1/2	4557	39 1/2	6009
4 5/8	276	11 5/8	1,031	18 5/8	2,043	25 5/8	3241	32 5/8	4582	39 5/8	6036
4 3/4	286	11 3/4	1,048	18 3/4	2,063	25 3/4	3264	32 3/4	4607	39 3/4	6062
4 7/8	297	11 7/8	1,064	18 7/8	2,083	25 7/8	3287	32 7/8	4633	39 7/8	6089
5	308	12	1,080	19	2,103	26	3310	33	4658	40	6116
5 1/8	318	12 1/8	1,096	19 1/8	2,123	26 1/8	3333	33 1/8	4683	40 1/8	6143
5 1/4	330	12 1/4	1,113	19 1/4	2,144	26 1/4	3356	33 1/4	4708	40 1/4	6170
5 3/8	341	12 3/8	1,129	19 3/8	2,164	26 3/8	3379	33 3/8	4733	40 3/8	6197
5 1/2	352	12 1/2	1,146	19 1/2	2,184	26 1/2	3402	33 1/2	4759	40 1/2	6224
5 5/8	363	12 5/8	1,162	19 5/8	2,204	26 5/8	3425	33 5/8	4784	40 5/8	6251
5 3/4	375	12 3/4	1,179	19 3/4	2,225	26 3/4	3448	33 3/4	4809	40 3/4	6278
5 7/8	387	12 7/8	1,196	19 7/8	2,245	26 7/8	3471	33 7/8	4835	40 7/8	6305
6	398	13	1,213	20	2,266	27	3494	34	4860	41	6332
6 1/8	410	13 1/8	1,230	20 1/8	2,286	27 1/8	3518	34 1/8	4885	41 1/8	6359
6 1/4	422	13 1/4	1,247	20 1/4	2,307	27 1/4	3541	34 1/4	4911	41 1/4	6386
6 3/8	434	13 3/8	1,264	20 3/8	2,327	27 3/8	3564	34 3/8	4936	41 3/8	6413
6 1/2	446	13 1/2	1,281	20 1/2	2,348	27 1/2	3588	34 1/2	4962	41 1/2	6441
6 5/8	459	13 5/8	1,298	20 5/8	2,369	27 5/8	3611	34 5/8	4987	41 5/8	6468
6 3/4	471	13 3/4	1,316	20 3/4	2,390	27 3/4	3635	34 3/4	5013	41 3/4	6495
6 7/8	484	13 7/8	1,333	20 7/8	2,410	27 7/8	3658	34 7/8	5039	41 7/8	6522
7	496	14	1,351	21	2,431	28	3682	35	5064	42	6549

12'-25000 DWT6 Double-Wall Tank 25485 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	6577	49 1/8	8141	56 1/8	9761	63 1/8	11416	70 1/8	13086	77 1/8	14752
42 1/4	6604	49 1/4	8170	56 1/4	9790	63 1/4	11446	70 1/4	13116	77 1/4	14782
42 3/8	6631	49 3/8	8198	56 3/8	9820	63 3/8	11475	70 3/8	13146	77 3/8	14812
42 1/2	6659	49 1/2	8227	56 1/2	9849	63 1/2	11505	70 1/2	13176	77 1/2	14841
42 5/8	6686	49 5/8	8255	56 5/8	9878	63 5/8	11535	70 5/8	13206	77 5/8	14871
42 3/4	6714	49 3/4	8284	56 3/4	9908	63 3/4	11565	70 3/4	13235	77 3/4	14900
42 7/8	6741	49 7/8	8312	56 7/8	9937	63 7/8	11594	70 7/8	13265	77 7/8	14930
43	6769	50	8341	57	9966	64	11624	71	13295	78	14960
43 1/8	6796	50 1/8	8370	57 1/8	9996	64 1/8	11654	71 1/8	13325	78 1/8	14989
43 1/4	6824	50 1/4	8398	57 1/4	10025	64 1/4	11684	71 1/4	13355	78 1/4	15019
43 3/8	6851	50 3/8	8427	57 3/8	10055	64 3/8	11714	71 3/8	13385	78 3/8	15048
43 1/2	6879	50 1/2	8456	57 1/2	10084	64 1/2	11743	71 1/2	13414	78 1/2	15078
43 5/8	6906	50 5/8	8484	57 5/8	10113	64 5/8	11773	71 5/8	13444	78 5/8	15107
43 3/4	6934	50 3/4	8513	57 3/4	10143	64 3/4	11803	71 3/4	13474	78 3/4	15137
43 7/8	6961	50 7/8	8542	57 7/8	10172	64 7/8	11833	71 7/8	13504	78 7/8	15166
44	6989	51	8570	58	10202	65	11863	72	13534	79	15196
44 1/8	7017	51 1/8	8599	58 1/8	10231	65 1/8	11892	72 1/8	13564	79 1/8	15225
44 1/4	7044	51 1/4	8628	58 1/4	10261	65 1/4	11922	72 1/4	13593	79 1/4	15255
44 3/8	7072	51 3/8	8657	58 3/8	10290	65 3/8	11952	72 3/8	13623	79 3/8	15284
44 1/2	7100	51 1/2	8686	58 1/2	10320	65 1/2	11982	72 1/2	13653	79 1/2	15314
44 5/8	7128	51 5/8	8714	58 5/8	10349	65 5/8	12012	72 5/8	13683	79 5/8	15343
44 3/4	7156	51 3/4	8743	58 3/4	10379	65 3/4	12041	72 3/4	13713	79 3/4	15372
44 7/8	7183	51 7/8	8772	58 7/8	10408	65 7/8	12071	72 7/8	13742	79 7/8	15402
45	7211	52	8801	59	10438	66	12101	73	13772	80	15431
45 1/8	7239	52 1/8	8830	59 1/8	10467	66 1/8	12131	73 1/8	13802	80 1/8	15461
45 1/4	7267	52 1/4	8859	59 1/4	10497	66 1/4	12161	73 1/4	13832	80 1/4	15490
45 3/8	7295	52 3/8	8888	59 3/8	10526	66 3/8	12191	73 3/8	13861	80 3/8	15519
45 1/2	7323	52 1/2	8916	59 1/2	10556	66 1/2	12220	73 1/2	13891	80 1/2	15549
45 5/8	7351	52 5/8	8945	59 5/8	10585	66 5/8	12250	73 5/8	13921	80 5/8	15578
45 3/4	7379	52 3/4	8974	59 3/4	10615	66 3/4	12280	73 3/4	13951	80 3/4	15607
45 7/8	7407	52 7/8	9003	59 7/8	10644	66 7/8	12310	73 7/8	13981	80 7/8	15637
46	7435	53	9032	60	10674	67	12340	74	14010	81	15666
46 1/8	7463	53 1/8	9061	60 1/8	10704	67 1/8	12370	74 1/8	14040	81 1/8	15695
46 1/4	7491	53 1/4	9090	60 1/4	10733	67 1/4	12400	74 1/4	14070	81 1/4	15725
46 3/8	7519	53 3/8	9119	60 3/8	10763	67 3/8	12429	74 3/8	14100	81 3/8	15754
46 1/2	7547	53 1/2	9148	60 1/2	10792	67 1/2	12459	74 1/2	14129	81 1/2	15783
46 5/8	7575	53 5/8	9177	60 5/8	10822	67 5/8	12489	74 5/8	14159	81 5/8	15813
46 3/4	7603	53 3/4	9206	60 3/4	10852	67 3/4	12519	74 3/4	14189	81 3/4	15842
46 7/8	7631	53 7/8	9236	60 7/8	10881	67 7/8	12549	74 7/8	14218	81 7/8	15871
47	7659	54	9265	61	10911	68	12579	75	14248	82	15900
47 1/8	7688	54 1/8	9294	61 1/8	10941	68 1/8	12609	75 1/8	14278	82 1/8	15930
47 1/4	7716	54 1/4	9323	61 1/4	10970	68 1/4	12638	75 1/4	14308	82 1/4	15959
47 3/8	7744	54 3/8	9352	61 3/8	11000	68 3/8	12668	75 3/8	14337	82 3/8	15988
47 1/2	7772	54 1/2	9381	61 1/2	11030	68 1/2	12698	75 1/2	14367	82 1/2	16017
47 5/8	7800	54 5/8	9410	61 5/8	11059	68 5/8	12728	75 5/8	14397	82 5/8	16046
47 3/4	7829	54 3/4	9439	61 3/4	11089	68 3/4	12758	75 3/4	14426	82 3/4	16075
47 7/8	7857	54 7/8	9469	61 7/8	11119	68 7/8	12788	75 7/8	14456	82 7/8	16105
48	7885	55	9498	62	11148	69	12817	76	14486	83	16134
48 1/8	7914	55 1/8	9527	62 1/8	11178	69 1/8	12847	76 1/8	14515	83 1/8	16163
48 1/4	7942	55 1/4	9556	62 1/4	11208	69 1/4	12877	76 1/4	14545	83 1/4	16192
48 3/8	7970	55 3/8	9585	62 3/8	11238	69 3/8	12907	76 3/8	14575	83 3/8	16221
48 1/2	7999	55 1/2	9615	62 1/2	11267	69 1/2	12937	76 1/2	14604	83 1/2	16250
48 5/8	8027	55 5/8	9644	62 5/8	11297	69 5/8	12967	76 5/8	14634	83 5/8	16279
48 3/4	8056	55 3/4	9673	62 3/4	11327	69 3/4	12997	76 3/4	14664	83 3/4	16308
48 7/8	8084	55 7/8	9702	62 7/8	11356	69 7/8	13026	76 7/8	14693	83 7/8	16337
49	8113	56	9732	63	11386	70	13056	77	14723	84	16366

**12'-25000 DWT6 Double-Wall Tank
25485 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	16395	91 1/8	17995	98 1/8	19,530	105 1/8	20,978	112 1/8	22,313	119 1/8	23502
84 1/4	16424	91 1/4	18023	98 1/4	19,557	105 1/4	21,003	112 1/4	22,335	119 1/4	23521
84 3/8	16453	91 3/8	18051	98 3/8	19,584	105 3/8	21,028	112 3/8	22,358	119 3/8	23541
84 1/2	16482	91 1/2	18079	98 1/2	19,610	105 1/2	21,053	112 1/2	22,380	119 1/2	23561
84 5/8	16511	91 5/8	18107	98 5/8	19,637	105 5/8	21,078	112 5/8	22,403	119 5/8	23580
84 3/4	16540	91 3/4	18135	98 3/4	19,663	105 3/4	21,102	112 3/4	22,425	119 3/4	23599
84 7/8	16569	91 7/8	18163	98 7/8	19,690	105 7/8	21,127	112 7/8	22,448	119 7/8	23619
85	16598	92	18191	99	19,717	106	21,152	113	22470	120	23638
85 1/8	16627	92 1/8	18219	99 1/8	19,743	106 1/8	21,176	113 1/8	22,492	120 1/8	23657
85 1/4	16656	92 1/4	18247	99 1/4	19,770	106 1/4	21,201	113 1/4	22,514	120 1/4	23677
85 3/8	16685	92 3/8	18275	99 3/8	19,796	106 3/8	21,226	113 3/8	22,537	120 3/8	23696
85 1/2	16714	92 1/2	18302	99 1/2	19,822	106 1/2	21,250	113 1/2	22,559	120 1/2	23715
85 5/8	16743	92 5/8	18330	99 5/8	19,849	106 5/8	21,275	113 5/8	22,581	120 5/8	23734
85 3/4	16771	92 3/4	18358	99 3/4	19,875	106 3/4	21,299	113 3/4	22,603	120 3/4	23753
85 7/8	16800	92 7/8	18386	99 7/8	19,901	106 7/8	21,324	113 7/8	22,625	120 7/8	23772
86	16829	93	18414	100	19,928	107	21,348	114	22647	121	23790
86 1/8	16858	93 1/8	18441	100 1/8	19,954	107 1/8	21,372	114 1/8	22,669	121 1/8	23809
86 1/4	16887	93 1/4	18469	100 1/4	19,980	107 1/4	21,397	114 1/4	22,691	121 1/4	23828
86 3/8	16915	93 3/8	18497	100 3/8	20,006	107 3/8	21,421	114 3/8	22,712	121 3/8	23846
86 1/2	16944	93 1/2	18524	100 1/2	20,033	107 1/2	21,445	114 1/2	22,734	121 1/2	23865
86 5/8	16973	93 5/8	18552	100 5/8	20,059	107 5/8	21,469	114 5/8	22,756	121 5/8	23883
86 3/4	17001	93 3/4	18579	100 3/4	20,085	107 3/4	21,493	114 3/4	22,778	121 3/4	23902
86 7/8	17030	93 7/8	18607	100 7/8	20,111	107 7/8	21,518	114 7/8	22,799	121 7/8	23920
87	17059	94	18635	101	20,137	108	21,542	115	22821	122	23939
87 1/8	17087	94 1/8	18662	101 1/8	20,163	108 1/8	21,566	115 1/8	22,842	122 1/8	23957
87 1/4	17116	94 1/4	18690	101 1/4	20,189	108 1/4	21,590	115 1/4	22,864	122 1/4	23975
87 3/8	17145	94 3/8	18717	101 3/8	20,215	108 3/8	21,614	115 3/8	22,885	122 3/8	23993
87 1/2	17173	94 1/2	18745	101 1/2	20,241	108 1/2	21,638	115 1/2	22,906	122 1/2	24011
87 5/8	17202	94 5/8	18772	101 5/8	20,267	108 5/8	21,661	115 5/8	22,928	122 5/8	24029
87 3/4	17231	94 3/4	18800	101 3/4	20,293	108 3/4	21,685	115 3/4	22,949	122 3/4	24047
87 7/8	17259	94 7/8	18827	101 7/8	20,318	108 7/8	21,709	115 7/8	22,970	122 7/8	24065
88	17288	95	18854	102	20,344	109	21,733	116	22,991	123	24082
88 1/8	17316	95 1/8	18882	102 1/8	20,370	109 1/8	21,757	116 1/8	23,012	123 1/8	24100
88 1/4	17345	95 1/4	18909	102 1/4	20,396	109 1/4	21,780	116 1/4	23,033	123 1/4	24118
88 3/8	17373	95 3/8	18936	102 3/8	20,421	109 3/8	21,804	116 3/8	23,054	123 3/8	24135
88 1/2	17402	95 1/2	18964	102 1/2	20,447	109 1/2	21,827	116 1/2	23,075	123 1/2	24153
88 5/8	17430	95 5/8	18991	102 5/8	20,473	109 5/8	21,851	116 5/8	23,096	123 5/8	24170
88 3/4	17458	95 3/4	19018	102 3/4	20,498	109 3/4	21,874	116 3/4	23,117	123 3/4	24187
88 7/8	17487	95 7/8	19045	102 7/8	20,524	109 7/8	21,898	116 7/8	23138	123 7/8	24205
89	17515	96	19072	103	20,549	110	21,921	117	23158	124	24222
89 1/8	17544	96 1/8	19100	103 1/8	20,575	110 1/8	21,945	117 1/8	23179	124 1/8	24239
89 1/4	17572	96 1/4	19127	103 1/4	20,600	110 1/4	21,968	117 1/4	23200	124 1/4	24256
89 3/8	17600	96 3/8	19154	103 3/8	20,626	110 3/8	21,991	117 3/8	23220	124 3/8	24273
89 1/2	17629	96 1/2	19181	103 1/2	20,651	110 1/2	22,015	117 1/2	23241	124 1/2	24290
89 5/8	17657	96 5/8	19208	103 5/8	20,677	110 5/8	22,038	117 5/8	23261	124 5/8	24307
89 3/4	17685	96 3/4	19235	103 3/4	20,702	110 3/4	22,061	117 3/4	23281	124 3/4	24323
89 7/8	17714	96 7/8	19262	103 7/8	20,727	110 7/8	22,084	117 7/8	23302	124 7/8	24340
90	17742	97	19289	104	20,752	111	22,107	118	23322	125	24356
90 1/8	17770	97 1/8	19316	104 1/8	20,778	111 1/8	22,130	118 1/8	23342	125 1/8	24373
90 1/4	17798	97 1/4	19343	104 1/4	20,803	111 1/4	22,153	118 1/4	23362	125 1/4	24389
90 3/8	17826	97 3/8	19370	104 3/8	20,828	111 3/8	22,176	118 3/8	23382	125 3/8	24406
90 1/2	17855	97 1/2	19396	104 1/2	20,853	111 1/2	22,199	118 1/2	23402	125 1/2	24422
90 5/8	17883	97 5/8	19423	104 5/8	20,878	111 5/8	22,222	118 5/8	23422	125 5/8	24438
90 3/4	17911	97 3/4	19450	104 3/4	20,903	111 3/4	22,245	118 3/4	23442	125 3/4	24454
90 7/8	17939	97 7/8	19477	104 7/8	20,928	111 7/8	22,267	118 7/8	23462	125 7/8	24470
91	17967	98	19504	105	20,953	112	22,290	119	23482	126	24486

12'-25000 DWT6 Double-Wall Tank

25485 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	24502	133 1/8	25241
126 1/4	24518	133 1/4	25251
126 3/8	24534	133 3/8	25261
126 1/2	24549	133 1/2	25270
126 5/8	24565	133 5/8	25280
126 3/4	24580	133 3/4	25289
126 7/8	24596	133 7/8	25299
127	24611	134	25308
127 1/8	24626	134 1/8	25317
127 1/4	24641	134 1/4	25326
127 3/8	24656	134 3/8	25334
127 1/2	24671	134 1/2	25343
127 5/8	24686	134 5/8	25351
127 3/4	24701	134 3/4	25359
127 7/8	24716	134 7/8	25367
128	24730	135	25375
128 1/8	24745	135 1/8	25383
128 1/4	24759	135 1/4	25390
128 3/8	24773	135 3/8	25398
128 1/2	24788	135 1/2	25405
128 5/8	24802	135 5/8	25411
128 3/4	24816	135 3/4	25418
128 7/8	24830	135 7/8	25425
129	24844	136	25431
129 1/8	24857	136 1/8	25437
129 1/4	24871	136 1/4	25443
129 3/8	24884	136 3/8	25448
129 1/2	24898	136 1/2	25453
129 5/8	24911	136 5/8	25458
129 3/4	24925	136 3/4	25463
129 7/8	24938	136 7/8	25467
130	24951	137	25471
130 1/8	24964	137 1/8	25475
130 1/4	24977	137 1/4	25478
130 3/8	24989	137 3/8	25481
130 1/2	25002	137 1/2	25484
130 5/8	25015	137 5/8	25485
130 3/4	25027		
130 7/8	25039		
131	25051		
131 1/8	25064		
131 1/4	25076		
131 3/8	25087		
131 1/2	25099		
131 5/8	25111		
131 3/4	25122		
131 7/8	25134		
132	25145		
132 1/8	25156		
132 1/4	25167		
132 3/8	25178		
132 1/2	25189		
132 5/8	25200		
132 3/4	25210		
132 7/8	25221		
133	25231		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.