

**12'-25000 SWT F1 Single-Wall Tank  
25873 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	7	7 1/8	517	14 1/8	1,389	21 1/8	2490	28 1/8	3762	35 1/8	5168
1/4	11	7 1/4	530	14 1/4	1,407	21 1/4	2511	28 1/4	3786	35 1/4	5194
3/8	15	7 3/8	543	14 3/8	1,425	21 3/8	2533	28 3/8	3810	35 3/8	5220
1/2	19	7 1/2	557	14 1/2	1,443	21 1/2	2554	28 1/2	3835	35 1/2	5246
5/8	23	7 5/8	570	14 5/8	1,461	21 5/8	2576	28 5/8	3859	35 5/8	5273
3/4	28	7 3/4	584	14 3/4	1,479	21 3/4	2597	28 3/4	3883	35 3/4	5299
7/8	33	7 7/8	597	14 7/8	1,497	21 7/8	2619	28 7/8	3907	35 7/8	5325
1	38	8	611	15	1516	22	2641	29	3931	36	5352
1 1/8	44	8 1/8	625	15 1/8	1,534	22 1/8	2662	29 1/8	3956	36 1/8	5378
1 1/4	50	8 1/4	638	15 1/4	1,552	22 1/4	2684	29 1/4	3980	36 1/4	5404
1 3/8	56	8 3/8	652	15 3/8	1,571	22 3/8	2706	29 3/8	4004	36 3/8	5431
1 1/2	62	8 1/2	666	15 1/2	1,590	22 1/2	2728	29 1/2	4029	36 1/2	5457
1 5/8	69	8 5/8	681	15 5/8	1,608	22 5/8	2750	29 5/8	4053	36 5/8	5484
1 3/4	75	8 3/4	695	15 3/4	1,627	22 3/4	2772	29 3/4	4078	36 3/4	5510
1 7/8	82	8 7/8	709	15 7/8	1,646	22 7/8	2794	29 7/8	4103	36 7/8	5537
2	90	9	724	16	1664	23	2816	30	4127	37	5563
2 1/8	97	9 1/8	738	16 1/8	1,683	23 1/8	2838	30 1/8	4152	37 1/8	5590
2 1/4	105	9 1/4	753	16 1/4	1,702	23 1/4	2860	30 1/4	4176	37 1/4	5616
2 3/8	112	9 3/8	767	16 3/8	1,721	23 3/8	2882	30 3/8	4201	37 3/8	5643
2 1/2	120	9 1/2	782	16 1/2	1,740	23 1/2	2905	30 1/2	4226	37 1/2	5670
2 5/8	128	9 5/8	797	16 5/8	1,760	23 5/8	2927	30 5/8	4251	37 5/8	5696
2 3/4	137	9 3/4	812	16 3/4	1,779	23 3/4	2949	30 3/4	4276	37 3/4	5723
2 7/8	145	9 7/8	827	16 7/8	1,798	23 7/8	2972	30 7/8	4300	37 7/8	5750
3	154	10	842	17	1817	24	2994	31	4325	38	5777
3 1/8	163	10 1/8	858	17 1/8	1,837	24 1/8	3017	31 1/8	4350	38 1/8	5804
3 1/4	172	10 1/4	873	17 1/4	1,856	24 1/4	3039	31 1/4	4375	38 1/4	5831
3 3/8	181	10 3/8	888	17 3/8	1,876	24 3/8	3062	31 3/8	4400	38 3/8	5857
3 1/2	190	10 1/2	904	17 1/2	1,896	24 1/2	3085	31 1/2	4425	38 1/2	5884
3 5/8	199	10 5/8	920	17 5/8	1,915	24 5/8	3107	31 5/8	4450	38 5/8	5911
3 3/4	209	10 3/4	935	17 3/4	1,935	24 3/4	3130	31 3/4	4476	38 3/4	5938
3 7/8	219	10 7/8	951	17 7/8	1,955	24 7/8	3153	31 7/8	4501	38 7/8	5965
4	229	11	967	18	1,975	25	3176	32	4526	39	5992
4 1/8	239	11 1/8	983	18 1/8	1,994	25 1/8	3199	32 1/8	4551	39 1/8	6019
4 1/4	249	11 1/4	999	18 1/4	2,014	25 1/4	3222	32 1/4	4577	39 1/4	6047
4 3/8	259	11 3/8	1,015	18 3/8	2,034	25 3/8	3245	32 3/8	4602	39 3/8	6074
4 1/2	270	11 1/2	1,031	18 1/2	2,055	25 1/2	3268	32 1/2	4627	39 1/2	6101
4 5/8	280	11 5/8	1,047	18 5/8	2,075	25 5/8	3291	32 5/8	4653	39 5/8	6128
4 3/4	291	11 3/4	1,064	18 3/4	2,095	25 3/4	3314	32 3/4	4678	39 3/4	6155
4 7/8	302	11 7/8	1,080	18 7/8	2,115	25 7/8	3337	32 7/8	4704	39 7/8	6182
5	313	12	1,097	19	2136	26	3360	33	4729	40	6210
5 1/8	324	12 1/8	1,113	19 1/8	2156	26 1/8	3384	33 1/8	4755	40 1/8	6237
5 1/4	335	12 1/4	1,130	19 1/4	2176	26 1/4	3407	33 1/4	4780	40 1/4	6264
5 3/8	346	12 3/8	1,147	19 3/8	2197	26 3/8	3430	33 3/8	4806	40 3/8	6292
5 1/2	358	12 1/2	1,164	19 1/2	2217	26 1/2	3454	33 1/2	4831	40 1/2	6319
5 5/8	369	12 5/8	1,180	19 5/8	2238	26 5/8	3477	33 5/8	4857	40 5/8	6346
5 3/4	381	12 3/4	1,197	19 3/4	2259	26 3/4	3501	33 3/4	4883	40 3/4	6374
5 7/8	393	12 7/8	1,214	19 7/8	2280	26 7/8	3524	33 7/8	4909	40 7/8	6401
6	405	13	1,232	20	2300	27	3548	34	4934	41	6429
6 1/8	417	13 1/8	1,249	20 1/8	2321	27 1/8	3572	34 1/8	4960	41 1/8	6456
6 1/4	429	13 1/4	1,266	20 1/4	2342	27 1/4	3595	34 1/4	4986	41 1/4	6484
6 3/8	441	13 3/8	1,283	20 3/8	2363	27 3/8	3619	34 3/8	5012	41 3/8	6511
6 1/2	454	13 1/2	1,301	20 1/2	2384	27 1/2	3643	34 1/2	5038	41 1/2	6539
6 5/8	466	13 5/8	1,318	20 5/8	2405	27 5/8	3667	34 5/8	5064	41 5/8	6567
6 3/4	479	13 3/4	1,336	20 3/4	2426	27 3/4	3691	34 3/4	5090	41 3/4	6594
6 7/8	491	13 7/8	1,354	20 7/8	2447	27 7/8	3714	34 7/8	5116	41 7/8	6622
7	504	14	1,371	21	2469	28	3738	35	5142	42	6650

**12'-25000 SWT F1 Single-Wall Tank  
25873 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	6677	49 1/8	8265	56 1/8	9910	63 1/8	11590	70 1/8	13285	77 1/8	14977
42 1/4	6705	49 1/4	8294	56 1/4	9940	63 1/4	11620	70 1/4	13315	77 1/4	15007
42 3/8	6733	49 3/8	8323	56 3/8	9969	63 3/8	11650	70 3/8	13346	77 3/8	15037
42 1/2	6761	49 1/2	8352	56 1/2	9999	63 1/2	11680	70 1/2	13376	77 1/2	15067
42 5/8	6788	49 5/8	8381	56 5/8	10029	63 5/8	11711	70 5/8	13406	77 5/8	15097
42 3/4	6816	49 3/4	8410	56 3/4	10059	63 3/4	11741	70 3/4	13437	77 3/4	15127
42 7/8	6844	49 7/8	8439	56 7/8	10088	63 7/8	11771	70 7/8	13467	77 7/8	15157
43	6872	50	8468	57	10118	64	11801	71	13497	78	15187
43 1/8	6900	50 1/8	8497	57 1/8	10148	64 1/8	11831	71 1/8	13528	78 1/8	15217
43 1/4	6928	50 1/4	8526	57 1/4	10178	64 1/4	11862	71 1/4	13558	78 1/4	15247
43 3/8	6956	50 3/8	8556	57 3/8	10208	64 3/8	11892	71 3/8	13588	78 3/8	15277
43 1/2	6984	50 1/2	8585	57 1/2	10238	64 1/2	11922	71 1/2	13618	78 1/2	15307
43 5/8	7012	50 5/8	8614	57 5/8	10267	64 5/8	11952	71 5/8	13649	78 5/8	15337
43 3/4	7040	50 3/4	8643	57 3/4	10297	64 3/4	11983	71 3/4	13679	78 3/4	15367
43 7/8	7068	50 7/8	8672	57 7/8	10327	64 7/8	12013	71 7/8	13709	78 7/8	15397
44	7096	51	8701	58	10357	65	12043	72	13739	79	15427
44 1/8	7124	51 1/8	8730	58 1/8	10387	65 1/8	12073	72 1/8	13770	79 1/8	15456
44 1/4	7152	51 1/4	8760	58 1/4	10417	65 1/4	12104	72 1/4	13800	79 1/4	15486
44 3/8	7180	51 3/8	8789	58 3/8	10447	65 3/8	12134	72 3/8	13830	79 3/8	15516
44 1/2	7208	51 1/2	8818	58 1/2	10477	65 1/2	12164	72 1/2	13860	79 1/2	15546
44 5/8	7237	51 5/8	8847	58 5/8	10507	65 5/8	12194	72 5/8	13891	79 5/8	15576
44 3/4	7265	51 3/4	8877	58 3/4	10537	65 3/4	12225	72 3/4	13921	79 3/4	15606
44 7/8	7293	51 7/8	8906	58 7/8	10567	65 7/8	12255	72 7/8	13951	79 7/8	15636
45	7321	52	8935	59	10597	66	12285	73	13981	80	15666
45 1/8	7350	52 1/8	8964	59 1/8	10627	66 1/8	12316	73 1/8	14012	80 1/8	15695
45 1/4	7378	52 1/4	8994	59 1/4	10657	66 1/4	12346	73 1/4	14042	80 1/4	15725
45 3/8	7406	52 3/8	9023	59 3/8	10687	66 3/8	12376	73 3/8	14072	80 3/8	15755
45 1/2	7435	52 1/2	9052	59 1/2	10717	66 1/2	12406	73 1/2	14102	80 1/2	15785
45 5/8	7463	52 5/8	9082	59 5/8	10747	66 5/8	12437	73 5/8	14133	80 5/8	15815
45 3/4	7491	52 3/4	9111	59 3/4	10777	66 3/4	12467	73 3/4	14163	80 3/4	15845
45 7/8	7520	52 7/8	9141	59 7/8	10807	66 7/8	12497	73 7/8	14193	80 7/8	15874
46	7548	53	9170	60	10837	67	12528	74	14223	81	15904
46 1/8	7577	53 1/8	9199	60 1/8	10867	67 1/8	12558	74 1/8	14253	81 1/8	15934
46 1/4	7605	53 1/4	9229	60 1/4	10897	67 1/4	12588	74 1/4	14284	81 1/4	15964
46 3/8	7634	53 3/8	9258	60 3/8	10927	67 3/8	12618	74 3/8	14314	81 3/8	15993
46 1/2	7662	53 1/2	9288	60 1/2	10957	67 1/2	12649	74 1/2	14344	81 1/2	16023
46 5/8	7691	53 5/8	9317	60 5/8	10987	67 5/8	12679	74 5/8	14374	81 5/8	16053
46 3/4	7719	53 3/4	9347	60 3/4	11017	67 3/4	12709	74 3/4	14404	81 3/4	16082
46 7/8	7748	53 7/8	9376	60 7/8	11047	67 7/8	12740	74 7/8	14435	81 7/8	16112
47	7776	54	9406	61	11077	68	12770	75	14465	82	16142
47 1/8	7805	54 1/8	9435	61 1/8	11107	68 1/8	12800	75 1/8	14495	82 1/8	16171
47 1/4	7834	54 1/4	9465	61 1/4	11137	68 1/4	12831	75 1/4	14525	82 1/4	16201
47 3/8	7862	54 3/8	9495	61 3/8	11167	68 3/8	12861	75 3/8	14555	82 3/8	16231
47 1/2	7891	54 1/2	9524	61 1/2	11198	68 1/2	12891	75 1/2	14585	82 1/2	16260
47 5/8	7920	54 5/8	9554	61 5/8	11228	68 5/8	12922	75 5/8	14615	82 5/8	16290
47 3/4	7948	54 3/4	9583	61 3/4	11258	68 3/4	12952	75 3/4	14646	82 3/4	16320
47 7/8	7977	54 7/8	9613	61 7/8	11288	68 7/8	12982	75 7/8	14676	82 7/8	16349
48	8006	55	9643	62	11318	69	13012	76	14706	83	16379
48 1/8	8035	55 1/8	9672	62 1/8	11348	69 1/8	13043	76 1/8	14736	83 1/8	16408
48 1/4	8063	55 1/4	9702	62 1/4	11378	69 1/4	13073	76 1/4	14766	83 1/4	16438
48 3/8	8092	55 3/8	9732	62 3/8	11409	69 3/8	13103	76 3/8	14796	83 3/8	16467
48 1/2	8121	55 1/2	9761	62 1/2	11439	69 1/2	13134	76 1/2	14826	83 1/2	16497
48 5/8	8150	55 5/8	9791	62 5/8	11469	69 5/8	13164	76 5/8	14856	83 5/8	16526
48 3/4	8179	55 3/4	9821	62 3/4	11499	69 3/4	13194	76 3/4	14886	83 3/4	16556
48 7/8	8208	55 7/8	9850	62 7/8	11529	69 7/8	13225	76 7/8	14917	83 7/8	16585
49	8236	56	9880	63	11559	70	13255	77	14947	84	16615

**12'-25000 SWT F1 Single-Wall Tank  
25873 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	16644	91 1/8	18268	98 1/8	19,827	105 1/8	21,297	112 1/8	22,652	119 1/8	23859
84 1/4	16674	91 1/4	18297	98 1/4	19,854	105 1/4	21,322	112 1/4	22,675	119 1/4	23879
84 3/8	16703	91 3/8	18325	98 3/8	19,881	105 3/8	21,347	112 3/8	22,697	119 3/8	23899
84 1/2	16733	91 1/2	18354	98 1/2	19,908	105 1/2	21,373	112 1/2	22,720	119 1/2	23919
84 5/8	16762	91 5/8	18382	98 5/8	19,935	105 5/8	21,398	112 5/8	22,743	119 5/8	23938
84 3/4	16791	91 3/4	18410	98 3/4	19,962	105 3/4	21,423	112 3/4	22,766	119 3/4	23958
84 7/8	16821	91 7/8	18439	98 7/8	19,989	105 7/8	21,448	112 7/8	22,789	119 7/8	23978
85	16850	92	18467	99	20,016	106	21,473	113	22811	120	23997
85 1/8	16880	92 1/8	18495	99 1/8	20,043	106 1/8	21,498	113 1/8	22,834	120 1/8	24017
85 1/4	16909	92 1/4	18524	99 1/4	20,070	106 1/4	21,523	113 1/4	22,857	120 1/4	24036
85 3/8	16938	92 3/8	18552	99 3/8	20,097	106 3/8	21,548	113 3/8	22,879	120 3/8	24056
85 1/2	16967	92 1/2	18580	99 1/2	20,123	106 1/2	21,573	113 1/2	22,902	120 1/2	24075
85 5/8	16997	92 5/8	18608	99 5/8	20,150	106 5/8	21,598	113 5/8	22,924	120 5/8	24095
85 3/4	17026	92 3/4	18637	99 3/4	20,177	106 3/4	21,623	113 3/4	22,946	120 3/4	24114
85 7/8	17055	92 7/8	18665	99 7/8	20,204	106 7/8	21,647	113 7/8	22,969	120 7/8	24133
86	17085	93	18693	100	20,230	107	21,672	114	22991	121	24152
86 1/8	17114	93 1/8	18721	100 1/8	20,257	107 1/8	21,697	114 1/8	23,013	121 1/8	24171
86 1/4	17143	93 1/4	18749	100 1/4	20,284	107 1/4	21,722	114 1/4	23,035	121 1/4	24190
86 3/8	17172	93 3/8	18777	100 3/8	20,310	107 3/8	21,746	114 3/8	23,058	121 3/8	24209
86 1/2	17201	93 1/2	18805	100 1/2	20,337	107 1/2	21,771	114 1/2	23,080	121 1/2	24228
86 5/8	17230	93 5/8	18834	100 5/8	20,363	107 5/8	21,795	114 5/8	23,102	121 5/8	24247
86 3/4	17260	93 3/4	18862	100 3/4	20,390	107 3/4	21,820	114 3/4	23,124	121 3/4	24265
86 7/8	17289	93 7/8	18890	100 7/8	20,416	107 7/8	21,844	114 7/8	23,146	121 7/8	24284
87	17318	94	18918	101	20,443	108	21,869	115	23167	122	24302
87 1/8	17347	94 1/8	18945	101 1/8	20,469	108 1/8	21,893	115 1/8	23,189	122 1/8	24321
87 1/4	17376	94 1/4	18973	101 1/4	20,495	108 1/4	21,918	115 1/4	23,211	122 1/4	24339
87 3/8	17405	94 3/8	19001	101 3/8	20,522	108 3/8	21,942	115 3/8	23,233	122 3/8	24358
87 1/2	17434	94 1/2	19029	101 1/2	20,548	108 1/2	21,966	115 1/2	23,254	122 1/2	24376
87 5/8	17463	94 5/8	19057	101 5/8	20,574	108 5/8	21,990	115 5/8	23,276	122 5/8	24394
87 3/4	17492	94 3/4	19085	101 3/4	20,601	108 3/4	22,015	115 3/4	23,298	122 3/4	24412
87 7/8	17521	94 7/8	19113	101 7/8	20,627	108 7/8	22,039	115 7/8	23,319	122 7/8	24430
88	17550	95	19141	102	20,653	109	22,063	116	23,341	123	24448
88 1/8	17579	95 1/8	19168	102 1/8	20,679	109 1/8	22,087	116 1/8	23,362	123 1/8	24466
88 1/4	17608	95 1/4	19196	102 1/4	20,705	109 1/4	22,111	116 1/4	23,383	123 1/4	24484
88 3/8	17637	95 3/8	19224	102 3/8	20,731	109 3/8	22,135	116 3/8	23,405	123 3/8	24502
88 1/2	17666	95 1/2	19251	102 1/2	20,758	109 1/2	22,159	116 1/2	23,426	123 1/2	24520
88 5/8	17695	95 5/8	19279	102 5/8	20,784	109 5/8	22,183	116 5/8	23,447	123 5/8	24537
88 3/4	17724	95 3/4	19307	102 3/4	20,810	109 3/4	22,207	116 3/4	23,468	123 3/4	24555
88 7/8	17752	95 7/8	19334	102 7/8	20,835	109 7/8	22,231	116 7/8	23,489	123 7/8	24572
89	17781	96	19362	103	20,861	110	22,254	117	23510	124	24590
89 1/8	17810	96 1/8	19389	103 1/8	20,887	110 1/8	22,278	117 1/8	23531	124 1/8	24607
89 1/4	17839	96 1/4	19417	103 1/4	20,913	110 1/4	22,302	117 1/4	23552	124 1/4	24625
89 3/8	17868	96 3/8	19445	103 3/8	20,939	110 3/8	22,325	117 3/8	23573	124 3/8	24642
89 1/2	17896	96 1/2	19472	103 1/2	20,965	110 1/2	22,349	117 1/2	23594	124 1/2	24659
89 5/8	17925	96 5/8	19499	103 5/8	20,991	110 5/8	22,372	117 5/8	23615	124 5/8	24676
89 3/4	17954	96 3/4	19527	103 3/4	21,016	110 3/4	22,396	117 3/4	23635	124 3/4	24693
89 7/8	17982	96 7/8	19554	103 7/8	21,042	110 7/8	22,419	117 7/8	23656	124 7/8	24710
90	18011	97	19582	104	21,068	111	22,443	118	23676	125	24727
90 1/8	18040	97 1/8	19609	104 1/8	21,093	111 1/8	22,466	118 1/8	23697	125 1/8	24743
90 1/4	18068	97 1/4	19636	104 1/4	21,119	111 1/4	22,490	118 1/4	23717	125 1/4	24760
90 3/8	18097	97 3/8	19664	104 3/8	21,144	111 3/8	22,513	118 3/8	23738	125 3/8	24777
90 1/2	18126	97 1/2	19691	104 1/2	21,170	111 1/2	22,536	118 1/2	23758	125 1/2	24793
90 5/8	18154	97 5/8	19718	104 5/8	21,195	111 5/8	22,559	118 5/8	23778	125 5/8	24810
90 3/4	18183	97 3/4	19745	104 3/4	21,221	111 3/4	22,582	118 3/4	23799	125 3/4	24826
90 7/8	18211	97 7/8	19773	104 7/8	21,246	111 7/8	22,606	118 7/8	23819	125 7/8	24842
91	18240	98	19800	105	21,271	112	22,629	119	23839	126	24858

# 12'-25000 SWT F1 Single-Wall Tank

## 25873 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	24875	133 1/8	25625
126 1/4	24891	133 1/4	25635
126 3/8	24906	133 3/8	25645
126 1/2	24922	133 1/2	25655
126 5/8	24938	133 5/8	25664
126 3/4	24954	133 3/4	25674
126 7/8	24969	133 7/8	25683
127	24985	134	25693
127 1/8	25000	134 1/8	25702
127 1/4	25016	134 1/4	25711
127 3/8	25031	134 3/8	25720
127 1/2	25046	134 1/2	25728
127 5/8	25061	134 5/8	25737
127 3/4	25076	134 3/4	25745
127 7/8	25091	134 7/8	25753
128	25106	135	25761
128 1/8	25121	135 1/8	25769
128 1/4	25135	135 1/4	25776
128 3/8	25150	135 3/8	25784
128 1/2	25164	135 1/2	25791
128 5/8	25179	135 5/8	25798
128 3/4	25193	135 3/4	25805
128 7/8	25207	135 7/8	25811
129	25221	136	25817
129 1/8	25235	136 1/8	25824
129 1/4	25249	136 1/4	25829
129 3/8	25263	136 3/8	25835
129 1/2	25276	136 1/2	25840
129 5/8	25290	136 5/8	25845
129 3/4	25303	136 3/4	25850
129 7/8	25317	136 7/8	25855
130	25330	137	25859
130 1/8	25343	137 1/8	25863
130 1/4	25356	137 1/4	25866
130 3/8	25369	137 3/8	25869
130 1/2	25382	137 1/2	25871
130 5/8	25395	137 5/8	25873
130 3/4	25407		
130 7/8	25420		
131	25432		
131 1/8	25444		
131 1/4	25457		
131 3/8	25469		
131 1/2	25481		
131 5/8	25492		
131 3/4	25504		
131 7/8	25516		
132	25527		
132 1/8	25538		
132 1/4	25550		
132 3/8	25561		
132 1/2	25572		
132 5/8	25583		
132 3/4	25593		
132 7/8	25604		
133	25614		



**CONTAINMENT**  
SOLUTIONS®

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**

Pub. No. CAL 12-13F1 6/2011