

## 12'-35000 DWT6 Double-Wall Tank 35456 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	10	7 1/8	717	14 1/8	1,923	21 1/8	3439	28 1/8	5187	35 1/8	7114
1/4	15	7 1/4	736	14 1/4	1,947	21 1/4	3468	28 1/4	5220	35 1/4	7150
3/8	20	7 3/8	754	14 3/8	1,972	21 3/8	3498	28 3/8	5253	35 3/8	7186
1/2	26	7 1/2	772	14 1/2	1,997	21 1/2	3527	28 1/2	5286	35 1/2	7222
5/8	32	7 5/8	791	14 5/8	2,022	21 5/8	3557	28 5/8	5319	35 5/8	7258
3/4	39	7 3/4	809	14 3/4	2,047	21 3/4	3587	28 3/4	5353	35 3/4	7294
7/8	46	7 7/8	828	14 7/8	2,072	21 7/8	3616	28 7/8	5386	35 7/8	7330
1	53	8	847	15	2097	22	3646	29	5419	36	7366
1 1/8	61	8 1/8	866	15 1/8	2,122	22 1/8	3676	29 1/8	5453	36 1/8	7402
1 1/4	69	8 1/4	885	15 1/4	2,148	22 1/4	3706	29 1/4	5486	36 1/4	7438
1 3/8	78	8 3/8	904	15 3/8	2,173	22 3/8	3736	29 3/8	5519	36 3/8	7474
1 1/2	87	8 1/2	924	15 1/2	2,199	22 1/2	3766	29 1/2	5553	36 1/2	7510
1 5/8	96	8 5/8	944	15 5/8	2,225	22 5/8	3796	29 5/8	5587	36 5/8	7547
1 3/4	105	8 3/4	963	15 3/4	2,250	22 3/4	3826	29 3/4	5620	36 3/4	7583
1 7/8	115	8 7/8	983	15 7/8	2,276	22 7/8	3857	29 7/8	5654	36 7/8	7619
2	125	9	1,003	16	2302	23	3887	30	5688	37	7656
2 1/8	135	9 1/8	1,023	16 1/8	2,328	23 1/8	3918	30 1/8	5721	37 1/8	7692
2 1/4	146	9 1/4	1,043	16 1/4	2,354	23 1/4	3948	30 1/4	5755	37 1/4	7729
2 3/8	156	9 3/8	1,064	16 3/8	2,381	23 3/8	3979	30 3/8	5789	37 3/8	7765
2 1/2	167	9 1/2	1,084	16 1/2	2,407	23 1/2	4009	30 1/2	5823	37 1/2	7802
2 5/8	179	9 5/8	1,105	16 5/8	2,433	23 5/8	4040	30 5/8	5857	37 5/8	7838
2 3/4	190	9 3/4	1,126	16 3/4	2,460	23 3/4	4071	30 3/4	5891	37 3/4	7875
2 7/8	202	9 7/8	1,146	16 7/8	2,487	23 7/8	4101	30 7/8	5925	37 7/8	7911
3	214	10	1,167	17	2513	24	4132	31	5960	38	7948
3 1/8	226	10 1/8	1,188	17 1/8	2,540	24 1/8	4163	31 1/8	5994	38 1/8	7985
3 1/4	239	10 1/4	1,210	17 1/4	2,567	24 1/4	4194	31 1/4	6028	38 1/4	8022
3 3/8	251	10 3/8	1,231	17 3/8	2,594	24 3/8	4225	31 3/8	6062	38 3/8	8058
3 1/2	264	10 1/2	1,252	17 1/2	2,621	24 1/2	4257	31 1/2	6097	38 1/2	8095
3 5/8	277	10 5/8	1,274	17 5/8	2,648	24 5/8	4288	31 5/8	6131	38 5/8	8132
3 3/4	290	10 3/4	1,296	17 3/4	2,675	24 3/4	4319	31 3/4	6166	38 3/4	8169
3 7/8	304	10 7/8	1,318	17 7/8	2,702	24 7/8	4350	31 7/8	6200	38 7/8	8206
4	318	11	1,339	18	2,730	25	4382	32	6235	39	8243
4 1/8	331	11 1/8	1,361	18 1/8	2,757	25 1/8	4413	32 1/8	6269	39 1/8	8280
4 1/4	346	11 1/4	1,384	18 1/4	2,785	25 1/4	4445	32 1/4	6304	39 1/4	8317
4 3/8	360	11 3/8	1,406	18 3/8	2,812	25 3/8	4477	32 3/8	6339	39 3/8	8354
4 1/2	374	11 1/2	1,428	18 1/2	2,840	25 1/2	4508	32 1/2	6373	39 1/2	8392
4 5/8	389	11 5/8	1,451	18 5/8	2,868	25 5/8	4540	32 5/8	6408	39 5/8	8429
4 3/4	404	11 3/4	1,473	18 3/4	2,895	25 3/4	4572	32 3/4	6443	39 3/4	8466
4 7/8	419	11 7/8	1,496	18 7/8	2,923	25 7/8	4604	32 7/8	6478	39 7/8	8503
5	434	12	1,519	19	2,951	26	4635	33	6513	40	8541
5 1/8	449	12 1/8	1,542	19 1/8	2,979	26 1/8	4667	33 1/8	6548	40 1/8	8578
5 1/4	465	12 1/4	1,565	19 1/4	3,008	26 1/4	4699	33 1/4	6583	40 1/4	8615
5 3/8	481	12 3/8	1,588	19 3/8	3,036	26 3/8	4732	33 3/8	6618	40 3/8	8653
5 1/2	496	12 1/2	1,611	19 1/2	3,064	26 1/2	4764	33 1/2	6653	40 1/2	8690
5 5/8	512	12 5/8	1,634	19 5/8	3,092	26 5/8	4796	33 5/8	6688	40 5/8	8728
5 3/4	529	12 3/4	1,658	19 3/4	3,121	26 3/4	4828	33 3/4	6724	40 3/4	8765
5 7/8	545	12 7/8	1,681	19 7/8	3,149	26 7/8	4861	33 7/8	6759	40 7/8	8803
6	562	13	1,705	20	3,178	27	4893	34	6794	41	8840
6 1/8	578	13 1/8	1,729	20 1/8	3,207	27 1/8	4925	34 1/8	6830	41 1/8	8878
6 1/4	595	13 1/4	1,753	20 1/4	3,236	27 1/4	4958	34 1/4	6865	41 1/4	8916
6 3/8	612	13 3/8	1,777	20 3/8	3,264	27 3/8	4991	34 3/8	6901	41 3/8	8953
6 1/2	629	13 1/2	1,801	20 1/2	3,293	27 1/2	5023	34 1/2	6936	41 1/2	8991
6 5/8	647	13 5/8	1,825	20 5/8	3,322	27 5/8	5056	34 5/8	6972	41 5/8	9029
6 3/4	664	13 3/4	1,849	20 3/4	3,351	27 3/4	5089	34 3/4	7007	41 3/4	9067
6 7/8	682	13 7/8	1,874	20 7/8	3,381	27 7/8	5121	34 7/8	7043	41 7/8	9105
7	700	14	1,898	21	3,410	28	5154	35	7079	42	9142

**12'-35000 DWT6 Double-Wall Tank  
35456 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	9180	49 1/8	11351	56 1/8	13597	63 1/8	15890	70 1/8	18204	77 1/8	20512
42 1/4	9218	49 1/4	11391	56 1/4	13638	63 1/4	15931	70 1/4	18245	77 1/4	20553
42 3/8	9256	49 3/8	11430	56 3/8	13678	63 3/8	15973	70 3/8	18286	77 3/8	20594
42 1/2	9294	49 1/2	11470	56 1/2	13719	63 1/2	16014	70 1/2	18328	77 1/2	20635
42 5/8	9332	49 5/8	11510	56 5/8	13760	63 5/8	16055	70 5/8	18369	77 5/8	20676
42 3/4	9370	49 3/4	11549	56 3/4	13800	63 3/4	16096	70 3/4	18411	77 3/4	20717
42 7/8	9408	49 7/8	11589	56 7/8	13841	63 7/8	16137	70 7/8	18452	77 7/8	20758
43	9447	50	11628	57	13882	64	16179	71	18493	78	20799
43 1/8	9485	50 1/8	11668	57 1/8	13922	64 1/8	16220	71 1/8	18534	78 1/8	20840
43 1/4	9523	50 1/4	11708	57 1/4	13963	64 1/4	16261	71 1/4	18576	78 1/4	20881
43 3/8	9561	50 3/8	11748	57 3/8	14004	64 3/8	16303	71 3/8	18617	78 3/8	20922
43 1/2	9599	50 1/2	11787	57 1/2	14045	64 1/2	16344	71 1/2	18658	78 1/2	20963
43 5/8	9638	50 5/8	11827	57 5/8	14085	64 5/8	16385	71 5/8	18700	78 5/8	21004
43 3/4	9676	50 3/4	11867	57 3/4	14126	64 3/4	16426	71 3/4	18741	78 3/4	21044
43 7/8	9714	50 7/8	11907	57 7/8	14167	64 7/8	16468	71 7/8	18782	78 7/8	21085
44	9753	51	11947	58	14208	65	16509	72	18824	79	21126
44 1/8	9791	51 1/8	11987	58 1/8	14249	65 1/8	16550	72 1/8	18865	79 1/8	21167
44 1/4	9830	51 1/4	12026	58 1/4	14289	65 1/4	16592	72 1/4	18906	79 1/4	21208
44 3/8	9868	51 3/8	12066	58 3/8	14330	65 3/8	16633	72 3/8	18948	79 3/8	21249
44 1/2	9907	51 1/2	12106	58 1/2	14371	65 1/2	16674	72 1/2	18989	79 1/2	21290
44 5/8	9945	51 5/8	12146	58 5/8	14412	65 5/8	16715	72 5/8	19030	79 5/8	21330
44 3/4	9984	51 3/4	12186	58 3/4	14453	65 3/4	16757	72 3/4	19071	79 3/4	21371
44 7/8	10022	51 7/8	12226	58 7/8	14494	65 7/8	16798	72 7/8	19113	79 7/8	21412
45	10061	52	12266	59	14535	66	16839	73	19154	80	21453
45 1/8	10100	52 1/8	12306	59 1/8	14576	66 1/8	16881	73 1/8	19195	80 1/8	21493
45 1/4	10138	52 1/4	12346	59 1/4	14617	66 1/4	16922	73 1/4	19237	80 1/4	21534
45 3/8	10177	52 3/8	12386	59 3/8	14657	66 3/8	16963	73 3/8	19278	80 3/8	21575
45 1/2	10216	52 1/2	12426	59 1/2	14698	66 1/2	17005	73 1/2	19319	80 1/2	21615
45 5/8	10255	52 5/8	12467	59 5/8	14739	66 5/8	17046	73 5/8	19360	80 5/8	21656
45 3/4	10293	52 3/4	12507	59 3/4	14780	66 3/4	17087	73 3/4	19401	80 3/4	21697
45 7/8	10332	52 7/8	12547	59 7/8	14821	66 7/8	17129	73 7/8	19443	80 7/8	21738
46	10371	53	12587	60	14862	67	17170	74	19484	81	21778
46 1/8	10410	53 1/8	12627	60 1/8	14903	67 1/8	17211	74 1/8	19525	81 1/8	21819
46 1/4	10449	53 1/4	12667	60 1/4	14944	67 1/4	17253	74 1/4	19566	81 1/4	21859
46 3/8	10488	53 3/8	12708	60 3/8	14985	67 3/8	17294	74 3/8	19608	81 3/8	21900
46 1/2	10527	53 1/2	12748	60 1/2	15026	67 1/2	17335	74 1/2	19649	81 1/2	21941
46 5/8	10566	53 5/8	12788	60 5/8	15067	67 5/8	17377	74 5/8	19690	81 5/8	21981
46 3/4	10605	53 3/4	12828	60 3/4	15109	67 3/4	17418	74 3/4	19731	81 3/4	22022
46 7/8	10644	53 7/8	12869	60 7/8	15150	67 7/8	17459	74 7/8	19772	81 7/8	22062
47	10683	54	12909	61	15191	68	17501	75	19814	82	22103
47 1/8	10722	54 1/8	12949	61 1/8	15232	68 1/8	17542	75 1/8	19855	82 1/8	22143
47 1/4	10761	54 1/4	12990	61 1/4	15273	68 1/4	17584	75 1/4	19896	82 1/4	22184
47 3/8	10800	54 3/8	13030	61 3/8	15314	68 3/8	17625	75 3/8	19937	82 3/8	22224
47 1/2	10840	54 1/2	13071	61 1/2	15355	68 1/2	17666	75 1/2	19978	82 1/2	22265
47 5/8	10879	54 5/8	13111	61 5/8	15396	68 5/8	17708	75 5/8	20019	82 5/8	22305
47 3/4	10918	54 3/4	13151	61 3/4	15437	68 3/4	17749	75 3/4	20060	82 3/4	22346
47 7/8	10957	54 7/8	13192	61 7/8	15478	68 7/8	17790	75 7/8	20101	82 7/8	22386
48	10997	55	13232	62	15520	69	17832	76	20143	83	22426
48 1/8	11036	55 1/8	13273	62 1/8	15561	69 1/8	17873	76 1/8	20184	83 1/8	22467
48 1/4	11075	55 1/4	13313	62 1/4	15602	69 1/4	17914	76 1/4	20225	83 1/4	22507
48 3/8	11115	55 3/8	13354	62 3/8	15643	69 3/8	17956	76 3/8	20266	83 3/8	22547
48 1/2	11154	55 1/2	13394	62 1/2	15684	69 1/2	17997	76 1/2	20307	83 1/2	22588
48 5/8	11193	55 5/8	13435	62 5/8	15725	69 5/8	18038	76 5/8	20348	83 5/8	22628
48 3/4	11233	55 3/4	13475	62 3/4	15767	69 3/4	18080	76 3/4	20389	83 3/4	22668
48 7/8	11272	55 7/8	13516	62 7/8	15808	69 7/8	18121	76 7/8	20430	83 7/8	22709
49	11312	56	13557	63	15849	70	18162	77	20471	84	22749

**12'-35000 DWT6 Double-Wall Tank  
35456 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	22789	91 1/8	25008	98 1/8	27,139	105 1/8	29,153	112 1/8	31,012	119 1/8	32672
84 1/4	22829	91 1/4	25047	98 1/4	27,176	105 1/4	29,187	112 1/4	31,043	119 1/4	32699
84 3/8	22869	91 3/8	25085	98 3/8	27,213	105 3/8	29,222	112 3/8	31,075	119 3/8	32727
84 1/2	22910	91 1/2	25124	98 1/2	27,250	105 1/2	29,256	112 1/2	31,106	119 1/2	32754
84 5/8	22950	91 5/8	25163	98 5/8	27,287	105 5/8	29,291	112 5/8	31,137	119 5/8	32782
84 3/4	22990	91 3/4	25202	98 3/4	27,324	105 3/4	29,325	112 3/4	31,169	119 3/4	32809
84 7/8	23030	91 7/8	25241	98 7/8	27,361	105 7/8	29,360	112 7/8	31,200	119 7/8	32836
85	23070	92	25279	99	27,398	106	29,394	113	31231	120	32863
85 1/8	23110	92 1/8	25318	99 1/8	27,435	106 1/8	29,429	113 1/8	31,262	120 1/8	32890
85 1/4	23150	92 1/4	25357	99 1/4	27,472	106 1/4	29,463	113 1/4	31,293	120 1/4	32917
85 3/8	23190	92 3/8	25395	99 3/8	27,508	106 3/8	29,497	113 3/8	31,324	120 3/8	32943
85 1/2	23230	92 1/2	25434	99 1/2	27,545	106 1/2	29,531	113 1/2	31,355	120 1/2	32970
85 5/8	23270	92 5/8	25473	99 5/8	27,582	106 5/8	29,565	113 5/8	31,386	120 5/8	32997
85 3/4	23310	92 3/4	25511	99 3/4	27,618	106 3/4	29,599	113 3/4	31,417	120 3/4	33023
85 7/8	23350	92 7/8	25550	99 7/8	27,655	106 7/8	29,633	113 7/8	31,447	120 7/8	33049
86	23390	93	25588	100	27,691	107	29,667	114	31478	121	33076
86 1/8	23430	93 1/8	25627	100 1/8	27,728	107 1/8	29,701	114 1/8	31,509	121 1/8	33102
86 1/4	23470	93 1/4	25665	100 1/4	27,764	107 1/4	29,735	114 1/4	31,539	121 1/4	33128
86 3/8	23510	93 3/8	25704	100 3/8	27,801	107 3/8	29,769	114 3/8	31,569	121 3/8	33154
86 1/2	23550	93 1/2	25742	100 1/2	27,837	107 1/2	29,803	114 1/2	31,600	121 1/2	33180
86 5/8	23590	93 5/8	25780	100 5/8	27,874	107 5/8	29,836	114 5/8	31,630	121 5/8	33206
86 3/4	23629	93 3/4	25819	100 3/4	27,910	107 3/4	29,870	114 3/4	31,660	121 3/4	33232
86 7/8	23669	93 7/8	25857	100 7/8	27,946	107 7/8	29,904	114 7/8	31,690	121 7/8	33258
87	23709	94	25895	101	27,982	108	29,937	115	31721	122	33283
87 1/8	23749	94 1/8	25934	101 1/8	28,019	108 1/8	29,971	115 1/8	31,751	122 1/8	33309
87 1/4	23788	94 1/4	25972	101 1/4	28,055	108 1/4	30,004	115 1/4	31,780	122 1/4	33334
87 3/8	23828	94 3/8	26010	101 3/8	28,091	108 3/8	30,037	115 3/8	31,810	122 3/8	33359
87 1/2	23868	94 1/2	26048	101 1/2	28,127	108 1/2	30,071	115 1/2	31,840	122 1/2	33385
87 5/8	23907	94 5/8	26086	101 5/8	28,163	108 5/8	30,104	115 5/8	31,870	122 5/8	33410
87 3/4	23947	94 3/4	26124	101 3/4	28,199	108 3/4	30,137	115 3/4	31,900	122 3/4	33435
87 7/8	23987	94 7/8	26162	101 7/8	28,235	108 7/8	30,170	115 7/8	31,929	122 7/8	33460
88	24026	95	26200	102	28,271	109	30,203	116	31,959	123	33485
88 1/8	24066	95 1/8	26238	102 1/8	28,306	109 1/8	30,236	116 1/8	31,988	123 1/8	33509
88 1/4	24105	95 1/4	26276	102 1/4	28,342	109 1/4	30,269	116 1/4	32,017	123 1/4	33534
88 3/8	24145	95 3/8	26314	102 3/8	28,378	109 3/8	30,302	116 3/8	32,047	123 3/8	33559
88 1/2	24184	95 1/2	26352	102 1/2	28,414	109 1/2	30,335	116 1/2	32,076	123 1/2	33583
88 5/8	24224	95 5/8	26390	102 5/8	28,449	109 5/8	30,368	116 5/8	32,105	123 5/8	33607
88 3/4	24263	95 3/4	26428	102 3/4	28,485	109 3/4	30,401	116 3/4	32,134	123 3/4	33632
88 7/8	24303	95 7/8	26465	102 7/8	28,520	109 7/8	30,433	116 7/8	32,163	123 7/8	33656
89	24342	96	26503	103	28,556	110	30,466	117	32,192	124	33680
89 1/8	24381	96 1/8	26541	103 1/8	28,591	110 1/8	30,499	117 1/8	32,221	124 1/8	33704
89 1/4	24421	96 1/4	26578	103 1/4	28,627	110 1/4	30,531	117 1/4	32,250	124 1/4	33728
89 3/8	24460	96 3/8	26616	103 3/8	28,662	110 3/8	30,564	117 3/8	32,278	124 3/8	33751
89 1/2	24499	96 1/2	26654	103 1/2	28,698	110 1/2	30,596	117 1/2	32,307	124 1/2	33775
89 5/8	24538	96 5/8	26691	103 5/8	28,733	110 5/8	30,628	117 5/8	32,336	124 5/8	33799
89 3/4	24578	96 3/4	26729	103 3/4	28,768	110 3/4	30,661	117 3/4	32,364	124 3/4	33822
89 7/8	24617	96 7/8	26766	103 7/8	28,803	110 7/8	30,693	117 7/8	32,392	124 7/8	33845
90	24656	97	26804	104	28,838	111	30,725	118	32,421	125	33869
90 1/8	24695	97 1/8	26841	104 1/8	28,873	111 1/8	30,757	118 1/8	32,449	125 1/8	33892
90 1/4	24734	97 1/4	26879	104 1/4	28,909	111 1/4	30,789	118 1/4	32,477	125 1/4	33915
90 3/8	24774	97 3/8	26916	104 3/8	28,944	111 3/8	30,821	118 3/8	32,505	125 3/8	33938
90 1/2	24813	97 1/2	26953	104 1/2	28,979	111 1/2	30,853	118 1/2	32,533	125 1/2	33960
90 5/8	24852	97 5/8	26990	104 5/8	29,013	111 5/8	30,885	118 5/8	32,561	125 5/8	33983
90 3/4	24891	97 3/4	27028	104 3/4	29,048	111 3/4	30,917	118 3/4	32,589	125 3/4	34006
90 7/8	24930	97 7/8	27065	104 7/8	29,083	111 7/8	30,948	118 7/8	32,617	125 7/8	34028
91	24969	98	27102	105	29,118	112	30,980	119	32,644	126	34051

# 12'-35000 DWT6 Double-Wall Tank

## 35456 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	34073	133 1/8	35111
126 1/4	34095	133 1/4	35125
126 3/8	34117	133 3/8	35139
126 1/2	34139	133 1/2	35153
126 5/8	34161	133 5/8	35166
126 3/4	34182	133 3/4	35179
126 7/8	34204	133 7/8	35192
127	34225	134	35205
127 1/8	34247	134 1/8	35218
127 1/4	34268	134 1/4	35230
127 3/8	34289	134 3/8	35243
127 1/2	34310	134 1/2	35255
127 5/8	34331	134 5/8	35266
127 3/4	34352	134 3/4	35278
127 7/8	34372	134 7/8	35289
128	34393	135	35300
128 1/8	34413	135 1/8	35311
128 1/4	34433	135 1/4	35321
128 3/8	34453	135 3/8	35332
128 1/2	34473	135 1/2	35342
128 5/8	34493	135 5/8	35351
128 3/4	34513	135 3/4	35361
128 7/8	34533	135 7/8	35370
129	34552	136	35379
129 1/8	34571	136 1/8	35387
129 1/4	34591	136 1/4	35395
129 3/8	34610	136 3/8	35403
129 1/2	34629	136 1/2	35411
129 5/8	34647	136 5/8	35418
129 3/4	34666	136 3/4	35424
129 7/8	34684	136 7/8	35430
130	34703	137	35436
130 1/8	34721	137 1/8	35441
130 1/4	34739	137 1/4	35446
130 3/8	34757	137 3/8	35450
130 1/2	34775	137 1/2	35453
130 5/8	34792	137 5/8	35456
130 3/4	34810		
130 7/8	34827		
131	34844		
131 1/8	34861		
131 1/4	34878		
131 3/8	34895		
131 1/2	34911		
131 5/8	34928		
131 3/4	34944		
131 7/8	34960		
132	34976		
132 1/8	34992		
132 1/4	35007		
132 3/8	35023		
132 1/2	35038		
132 5/8	35053		
132 3/4	35068		
132 7/8	35082		
133	35097		



**CONTAINMENT**  
SOLUTIONS®

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**