

**12'-45000 DWT6 Double-Wall Tank
45557 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	13	7 1/8	929	14 1/8	2,484	21 1/8	4439	28 1/8	6688	35 1/8	9165
1/4	20	7 1/4	952	14 1/4	2,516	21 1/4	4476	28 1/4	6731	35 1/4	9211
3/8	26	7 3/8	975	14 3/8	2,548	21 3/8	4514	28 3/8	6773	35 3/8	9257
1/2	34	7 1/2	999	14 1/2	2,580	21 1/2	4552	28 1/2	6816	35 1/2	9303
5/8	42	7 5/8	1,023	14 5/8	2,612	21 5/8	4590	28 5/8	6858	35 5/8	9349
3/4	50	7 3/4	1,047	14 3/4	2,645	21 3/4	4629	28 3/4	6901	35 3/4	9396
7/8	60	7 7/8	1,071	14 7/8	2,677	21 7/8	4667	28 7/8	6944	35 7/8	9442
1	69	8	1,096	15	2709	22	4705	29	6987	36	9488
1 1/8	79	8 1/8	1,120	15 1/8	2,742	22 1/8	4744	29 1/8	7029	36 1/8	9535
1 1/4	90	8 1/4	1,145	15 1/4	2,775	22 1/4	4782	29 1/4	7072	36 1/4	9581
1 3/8	101	8 3/8	1,170	15 3/8	2,808	22 3/8	4821	29 3/8	7115	36 3/8	9627
1 1/2	112	8 1/2	1,195	15 1/2	2,841	22 1/2	4860	29 1/2	7159	36 1/2	9674
1 5/8	124	8 5/8	1,221	15 5/8	2,874	22 5/8	4899	29 5/8	7202	36 5/8	9720
1 3/4	136	8 3/4	1,246	15 3/4	2,907	22 3/4	4937	29 3/4	7245	36 3/4	9767
1 7/8	149	8 7/8	1,272	15 7/8	2,941	22 7/8	4976	29 7/8	7288	36 7/8	9814
2	162	9	1,298	16	2974	23	5015	30	7332	37	9860
2 1/8	175	9 1/8	1,323	16 1/8	3,008	23 1/8	5055	30 1/8	7375	37 1/8	9907
2 1/4	189	9 1/4	1,350	16 1/4	3,041	23 1/4	5094	30 1/4	7419	37 1/4	9954
2 3/8	203	9 3/8	1,376	16 3/8	3,075	23 3/8	5133	30 3/8	7462	37 3/8	10001
2 1/2	217	9 1/2	1,402	16 1/2	3,109	23 1/2	5173	30 1/2	7506	37 1/2	10048
2 5/8	232	9 5/8	1,429	16 5/8	3,143	23 5/8	5212	30 5/8	7550	37 5/8	10095
2 3/4	246	9 3/4	1,456	16 3/4	3,177	23 3/4	5252	30 3/4	7593	37 3/4	10142
2 7/8	262	9 7/8	1,483	16 7/8	3,211	23 7/8	5291	30 7/8	7637	37 7/8	10189
3	277	10	1,510	17	3246	24	5331	31	7681	38	10236
3 1/8	293	10 1/8	1,537	17 1/8	3,280	24 1/8	5371	31 1/8	7725	38 1/8	10283
3 1/4	309	10 1/4	1,564	17 1/4	3,315	24 1/4	5411	31 1/4	7769	38 1/4	10331
3 3/8	326	10 3/8	1,592	17 3/8	3,350	24 3/8	5451	31 3/8	7813	38 3/8	10378
3 1/2	342	10 1/2	1,620	17 1/2	3,384	24 1/2	5491	31 1/2	7858	38 1/2	10425
3 5/8	359	10 5/8	1,647	17 5/8	3,419	24 5/8	5531	31 5/8	7902	38 5/8	10473
3 3/4	376	10 3/4	1,675	17 3/4	3,454	24 3/4	5572	31 3/4	7946	38 3/4	10520
3 7/8	394	10 7/8	1,704	17 7/8	3,490	24 7/8	5612	31 7/8	7990	38 7/8	10567
4	411	11	1,732	18	3,525	25	5652	32	8035	39	10615
4 1/8	429	11 1/8	1,760	18 1/8	3,560	25 1/8	5693	32 1/8	8079	39 1/8	10663
4 1/4	448	11 1/4	1,789	18 1/4	3,596	25 1/4	5733	32 1/4	8124	39 1/4	10710
4 3/8	466	11 3/8	1,818	18 3/8	3,631	25 3/8	5774	32 3/8	8169	39 3/8	10758
4 1/2	485	11 1/2	1,847	18 1/2	3,667	25 1/2	5815	32 1/2	8213	39 1/2	10806
4 5/8	504	11 5/8	1,876	18 5/8	3,703	25 5/8	5856	32 5/8	8258	39 5/8	10853
4 3/4	523	11 3/4	1,905	18 3/4	3,738	25 3/4	5897	32 3/4	8303	39 3/4	10901
4 7/8	542	11 7/8	1,934	18 7/8	3,774	25 7/8	5938	32 7/8	8348	39 7/8	10949
5	562	12	1,963	19	3810	26	5979	33	8393	40	10997
5 1/8	582	12 1/8	1,993	19 1/8	3847	26 1/8	6020	33 1/8	8438	40 1/8	11045
5 1/4	602	12 1/4	2,023	19 1/4	3883	26 1/4	6061	33 1/4	8483	40 1/4	11093
5 3/8	622	12 3/8	2,053	19 3/8	3919	26 3/8	6102	33 3/8	8528	40 3/8	11141
5 1/2	643	12 1/2	2,083	19 1/2	3956	26 1/2	6144	33 1/2	8573	40 1/2	11189
5 5/8	664	12 5/8	2,113	19 5/8	3992	26 5/8	6185	33 5/8	8618	40 5/8	11237
5 3/4	685	12 3/4	2,143	19 3/4	4029	26 3/4	6227	33 3/4	8663	40 3/4	11285
5 7/8	706	12 7/8	2,173	19 7/8	4066	26 7/8	6268	33 7/8	8709	40 7/8	11333
6	727	13	2,204	20	4103	27	6310	34	8754	41	11382
6 1/8	749	13 1/8	2,234	20 1/8	4140	27 1/8	6352	34 1/8	8800	41 1/8	11430
6 1/4	770	13 1/4	2,265	20 1/4	4177	27 1/4	6393	34 1/4	8845	41 1/4	11478
6 3/8	792	13 3/8	2,296	20 3/8	4214	27 3/8	6435	34 3/8	8891	41 3/8	11527
6 1/2	815	13 1/2	2,327	20 1/2	4251	27 1/2	6477	34 1/2	8936	41 1/2	11575
6 5/8	837	13 5/8	2,358	20 5/8	4288	27 5/8	6519	34 5/8	8982	41 5/8	11624
6 3/4	860	13 3/4	2,390	20 3/4	4326	27 3/4	6561	34 3/4	9028	41 3/4	11672
6 7/8	882	13 7/8	2,421	20 7/8	4363	27 7/8	6604	34 7/8	9073	41 7/8	11721
7	905	14	2,453	21	4401	28	6646	35	9119	42	11769

**12'-45000 DWT6 Double-Wall Tank
45557 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	11818	49 1/8	14604	56 1/8	17484	63 1/8	20423	70 1/8	23389	77 1/8	26347
42 1/4	11867	49 1/4	14654	56 1/4	17536	63 1/4	20476	70 1/4	23442	77 1/4	26400
42 3/8	11915	49 3/8	14705	56 3/8	17588	63 3/8	20529	70 3/8	23495	77 3/8	26452
42 1/2	11964	49 1/2	14756	56 1/2	17640	63 1/2	20582	70 1/2	23547	77 1/2	26505
42 5/8	12013	49 5/8	14807	56 5/8	17692	63 5/8	20634	70 5/8	23600	77 5/8	26558
42 3/4	12062	49 3/4	14857	56 3/4	17744	63 3/4	20687	70 3/4	23653	77 3/4	26610
42 7/8	12111	49 7/8	14908	56 7/8	17796	63 7/8	20740	70 7/8	23706	77 7/8	26663
43	12160	50	14959	57	17848	64	20793	71	23759	78	26715
43 1/8	12209	50 1/8	15010	57 1/8	17901	64 1/8	20846	71 1/8	23812	78 1/8	26768
43 1/4	12258	50 1/4	15061	57 1/4	17953	64 1/4	20899	71 1/4	23865	78 1/4	26820
43 3/8	12307	50 3/8	15112	57 3/8	18005	64 3/8	20952	71 3/8	23918	78 3/8	26872
43 1/2	12356	50 1/2	15163	57 1/2	18057	64 1/2	21005	71 1/2	23971	78 1/2	26925
43 5/8	12405	50 5/8	15214	57 5/8	18110	64 5/8	21057	71 5/8	24024	78 5/8	26977
43 3/4	12454	50 3/4	15265	57 3/4	18162	64 3/4	21110	71 3/4	24077	78 3/4	27030
43 7/8	12504	50 7/8	15316	57 7/8	18214	64 7/8	21163	71 7/8	24130	78 7/8	27082
44	12553	51	15367	58	18266	65	21216	72	24183	79	27135
44 1/8	12602	51 1/8	15418	58 1/8	18319	65 1/8	21269	72 1/8	24236	79 1/8	27187
44 1/4	12651	51 1/4	15469	58 1/4	18371	65 1/4	21322	72 1/4	24289	79 1/4	27239
44 3/8	12701	51 3/8	15521	58 3/8	18424	65 3/8	21375	72 3/8	24342	79 3/8	27292
44 1/2	12750	51 1/2	15572	58 1/2	18476	65 1/2	21428	72 1/2	24395	79 1/2	27344
44 5/8	12800	51 5/8	15623	58 5/8	18528	65 5/8	21481	72 5/8	24448	79 5/8	27396
44 3/4	12849	51 3/4	15674	58 3/4	18581	65 3/4	21534	72 3/4	24501	79 3/4	27448
44 7/8	12899	51 7/8	15726	58 7/8	18633	65 7/8	21587	72 7/8	24554	79 7/8	27501
45	12948	52	15777	59	18686	66	21640	73	24606	80	27553
45 1/8	12998	52 1/8	15828	59 1/8	18738	66 1/8	21693	73 1/8	24659	80 1/8	27605
45 1/4	13048	52 1/4	15880	59 1/4	18790	66 1/4	21746	73 1/4	24712	80 1/4	27657
45 3/8	13097	52 3/8	15931	59 3/8	18843	66 3/8	21799	73 3/8	24765	80 3/8	27710
45 1/2	13147	52 1/2	15983	59 1/2	18895	66 1/2	21852	73 1/2	24818	80 1/2	27762
45 5/8	13197	52 5/8	16034	59 5/8	18948	66 5/8	21905	73 5/8	24871	80 5/8	27814
45 3/4	13246	52 3/4	16085	59 3/4	19000	66 3/4	21958	73 3/4	24924	80 3/4	27866
45 7/8	13296	52 7/8	16137	59 7/8	19053	66 7/8	22011	73 7/8	24977	80 7/8	27918
46	13346	53	16188	60	19106	67	22064	74	25029	81	27970
46 1/8	13396	53 1/8	16240	60 1/8	19158	67 1/8	22117	74 1/8	25082	81 1/8	28022
46 1/4	13446	53 1/4	16292	60 1/4	19211	67 1/4	22170	74 1/4	25135	81 1/4	28074
46 3/8	13496	53 3/8	16343	60 3/8	19263	67 3/8	22222	74 3/8	25188	81 3/8	28127
46 1/2	13546	53 1/2	16395	60 1/2	19316	67 1/2	22275	74 1/2	25241	81 1/2	28179
46 5/8	13596	53 5/8	16446	60 5/8	19369	67 5/8	22328	74 5/8	25293	81 5/8	28231
46 3/4	13646	53 3/4	16498	60 3/4	19421	67 3/4	22381	74 3/4	25346	81 3/4	28283
46 7/8	13696	53 7/8	16550	60 7/8	19474	67 7/8	22434	74 7/8	25399	81 7/8	28335
47	13746	54	16601	61	19526	68	22487	75	25452	82	28386
47 1/8	13796	54 1/8	16653	61 1/8	19579	68 1/8	22540	75 1/8	25505	82 1/8	28438
47 1/4	13847	54 1/4	16705	61 1/4	19632	68 1/4	22593	75 1/4	25557	82 1/4	28490
47 3/8	13897	54 3/8	16757	61 3/8	19684	68 3/8	22647	75 3/8	25610	82 3/8	28542
47 1/2	13947	54 1/2	16808	61 1/2	19737	68 1/2	22700	75 1/2	25663	82 1/2	28594
47 5/8	13997	54 5/8	16860	61 5/8	19790	68 5/8	22753	75 5/8	25715	82 5/8	28646
47 3/4	14048	54 3/4	16912	61 3/4	19843	68 3/4	22806	75 3/4	25768	82 3/4	28698
47 7/8	14098	54 7/8	16964	61 7/8	19895	68 7/8	22859	75 7/8	25821	82 7/8	28750
48	14149	55	17016	62	19948	69	22912	76	25874	83	28801
48 1/8	14199	55 1/8	17068	62 1/8	20001	69 1/8	22965	76 1/8	25926	83 1/8	28853
48 1/4	14249	55 1/4	17120	62 1/4	20053	69 1/4	23018	76 1/4	25979	83 1/4	28905
48 3/8	14300	55 3/8	17172	62 3/8	20106	69 3/8	23071	76 3/8	26032	83 3/8	28957
48 1/2	14350	55 1/2	17223	62 1/2	20159	69 1/2	23124	76 1/2	26084	83 1/2	29008
48 5/8	14401	55 5/8	17275	62 5/8	20212	69 5/8	23177	76 5/8	26137	83 5/8	29060
48 3/4	14452	55 3/4	17327	62 3/4	20265	69 3/4	23230	76 3/4	26190	83 3/4	29112
48 7/8	14502	55 7/8	17379	62 7/8	20317	69 7/8	23283	76 7/8	26242	83 7/8	29163
49	14553	56	17431	63	20370	70	23336	77	26295	84	29215

**12'-45000 DWT6 Double-Wall Tank
45557 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	29266	91 1/8	32112	98 1/8	34,848	105 1/8	37,434	112 1/8	39,825	119 1/8	41962
84 1/4	29318	91 1/4	32162	98 1/4	34,896	105 1/4	37,479	112 1/4	39,865	119 1/4	41998
84 3/8	29370	91 3/8	32212	98 3/8	34,943	105 3/8	37,523	112 3/8	39,906	119 3/8	42033
84 1/2	29421	91 1/2	32262	98 1/2	34,991	105 1/2	37,568	112 1/2	39,946	119 1/2	42069
84 5/8	29473	91 5/8	32312	98 5/8	35,038	105 5/8	37,612	112 5/8	39,986	119 5/8	42104
84 3/4	29524	91 3/4	32361	98 3/4	35,086	105 3/4	37,656	112 3/4	40,027	119 3/4	42139
84 7/8	29576	91 7/8	32411	98 7/8	35,133	105 7/8	37,700	112 7/8	40,067	119 7/8	42174
85	29627	92	32461	99	35,180	106	37,745	113	40107	120	42208
85 1/8	29678	92 1/8	32510	99 1/8	35,228	106 1/8	37,789	113 1/8	40,147	120 1/8	42243
85 1/4	29730	92 1/4	32560	99 1/4	35,275	106 1/4	37,833	113 1/4	40,187	120 1/4	42278
85 3/8	29781	92 3/8	32610	99 3/8	35,322	106 3/8	37,877	113 3/8	40,227	120 3/8	42312
85 1/2	29832	92 1/2	32659	99 1/2	35,369	106 1/2	37,921	113 1/2	40,267	120 1/2	42347
85 5/8	29884	92 5/8	32709	99 5/8	35,416	106 5/8	37,965	113 5/8	40,306	120 5/8	42381
85 3/4	29935	92 3/4	32758	99 3/4	35,463	106 3/4	38,008	113 3/4	40,346	120 3/4	42415
85 7/8	29986	92 7/8	32808	99 7/8	35,510	106 7/8	38,052	113 7/8	40,385	120 7/8	42449
86	30037	93	32857	100	35,557	107	38,096	114	40425	121	42483
86 1/8	30089	93 1/8	32907	100 1/8	35,604	107 1/8	38,139	114 1/8	40,464	121 1/8	42517
86 1/4	30140	93 1/4	32956	100 1/4	35,651	107 1/4	38,183	114 1/4	40,503	121 1/4	42550
86 3/8	30191	93 3/8	33005	100 3/8	35,698	107 3/8	38,226	114 3/8	40,543	121 3/8	42584
86 1/2	30242	93 1/2	33054	100 1/2	35,744	107 1/2	38,270	114 1/2	40,582	121 1/2	42618
86 5/8	30293	93 5/8	33104	100 5/8	35,791	107 5/8	38,313	114 5/8	40,621	121 5/8	42651
86 3/4	30344	93 3/4	33153	100 3/4	35,838	107 3/4	38,356	114 3/4	40,660	121 3/4	42684
86 7/8	30395	93 7/8	33202	100 7/8	35,884	107 7/8	38,399	114 7/8	40,698	121 7/8	42717
87	30446	94	33251	101	35,931	108	38,443	115	40737	122	42750
87 1/8	30497	94 1/8	33300	101 1/8	35,977	108 1/8	38,486	115 1/8	40,776	122 1/8	42783
87 1/4	30548	94 1/4	33349	101 1/4	36,024	108 1/4	38,529	115 1/4	40,814	122 1/4	42816
87 3/8	30599	94 3/8	33398	101 3/8	36,070	108 3/8	38,571	115 3/8	40,853	122 3/8	42849
87 1/2	30650	94 1/2	33447	101 1/2	36,116	108 1/2	38,614	115 1/2	40,891	122 1/2	42881
87 5/8	30701	94 5/8	33496	101 5/8	36,162	108 5/8	38,657	115 5/8	40,929	122 5/8	42914
87 3/4	30751	94 3/4	33545	101 3/4	36,209	108 3/4	38,700	115 3/4	40,968	122 3/4	42946
87 7/8	30802	94 7/8	33594	101 7/8	36,255	108 7/8	38,742	115 7/8	41,006	122 7/8	42978
88	30853	95	33643	102	36,301	109	38,785	116	41,044	123	43010
88 1/8	30904	95 1/8	33691	102 1/8	36,347	109 1/8	38,827	116 1/8	41,082	123 1/8	43042
88 1/4	30955	95 1/4	33740	102 1/4	36,393	109 1/4	38,870	116 1/4	41,119	123 1/4	43074
88 3/8	31005	95 3/8	33789	102 3/8	36,439	109 3/8	38,912	116 3/8	41,157	123 3/8	43105
88 1/2	31056	95 1/2	33837	102 1/2	36,485	109 1/2	38,954	116 1/2	41,195	123 1/2	43137
88 5/8	31106	95 5/8	33886	102 5/8	36,530	109 5/8	38,997	116 5/8	41,232	123 5/8	43168
88 3/4	31157	95 3/4	33934	102 3/4	36,576	109 3/4	39,039	116 3/4	41,270	123 3/4	43200
88 7/8	31208	95 7/8	33983	102 7/8	36,622	109 7/8	39,081	116 7/8	41307	123 7/8	43231
89	31258	96	34031	103	36,667	110	39,123	117	41344	124	43262
89 1/8	31309	96 1/8	34080	103 1/8	36,713	110 1/8	39,165	117 1/8	41381	124 1/8	43293
89 1/4	31359	96 1/4	34128	103 1/4	36,759	110 1/4	39,206	117 1/4	41418	124 1/4	43324
89 3/8	31409	96 3/8	34176	103 3/8	36,804	110 3/8	39,248	117 3/8	41455	124 3/8	43354
89 1/2	31460	96 1/2	34225	103 1/2	36,849	110 1/2	39,290	117 1/2	41492	124 1/2	43385
89 5/8	31510	96 5/8	34273	103 5/8	36,895	110 5/8	39,331	117 5/8	41529	124 5/8	43415
89 3/4	31561	96 3/4	34321	103 3/4	36,940	110 3/4	39,373	117 3/4	41566	124 3/4	43445
89 7/8	31611	96 7/8	34369	103 7/8	36,985	110 7/8	39,414	117 7/8	41602	124 7/8	43475
90	31661	97	34417	104	37,030	111	39,456	118	41639	125	43505
90 1/8	31711	97 1/8	34465	104 1/8	37,075	111 1/8	39,497	118 1/8	41675	125 1/8	43535
90 1/4	31762	97 1/4	34513	104 1/4	37,121	111 1/4	39,538	118 1/4	41711	125 1/4	43565
90 3/8	31812	97 3/8	34561	104 3/8	37,165	111 3/8	39,579	118 3/8	41748	125 3/8	43595
90 1/2	31862	97 1/2	34609	104 1/2	37,210	111 1/2	39,621	118 1/2	41784	125 1/2	43624
90 5/8	31912	97 5/8	34657	104 5/8	37,255	111 5/8	39,662	118 5/8	41820	125 5/8	43653
90 3/4	31962	97 3/4	34705	104 3/4	37,300	111 3/4	39,702	118 3/4	41856	125 3/4	43682
90 7/8	32012	97 7/8	34753	104 7/8	37,345	111 7/8	39,743	118 7/8	41891	125 7/8	43711
91	32062	98	34800	105	37,389	112	39,784	119	41927	126	43740

12'-45000 DWT6 Double-Wall Tank

45557 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	43769	133 1/8	45110
126 1/4	43798	133 1/4	45129
126 3/8	43826	133 3/8	45147
126 1/2	43854	133 1/2	45164
126 5/8	43883	133 5/8	45182
126 3/4	43911	133 3/4	45199
126 7/8	43938	133 7/8	45216
127	43966	134	45233
127 1/8	43994	134 1/8	45249
127 1/4	44021	134 1/4	45265
127 3/8	44048	134 3/8	45281
127 1/2	44075	134 1/2	45296
127 5/8	44102	134 5/8	45312
127 3/4	44129	134 3/4	45326
127 7/8	44156	134 7/8	45341
128	44182	135	45355
128 1/8	44208	135 1/8	45369
128 1/4	44235	135 1/4	45383
128 3/8	44260	135 3/8	45396
128 1/2	44286	135 1/2	45409
128 5/8	44312	135 5/8	45422
128 3/4	44337	135 3/4	45434
128 7/8	44363	135 7/8	45446
129	44388	136	45457
129 1/8	44413	136 1/8	45468
129 1/4	44438	136 1/4	45479
129 3/8	44462	136 3/8	45489
129 1/2	44487	136 1/2	45498
129 5/8	44511	136 5/8	45508
129 3/4	44535	136 3/4	45516
129 7/8	44559	136 7/8	45524
130	44583	137	45532
130 1/8	44606	137 1/8	45539
130 1/4	44629	137 1/4	45545
130 3/8	44653	137 3/8	45550
130 1/2	44676	137 1/2	45554
130 5/8	44698	137 5/8	45557
130 3/4	44721		
130 7/8	44743		
131	44766		
131 1/8	44788		
131 1/4	44809		
131 3/8	44831		
131 1/2	44852		
131 5/8	44873		
131 3/4	44894		
131 7/8	44915		
132	44936		
132 1/8	44956		
132 1/4	44976		
132 3/8	44996		
132 1/2	45016		
132 5/8	45035		
132 3/4	45054		
132 7/8	45073		
133	45092		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.