

**12'-48000 DWT6 Double-Wall Tank  
48536 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	14	7 1/8	991	14 1/8	2,650	21 1/8	4734	28 1/8	7131	35 1/8	9770
1/4	21	7 1/4	1,016	14 1/4	2,684	21 1/4	4774	28 1/4	7176	35 1/4	9819
3/8	28	7 3/8	1,041	14 3/8	2,718	21 3/8	4814	28 3/8	7221	35 3/8	9868
1/2	36	7 1/2	1,066	14 1/2	2,752	21 1/2	4855	28 1/2	7267	35 1/2	9917
5/8	45	7 5/8	1,092	14 5/8	2,786	21 5/8	4895	28 5/8	7312	35 5/8	9966
3/4	54	7 3/4	1,117	14 3/4	2,821	21 3/4	4936	28 3/4	7358	35 3/4	10016
7/8	64	7 7/8	1,143	14 7/8	2,855	21 7/8	4977	28 7/8	7403	35 7/8	10065
1	74	8	1,169	15	2890	22	5018	29	7449	36	10114
1 1/8	85	8 1/8	1,195	15 1/8	2,925	22 1/8	5059	29 1/8	7495	36 1/8	10164
1 1/4	96	8 1/4	1,222	15 1/4	2,960	22 1/4	5100	29 1/4	7540	36 1/4	10213
1 3/8	108	8 3/8	1,249	15 3/8	2,995	22 3/8	5141	29 3/8	7586	36 3/8	10263
1 1/2	120	8 1/2	1,275	15 1/2	3,030	22 1/2	5182	29 1/2	7632	36 1/2	10312
1 5/8	132	8 5/8	1,302	15 5/8	3,065	22 5/8	5224	29 5/8	7678	36 5/8	10362
1 3/4	146	8 3/4	1,330	15 3/4	3,101	22 3/4	5265	29 3/4	7724	36 3/4	10411
1 7/8	159	8 7/8	1,357	15 7/8	3,136	22 7/8	5307	29 7/8	7770	36 7/8	10461
2	173	9	1,384	16	3172	23	5348	30	7817	37	10511
2 1/8	187	9 1/8	1,412	16 1/8	3,208	23 1/8	5390	30 1/8	7863	37 1/8	10561
2 1/4	201	9 1/4	1,440	16 1/4	3,244	23 1/4	5432	30 1/4	7909	37 1/4	10611
2 3/8	216	9 3/8	1,468	16 3/8	3,280	23 3/8	5474	30 3/8	7956	37 3/8	10660
2 1/2	232	9 1/2	1,496	16 1/2	3,316	23 1/2	5516	30 1/2	8002	37 1/2	10710
2 5/8	247	9 5/8	1,525	16 5/8	3,352	23 5/8	5558	30 5/8	8049	37 5/8	10761
2 3/4	263	9 3/4	1,553	16 3/4	3,389	23 3/4	5600	30 3/4	8096	37 3/4	10811
2 7/8	279	9 7/8	1,582	16 7/8	3,425	23 7/8	5642	30 7/8	8142	37 7/8	10861
3	296	10	1,611	17	3462	24	5685	31	8189	38	10911
3 1/8	313	10 1/8	1,640	17 1/8	3,499	24 1/8	5727	31 1/8	8236	38 1/8	10961
3 1/4	330	10 1/4	1,669	17 1/4	3,536	24 1/4	5770	31 1/4	8283	38 1/4	11012
3 3/8	347	10 3/8	1,698	17 3/8	3,573	24 3/8	5812	31 3/8	8330	38 3/8	11062
3 1/2	365	10 1/2	1,728	17 1/2	3,610	24 1/2	5855	31 1/2	8377	38 1/2	11112
3 5/8	383	10 5/8	1,758	17 5/8	3,647	24 5/8	5898	31 5/8	8424	38 5/8	11163
3 3/4	402	10 3/4	1,787	17 3/4	3,684	24 3/4	5941	31 3/4	8471	38 3/4	11213
3 7/8	420	10 7/8	1,818	17 7/8	3,722	24 7/8	5984	31 7/8	8519	38 7/8	11264
4	439	11	1,848	18	3,759	25	6027	32	8566	39	11315
4 1/8	458	11 1/8	1,878	18 1/8	3,797	25 1/8	6070	32 1/8	8613	39 1/8	11365
4 1/4	478	11 1/4	1,908	18 1/4	3,835	25 1/4	6113	32 1/4	8661	39 1/4	11416
4 3/8	497	11 3/8	1,939	18 3/8	3,873	25 3/8	6157	32 3/8	8708	39 3/8	11467
4 1/2	517	11 1/2	1,970	18 1/2	3,911	25 1/2	6200	32 1/2	8756	39 1/2	11518
4 5/8	538	11 5/8	2,001	18 5/8	3,949	25 5/8	6244	32 5/8	8804	39 5/8	11568
4 3/4	558	11 3/4	2,032	18 3/4	3,987	25 3/4	6287	32 3/4	8851	39 3/4	11619
4 7/8	579	11 7/8	2,063	18 7/8	4,025	25 7/8	6331	32 7/8	8899	39 7/8	11670
5	600	12	2,095	19	4064	26	6375	33	8947	40	11721
5 1/8	621	12 1/8	2,126	19 1/8	4102	26 1/8	6419	33 1/8	8995	40 1/8	11772
5 1/4	642	12 1/4	2,158	19 1/4	4141	26 1/4	6462	33 1/4	9043	40 1/4	11824
5 3/8	664	12 3/8	2,190	19 3/8	4180	26 3/8	6506	33 3/8	9091	40 3/8	11875
5 1/2	686	12 1/2	2,222	19 1/2	4219	26 1/2	6551	33 1/2	9139	40 1/2	11926
5 5/8	708	12 5/8	2,254	19 5/8	4258	26 5/8	6595	33 5/8	9187	40 5/8	11977
5 3/4	730	12 3/4	2,286	19 3/4	4297	26 3/4	6639	33 3/4	9235	40 3/4	12029
5 7/8	753	12 7/8	2,318	19 7/8	4336	26 7/8	6683	33 7/8	9284	40 7/8	12080
6	776	13	2,351	20	4375	27	6728	34	9332	41	12131
6 1/8	799	13 1/8	2,384	20 1/8	4415	27 1/8	6772	34 1/8	9381	41 1/8	12183
6 1/4	822	13 1/4	2,416	20 1/4	4454	27 1/4	6817	34 1/4	9429	41 1/4	12234
6 3/8	846	13 3/8	2,449	20 3/8	4494	27 3/8	6861	34 3/8	9478	41 3/8	12286
6 1/2	869	13 1/2	2,482	20 1/2	4533	27 1/2	6906	34 1/2	9526	41 1/2	12337
6 5/8	893	13 5/8	2,516	20 5/8	4573	27 5/8	6951	34 5/8	9575	41 5/8	12389
6 3/4	917	13 3/4	2,549	20 3/4	4613	27 3/4	6996	34 3/4	9624	41 3/4	12441
6 7/8	942	13 7/8	2,583	20 7/8	4653	27 7/8	7041	34 7/8	9672	41 7/8	12492
7	966	14	2,616	21	4693	28	7086	35	9721	42	12544

**12'-48000 DWT6 Double-Wall Tank  
48536 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	12596	49 1/8	15563	56 1/8	18630	63 1/8	21760	70 1/8	24918	77 1/8	28068
42 1/4	12648	49 1/4	15617	56 1/4	18685	63 1/4	21816	70 1/4	24974	77 1/4	28124
42 3/8	12700	49 3/8	15671	56 3/8	18741	63 3/8	21873	70 3/8	25031	77 3/8	28180
42 1/2	12752	49 1/2	15725	56 1/2	18796	63 1/2	21929	70 1/2	25087	77 1/2	28236
42 5/8	12804	49 5/8	15779	56 5/8	18852	63 5/8	21985	70 5/8	25143	77 5/8	28292
42 3/4	12856	49 3/4	15833	56 3/4	18907	63 3/4	22041	70 3/4	25200	77 3/4	28348
42 7/8	12908	49 7/8	15887	56 7/8	18963	63 7/8	22098	70 7/8	25256	77 7/8	28404
43	12960	50	15941	57	19018	64	22154	71	25313	78	28460
43 1/8	13012	50 1/8	15996	57 1/8	19074	64 1/8	22210	71 1/8	25369	78 1/8	28516
43 1/4	13064	50 1/4	16050	57 1/4	19130	64 1/4	22267	71 1/4	25426	78 1/4	28572
43 3/8	13117	50 3/8	16104	57 3/8	19185	64 3/8	22323	71 3/8	25482	78 3/8	28628
43 1/2	13169	50 1/2	16159	57 1/2	19241	64 1/2	22379	71 1/2	25538	78 1/2	28683
43 5/8	13221	50 5/8	16213	57 5/8	19297	64 5/8	22436	71 5/8	25595	78 5/8	28739
43 3/4	13274	50 3/4	16267	57 3/4	19352	64 3/4	22492	71 3/4	25651	78 3/4	28795
43 7/8	13326	50 7/8	16322	57 7/8	19408	64 7/8	22548	71 7/8	25707	78 7/8	28851
44	13379	51	16376	58	19464	65	22605	72	25764	79	28907
44 1/8	13431	51 1/8	16431	58 1/8	19519	65 1/8	22661	72 1/8	25820	79 1/8	28962
44 1/4	13484	51 1/4	16485	58 1/4	19575	65 1/4	22717	72 1/4	25877	79 1/4	29018
44 3/8	13536	51 3/8	16540	58 3/8	19631	65 3/8	22774	72 3/8	25933	79 3/8	29074
44 1/2	13589	51 1/2	16594	58 1/2	19687	65 1/2	22830	72 1/2	25989	79 1/2	29130
44 5/8	13642	51 5/8	16649	58 5/8	19742	65 5/8	22886	72 5/8	26046	79 5/8	29185
44 3/4	13694	51 3/4	16703	58 3/4	19798	65 3/4	22943	72 3/4	26102	79 3/4	29241
44 7/8	13747	51 7/8	16758	58 7/8	19854	65 7/8	22999	72 7/8	26158	79 7/8	29297
45	13800	52	16813	59	19910	66	23056	73	26215	80	29352
45 1/8	13853	52 1/8	16867	59 1/8	19966	66 1/8	23112	73 1/8	26271	80 1/8	29408
45 1/4	13906	52 1/4	16922	59 1/4	20022	66 1/4	23168	73 1/4	26327	80 1/4	29464
45 3/8	13959	52 3/8	16977	59 3/8	20078	66 3/8	23225	73 3/8	26384	80 3/8	29519
45 1/2	14011	52 1/2	17031	59 1/2	20133	66 1/2	23281	73 1/2	26440	80 1/2	29575
45 5/8	14064	52 5/8	17086	59 5/8	20189	66 5/8	23338	73 5/8	26496	80 5/8	29630
45 3/4	14117	52 3/4	17141	59 3/4	20245	66 3/4	23394	73 3/4	26552	80 3/4	29686
45 7/8	14171	52 7/8	17196	59 7/8	20301	66 7/8	23450	73 7/8	26609	80 7/8	29741
46	14224	53	17251	60	20357	67	23507	74	26665	81	29797
46 1/8	14277	53 1/8	17306	60 1/8	20413	67 1/8	23563	74 1/8	26721	81 1/8	29852
46 1/4	14330	53 1/4	17360	60 1/4	20469	67 1/4	23620	74 1/4	26778	81 1/4	29908
46 3/8	14383	53 3/8	17415	60 3/8	20525	67 3/8	23676	74 3/8	26834	81 3/8	29963
46 1/2	14436	53 1/2	17470	60 1/2	20581	67 1/2	23733	74 1/2	26890	81 1/2	30019
46 5/8	14490	53 5/8	17525	60 5/8	20637	67 5/8	23789	74 5/8	26946	81 5/8	30074
46 3/4	14543	53 3/4	17580	60 3/4	20693	67 3/4	23845	74 3/4	27002	81 3/4	30129
46 7/8	14596	53 7/8	17635	60 7/8	20749	67 7/8	23902	74 7/8	27059	81 7/8	30185
47	14650	54	17690	61	20805	68	23958	75	27115	82	30240
47 1/8	14703	54 1/8	17746	61 1/8	20861	68 1/8	24015	75 1/8	27171	82 1/8	30295
47 1/4	14757	54 1/4	17801	61 1/4	20917	68 1/4	24071	75 1/4	27227	82 1/4	30351
47 3/8	14810	54 3/8	17856	61 3/8	20974	68 3/8	24128	75 3/8	27283	82 3/8	30406
47 1/2	14864	54 1/2	17911	61 1/2	21030	68 1/2	24184	75 1/2	27339	82 1/2	30461
47 5/8	14917	54 5/8	17966	61 5/8	21086	68 5/8	24241	75 5/8	27396	82 5/8	30516
47 3/4	14971	54 3/4	18021	61 3/4	21142	68 3/4	24297	75 3/4	27452	82 3/4	30571
47 7/8	15025	54 7/8	18077	61 7/8	21198	68 7/8	24353	75 7/8	27508	82 7/8	30627
48	15078	55	18132	62	21254	69	24410	76	27564	83	30682
48 1/8	15132	55 1/8	18187	62 1/8	21310	69 1/8	24466	76 1/8	27620	83 1/8	30737
48 1/4	15186	55 1/4	18242	62 1/4	21367	69 1/4	24523	76 1/4	27676	83 1/4	30792
48 3/8	15239	55 3/8	18298	62 3/8	21423	69 3/8	24579	76 3/8	27732	83 3/8	30847
48 1/2	15293	55 1/2	18353	62 1/2	21479	69 1/2	24636	76 1/2	27788	83 1/2	30902
48 5/8	15347	55 5/8	18408	62 5/8	21535	69 5/8	24692	76 5/8	27844	83 5/8	30957
48 3/4	15401	55 3/4	18464	62 3/4	21591	69 3/4	24749	76 3/4	27900	83 3/4	31012
48 7/8	15455	55 7/8	18519	62 7/8	21648	69 7/8	24805	76 7/8	27956	83 7/8	31067
49	15509	56	18574	63	21704	70	24861	77	28012	84	31122

**12'-48000 DWT6 Double-Wall Tank  
48536 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	31177	91 1/8	34208	98 1/8	37,122	105 1/8	39,877	112 1/8	42,424	119 1/8	44703
84 1/4	31232	91 1/4	34261	98 1/4	37,172	105 1/4	39,924	112 1/4	42,467	119 1/4	44741
84 3/8	31287	91 3/8	34314	98 3/8	37,223	105 3/8	39,972	112 3/8	42,511	119 3/8	44778
84 1/2	31342	91 1/2	34367	98 1/2	37,274	105 1/2	40,019	112 1/2	42,554	119 1/2	44816
84 5/8	31397	91 5/8	34420	98 5/8	37,324	105 5/8	40,066	112 5/8	42,597	119 5/8	44853
84 3/4	31451	91 3/4	34473	98 3/4	37,375	105 3/4	40,113	112 3/4	42,639	119 3/4	44891
84 7/8	31506	91 7/8	34526	98 7/8	37,425	105 7/8	40,161	112 7/8	42,682	119 7/8	44928
85	31561	92	34579	99	37,476	106	40,208	113	42725	120	44965
85 1/8	31616	92 1/8	34632	99 1/8	37,526	106 1/8	40,255	113 1/8	42,768	120 1/8	45002
85 1/4	31670	92 1/4	34685	99 1/4	37,576	106 1/4	40,302	113 1/4	42,810	120 1/4	45039
85 3/8	31725	92 3/8	34738	99 3/8	37,627	106 3/8	40,348	113 3/8	42,853	120 3/8	45076
85 1/2	31780	92 1/2	34790	99 1/2	37,677	106 1/2	40,395	113 1/2	42,895	120 1/2	45112
85 5/8	31834	92 5/8	34843	99 5/8	37,727	106 5/8	40,442	113 5/8	42,937	120 5/8	45149
85 3/4	31889	92 3/4	34896	99 3/4	37,777	106 3/4	40,489	113 3/4	42,980	120 3/4	45185
85 7/8	31943	92 7/8	34949	99 7/8	37,827	106 7/8	40,535	113 7/8	43,022	120 7/8	45221
86	31998	93	35001	100	37,877	107	40,582	114	43064	121	45258
86 1/8	32053	93 1/8	35054	100 1/8	37,927	107 1/8	40,628	114 1/8	43,106	121 1/8	45294
86 1/4	32107	93 1/4	35106	100 1/4	37,977	107 1/4	40,675	114 1/4	43,147	121 1/4	45330
86 3/8	32161	93 3/8	35159	100 3/8	38,027	107 3/8	40,721	114 3/8	43,189	121 3/8	45365
86 1/2	32216	93 1/2	35211	100 1/2	38,077	107 1/2	40,767	114 1/2	43,231	121 1/2	45401
86 5/8	32270	93 5/8	35264	100 5/8	38,126	107 5/8	40,813	114 5/8	43,272	121 5/8	45437
86 3/4	32325	93 3/4	35316	100 3/4	38,176	107 3/4	40,859	114 3/4	43,314	121 3/4	45472
86 7/8	32379	93 7/8	35369	100 7/8	38,225	107 7/8	40,905	114 7/8	43,355	121 7/8	45507
87	32433	94	35421	101	38,275	108	40,951	115	43397	122	45543
87 1/8	32488	94 1/8	35473	101 1/8	38,325	108 1/8	40,997	115 1/8	43,438	122 1/8	45578
87 1/4	32542	94 1/4	35525	101 1/4	38,374	108 1/4	41,043	115 1/4	43,479	122 1/4	45613
87 3/8	32596	94 3/8	35577	101 3/8	38,423	108 3/8	41,089	115 3/8	43,520	122 3/8	45647
87 1/2	32650	94 1/2	35630	101 1/2	38,473	108 1/2	41,134	115 1/2	43,561	122 1/2	45682
87 5/8	32704	94 5/8	35682	101 5/8	38,522	108 5/8	41,180	115 5/8	43,601	122 5/8	45717
87 3/4	32759	94 3/4	35734	101 3/4	38,571	108 3/4	41,225	115 3/4	43,642	122 3/4	45751
87 7/8	32813	94 7/8	35786	101 7/8	38,620	108 7/8	41,271	115 7/8	43,683	122 7/8	45785
88	32867	95	35838	102	38,669	109	41,316	116	43,723	123	45820
88 1/8	32921	95 1/8	35890	102 1/8	38,718	109 1/8	41,361	116 1/8	43,764	123 1/8	45854
88 1/4	32975	95 1/4	35941	102 1/4	38,767	109 1/4	41,407	116 1/4	43,804	123 1/4	45888
88 3/8	33029	95 3/8	35993	102 3/8	38,816	109 3/8	41,452	116 3/8	43,844	123 3/8	45921
88 1/2	33083	95 1/2	36045	102 1/2	38,865	109 1/2	41,497	116 1/2	43,884	123 1/2	45955
88 5/8	33137	95 5/8	36097	102 5/8	38,914	109 5/8	41,542	116 5/8	43,924	123 5/8	45988
88 3/4	33190	95 3/4	36149	102 3/4	38,963	109 3/4	41,587	116 3/4	43,964	123 3/4	46022
88 7/8	33244	95 7/8	36200	102 7/8	39,011	109 7/8	41,631	116 7/8	44004	123 7/8	46055
89	33298	96	36252	103	39,060	110	41,676	117	44044	124	46088
89 1/8	33352	96 1/8	36303	103 1/8	39,109	110 1/8	41,721	117 1/8	44083	124 1/8	46121
89 1/4	33406	96 1/4	36355	103 1/4	39,157	110 1/4	41,765	117 1/4	44123	124 1/4	46154
89 3/8	33459	96 3/8	36406	103 3/8	39,205	110 3/8	41,810	117 3/8	44162	124 3/8	46187
89 1/2	33513	96 1/2	36458	103 1/2	39,254	110 1/2	41,854	117 1/2	44202	124 1/2	46219
89 5/8	33567	96 5/8	36509	103 5/8	39,302	110 5/8	41,899	117 5/8	44241	124 5/8	46252
89 3/4	33620	96 3/4	36560	103 3/4	39,350	110 3/4	41,943	117 3/4	44280	124 3/4	46284
89 7/8	33674	96 7/8	36612	103 7/8	39,399	110 7/8	41,987	117 7/8	44319	124 7/8	46316
90	33727	97	36663	104	39,447	111	42,031	118	44358	125	46348
90 1/8	33781	97 1/8	36714	104 1/8	39,495	111 1/8	42,075	118 1/8	44396	125 1/8	46380
90 1/4	33834	97 1/4	36765	104 1/4	39,543	111 1/4	42,119	118 1/4	44435	125 1/4	46411
90 3/8	33888	97 3/8	36816	104 3/8	39,591	111 3/8	42,163	118 3/8	44474	125 3/8	46443
90 1/2	33941	97 1/2	36867	104 1/2	39,638	111 1/2	42,207	118 1/2	44512	125 1/2	46474
90 5/8	33995	97 5/8	36918	104 5/8	39,686	111 5/8	42,250	118 5/8	44551	125 5/8	46506
90 3/4	34048	97 3/4	36969	104 3/4	39,734	111 3/4	42,294	118 3/4	44589	125 3/4	46537
90 7/8	34101	97 7/8	37020	104 7/8	39,782	111 7/8	42,337	118 7/8	44627	125 7/8	46568
91	34154	98	37071	105	39,829	112	42,381	119	44665	126	46598

# 12'-48000 DWT6 Double-Wall Tank

## 48536 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	46629	133 1/8	48060
126 1/4	46660	133 1/4	48079
126 3/8	46690	133 3/8	48098
126 1/2	46720	133 1/2	48117
126 5/8	46750	133 5/8	48136
126 3/4	46780	133 3/4	48154
126 7/8	46810	133 7/8	48172
127	46839	134	48190
127 1/8	46869	134 1/8	48208
127 1/4	46898	134 1/4	48225
127 3/8	46927	134 3/8	48242
127 1/2	46956	134 1/2	48258
127 5/8	46984	134 5/8	48274
127 3/4	47013	134 3/4	48290
127 7/8	47041	134 7/8	48306
128	47070	135	48321
128 1/8	47098	135 1/8	48336
128 1/4	47125	135 1/4	48351
128 3/8	47153	135 3/8	48365
128 1/2	47181	135 1/2	48379
128 5/8	47208	135 5/8	48392
128 3/4	47235	135 3/4	48405
128 7/8	47262	135 7/8	48418
129	47289	136	48430
129 1/8	47316	136 1/8	48442
129 1/4	47342	136 1/4	48453
129 3/8	47368	136 3/8	48464
129 1/2	47394	136 1/2	48474
129 5/8	47420	136 5/8	48484
129 3/4	47446	136 3/4	48493
129 7/8	47471	136 7/8	48501
130	47497	137	48509
130 1/8	47522	137 1/8	48517
130 1/4	47547	137 1/4	48523
130 3/8	47571	137 3/8	48529
130 1/2	47596	137 1/2	48533
130 5/8	47620	137 5/8	48536
130 3/4	47644		
130 7/8	47668		
131	47692		
131 1/8	47715		
131 1/4	47739		
131 3/8	47762		
131 1/2	47784		
131 5/8	47807		
131 3/4	47829		
131 7/8	47852		
132	47873		
132 1/8	47895		
132 1/4	47917		
132 3/8	47938		
132 1/2	47959		
132 5/8	47979		
132 3/4	48000		
132 7/8	48020		
133	48040		



**CONTAINMENT**  
SOLUTIONS®

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**