

**12'-48000 SWT F1 Single-Wall Tank  
47953 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	14	7 1/8	979	14 1/8	2,617	21 1/8	4675	28 1/8	7043	35 1/8	9651
1/4	21	7 1/4	1003	14 1/4	2,651	21 1/4	4715	28 1/4	7088	35 1/4	9699
3/8	28	7 3/8	1028	14 3/8	2,684	21 3/8	4755	28 3/8	7133	35 3/8	9748
1/2	36	7 1/2	1053	14 1/2	2,718	21 1/2	4795	28 1/2	7178	35 1/2	9796
5/8	44	7 5/8	1078	14 5/8	2,752	21 5/8	4835	28 5/8	7223	35 5/8	9845
3/4	53	7 3/4	1104	14 3/4	2,786	21 3/4	4875	28 3/4	7267	35 3/4	9893
7/8	63	7 7/8	1129	14 7/8	2,820	21 7/8	4915	28 7/8	7312	35 7/8	9942
1	73	8	1155	15	2854	22	4956	29	7358	36	9991
1 1/8	84	8 1/8	1181	15 1/8	2,889	22 1/8	4996	29 1/8	7403	36 1/8	10040
1 1/4	95	8 1/4	1,207	15 1/4	2,923	22 1/4	5037	29 1/4	7448	36 1/4	10089
1 3/8	106	8 3/8	1,233	15 3/8	2,958	22 3/8	5078	29 3/8	7493	36 3/8	10137
1 1/2	118	8 1/2	1,260	15 1/2	2,992	22 1/2	5118	29 1/2	7539	36 1/2	10186
1 5/8	131	8 5/8	1,286	15 5/8	3,027	22 5/8	5159	29 5/8	7584	36 5/8	10235
1 3/4	144	8 3/4	1,313	15 3/4	3,062	22 3/4	5200	29 3/4	7630	36 3/4	10284
1 7/8	157	8 7/8	1,340	15 7/8	3,097	22 7/8	5241	29 7/8	7675	36 7/8	10334
2	171	9	1,367	16	3133	23	5282	30	7721	37	10383
2 1/8	185	9 1/8	1,395	16 1/8	3,168	23 1/8	5324	30 1/8	7767	37 1/8	10432
2 1/4	199	9 1/4	1,422	16 1/4	3,204	23 1/4	5365	30 1/4	7812	37 1/4	10481
2 3/8	214	9 3/8	1,450	16 3/8	3,239	23 3/8	5406	30 3/8	7858	37 3/8	10531
2 1/2	229	9 1/2	1,478	16 1/2	3,275	23 1/2	5448	30 1/2	7904	37 1/2	10580
2 5/8	244	9 5/8	1,506	16 5/8	3,311	23 5/8	5489	30 5/8	7950	37 5/8	10629
2 3/4	260	9 3/4	1,534	16 3/4	3,347	23 3/4	5531	30 3/4	7996	37 3/4	10679
2 7/8	276	9 7/8	1,562	16 7/8	3,383	23 7/8	5573	30 7/8	8043	37 7/8	10729
3	292	10	1,591	17	3419	24	5615	31	8089	38	10778
3 1/8	309	10 1/8	1,619	17 1/8	3,455	24 1/8	5657	31 1/8	8135	38 1/8	10828
3 1/4	326	10 1/4	1,648	17 1/4	3,492	24 1/4	5699	31 1/4	8182	38 1/4	10878
3 3/8	343	10 3/8	1,677	17 3/8	3,528	24 3/8	5741	31 3/8	8228	38 3/8	10927
3 1/2	361	10 1/2	1,707	17 1/2	3,565	24 1/2	5783	31 1/2	8274	38 1/2	10977
3 5/8	379	10 5/8	1,736	17 5/8	3,602	24 5/8	5825	31 5/8	8321	38 5/8	11027
3 3/4	397	10 3/4	1,765	17 3/4	3,639	24 3/4	5868	31 3/4	8368	38 3/4	11077
3 7/8	415	10 7/8	1,795	17 7/8	3,676	24 7/8	5910	31 7/8	8414	38 7/8	11127
4	434	11	1,825	18	3,713	25	5953	32	8461	39	11177
4 1/8	453	11 1/8	1,855	18 1/8	3,750	25 1/8	5996	32 1/8	8508	39 1/8	11227
4 1/4	472	11 1/4	1,885	18 1/4	3,787	25 1/4	6038	32 1/4	8555	39 1/4	11277
4 3/8	491	11 3/8	1,915	18 3/8	3,825	25 3/8	6081	32 3/8	8602	39 3/8	11327
4 1/2	511	11 1/2	1,945	18 1/2	3,862	25 1/2	6124	32 1/2	8649	39 1/2	11377
4 5/8	531	11 5/8	1,976	18 5/8	3,900	25 5/8	6167	32 5/8	8696	39 5/8	11428
4 3/4	551	11 3/4	2,007	18 3/4	3,938	25 3/4	6210	32 3/4	8743	39 3/4	11478
4 7/8	572	11 7/8	2,038	18 7/8	3,976	25 7/8	6253	32 7/8	8790	39 7/8	11528
5	592	12	2,069	19	4013	26	6296	33	8838	40	11579
5 1/8	613	12 1/8	2,100	19 1/8	4052	26 1/8	6340	33 1/8	8885	40 1/8	11629
5 1/4	635	12 1/4	2,131	19 1/4	4090	26 1/4	6383	33 1/4	8932	40 1/4	11680
5 3/8	656	12 3/8	2,162	19 3/8	4128	26 3/8	6427	33 3/8	8980	40 3/8	11730
5 1/2	678	12 1/2	2,194	19 1/2	4166	26 1/2	6470	33 1/2	9027	40 1/2	11781
5 5/8	699	12 5/8	2,226	19 5/8	4205	26 5/8	6514	33 5/8	9075	40 5/8	11832
5 3/4	722	12 3/4	2,258	19 3/4	4244	26 3/4	6557	33 3/4	9123	40 3/4	11882
5 7/8	744	12 7/8	2,290	19 7/8	4282	26 7/8	6601	33 7/8	9170	40 7/8	11933
6	766	13	2,322	20	4321	27	6645	34	9218	41	11984
6 1/8	789	13 1/8	2,354	20 1/8	4360	27 1/8	6689	34 1/8	9266	41 1/8	12035
6 1/4	812	13 1/4	2,386	20 1/4	4399	27 1/4	6733	34 1/4	9314	41 1/4	12086
6 3/8	835	13 3/8	2,419	20 3/8	4438	27 3/8	6777	34 3/8	9362	41 3/8	12137
6 1/2	859	13 1/2	2,452	20 1/2	4477	27 1/2	6821	34 1/2	9410	41 1/2	12188
6 5/8	882	13 5/8	2,484	20 5/8	4517	27 5/8	6866	34 5/8	9458	41 5/8	12239
6 3/4	906	13 3/4	2,517	20 3/4	4556	27 3/4	6910	34 3/4	9506	41 3/4	12290
6 7/8	930	13 7/8	2,550	20 7/8	4596	27 7/8	6954	34 7/8	9554	41 7/8	12341
7	954	14	2,584	21	4635	28	6999	35	9603	42	12392

**12'-48000 SWT F1 Single-Wall Tank  
47953 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
42 1/8	12443	49 1/8	15374	56 1/8	18405	63 1/8	21498	70 1/8	24618	77 1/8	27732
42 1/4	12494	49 1/4	15428	56 1/4	18460	63 1/4	21554	70 1/4	24674	77 1/4	27787
42 3/8	12546	49 3/8	15481	56 3/8	18515	63 3/8	21609	70 3/8	24730	77 3/8	27842
42 1/2	12597	49 1/2	15535	56 1/2	18570	63 1/2	21665	70 1/2	24786	77 1/2	27898
42 5/8	12648	49 5/8	15588	56 5/8	18624	63 5/8	21721	70 5/8	24841	77 5/8	27953
42 3/4	12700	49 3/4	15642	56 3/4	18679	63 3/4	21776	70 3/4	24897	77 3/4	28008
42 7/8	12751	49 7/8	15695	56 7/8	18734	63 7/8	21832	70 7/8	24953	77 7/8	28063
43	12803	50	15749	57	18789	64	21887	71	25009	78	28119
43 1/8	12854	50 1/8	15802	57 1/8	18844	64 1/8	21943	71 1/8	25064	78 1/8	28174
43 1/4	12906	50 1/4	15856	57 1/4	18899	64 1/4	21999	71 1/4	25120	78 1/4	28229
43 3/8	12958	50 3/8	15909	57 3/8	18954	64 3/8	22054	71 3/8	25176	78 3/8	28284
43 1/2	13009	50 1/2	15963	57 1/2	19009	64 1/2	22110	71 1/2	25232	78 1/2	28339
43 5/8	13061	50 5/8	16017	57 5/8	19064	64 5/8	22166	71 5/8	25287	78 5/8	28395
43 3/4	13113	50 3/4	16071	57 3/4	19119	64 3/4	22221	71 3/4	25343	78 3/4	28450
43 7/8	13165	50 7/8	16124	57 7/8	19174	64 7/8	22277	71 7/8	25399	78 7/8	28505
44	13216	51	16178	58	19229	65	22333	72	25454	79	28560
44 1/8	13268	51 1/8	16232	58 1/8	19284	65 1/8	22388	72 1/8	25510	79 1/8	28615
44 1/4	13320	51 1/4	16286	58 1/4	19339	65 1/4	22444	72 1/4	25566	79 1/4	28670
44 3/8	13372	51 3/8	16340	58 3/8	19394	65 3/8	22500	72 3/8	25622	79 3/8	28725
44 1/2	13424	51 1/2	16394	58 1/2	19449	65 1/2	22555	72 1/2	25677	79 1/2	28780
44 5/8	13476	51 5/8	16447	58 5/8	19504	65 5/8	22611	72 5/8	25733	79 5/8	28835
44 3/4	13528	51 3/4	16501	58 3/4	19560	65 3/4	22667	72 3/4	25789	79 3/4	28890
44 7/8	13580	51 7/8	16555	58 7/8	19615	65 7/8	22723	72 7/8	25844	79 7/8	28945
45	13633	52	16609	59	19670	66	22778	73	25900	80	29000
45 1/8	13685	52 1/8	16663	59 1/8	19725	66 1/8	22834	73 1/8	25956	80 1/8	29055
45 1/4	13737	52 1/4	16717	59 1/4	19780	66 1/4	22890	73 1/4	26011	80 1/4	29110
45 3/8	13789	52 3/8	16772	59 3/8	19836	66 3/8	22946	73 3/8	26067	80 3/8	29165
45 1/2	13842	52 1/2	16826	59 1/2	19891	66 1/2	23001	73 1/2	26122	80 1/2	29220
45 5/8	13894	52 5/8	16880	59 5/8	19946	66 5/8	23057	73 5/8	26178	80 5/8	29275
45 3/4	13946	52 3/4	16934	59 3/4	20001	66 3/4	23113	73 3/4	26234	80 3/4	29330
45 7/8	13999	52 7/8	16988	59 7/8	20057	66 7/8	23169	73 7/8	26289	80 7/8	29385
46	14051	53	17042	60	20112	67	23224	74	26345	81	29440
46 1/8	14104	53 1/8	17097	60 1/8	20167	67 1/8	23280	74 1/8	26401	81 1/8	29494
46 1/4	14156	53 1/4	17151	60 1/4	20223	67 1/4	23336	74 1/4	26456	81 1/4	29549
46 3/8	14209	53 3/8	17205	60 3/8	20278	67 3/8	23392	74 3/8	26512	81 3/8	29604
46 1/2	14262	53 1/2	17259	60 1/2	20333	67 1/2	23447	74 1/2	26567	81 1/2	29659
46 5/8	14314	53 5/8	17314	60 5/8	20389	67 5/8	23503	74 5/8	26623	81 5/8	29713
46 3/4	14367	53 3/4	17368	60 3/4	20444	67 3/4	23559	74 3/4	26678	81 3/4	29768
46 7/8	14420	53 7/8	17422	60 7/8	20499	67 7/8	23615	74 7/8	26734	81 7/8	29823
47	14472	54	17477	61	20555	68	23670	75	26789	82	29877
47 1/8	14525	54 1/8	17531	61 1/8	20610	68 1/8	23726	75 1/8	26845	82 1/8	29932
47 1/4	14578	54 1/4	17586	61 1/4	20666	68 1/4	23782	75 1/4	26900	82 1/4	29987
47 3/8	14631	54 3/8	17640	61 3/8	20721	68 3/8	23838	75 3/8	26956	82 3/8	30041
47 1/2	14684	54 1/2	17695	61 1/2	20776	68 1/2	23893	75 1/2	27011	82 1/2	30096
47 5/8	14737	54 5/8	17749	61 5/8	20832	68 5/8	23949	75 5/8	27067	82 5/8	30150
47 3/4	14790	54 3/4	17804	61 3/4	20887	68 3/4	24005	75 3/4	27122	82 3/4	30205
47 7/8	14843	54 7/8	17858	61 7/8	20943	68 7/8	24061	75 7/8	27178	82 7/8	30260
48	14896	55	17913	62	20998	69	24117	76	27233	83	30314
48 1/8	14949	55 1/8	17968	62 1/8	21054	69 1/8	24172	76 1/8	27289	83 1/8	30369
48 1/4	15002	55 1/4	18022	62 1/4	21109	69 1/4	24228	76 1/4	27344	83 1/4	30423
48 3/8	15055	55 3/8	18077	62 3/8	21165	69 3/8	24284	76 3/8	27400	83 3/8	30477
48 1/2	15108	55 1/2	18131	62 1/2	21220	69 1/2	24340	76 1/2	27455	83 1/2	30532
48 5/8	15161	55 5/8	18186	62 5/8	21276	69 5/8	24395	76 5/8	27510	83 5/8	30586
48 3/4	15215	55 3/4	18241	62 3/4	21331	69 3/4	24451	76 3/4	27566	83 3/4	30641
48 7/8	15268	55 7/8	18296	62 7/8	21387	69 7/8	24507	76 7/8	27621	83 7/8	30695
49	15321	56	18350	63	21443	70	24563	77	27676	84	30749

**12'-48000 SWT F1 Single-Wall Tank  
47953 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
84 1/8	30803	91 1/8	33798	98 1/8	36,677	105 1/8	39,399	112 1/8	41,916	119 1/8	44167
84 1/4	30858	91 1/4	33850	98 1/4	36,727	105 1/4	39,446	112 1/4	41,959	119 1/4	44204
84 3/8	30912	91 3/8	33903	98 3/8	36,777	105 3/8	39,493	112 3/8	42,001	119 3/8	44242
84 1/2	30966	91 1/2	33955	98 1/2	36,827	105 1/2	39,540	112 1/2	42,044	119 1/2	44279
84 5/8	31020	91 5/8	34008	98 5/8	36,877	105 5/8	39,587	112 5/8	42,086	119 5/8	44316
84 3/4	31074	91 3/4	34060	98 3/4	36,927	105 3/4	39,633	112 3/4	42,129	119 3/4	44353
84 7/8	31129	91 7/8	34113	98 7/8	36,977	105 7/8	39,680	112 7/8	42,171	119 7/8	44389
85	31183	92	34165	99	37,027	106	39,726	113	42213	120	44426
85 1/8	31237	92 1/8	34217	99 1/8	37,077	106 1/8	39,773	113 1/8	42,255	120 1/8	44463
85 1/4	31291	92 1/4	34269	99 1/4	37,126	106 1/4	39,819	113 1/4	42,297	120 1/4	44499
85 3/8	31345	92 3/8	34322	99 3/8	37,176	106 3/8	39,865	113 3/8	42,339	120 3/8	44535
85 1/2	31399	92 1/2	34374	99 1/2	37,226	106 1/2	39,912	113 1/2	42,381	120 1/2	44571
85 5/8	31453	92 5/8	34426	99 5/8	37,275	106 5/8	39,958	113 5/8	42,423	120 5/8	44608
85 3/4	31507	92 3/4	34478	99 3/4	37,325	106 3/4	40,004	113 3/4	42,465	120 3/4	44644
85 7/8	31561	92 7/8	34530	99 7/8	37,374	106 7/8	40,050	113 7/8	42,506	120 7/8	44679
86	31615	93	34582	100	37,424	107	40,096	114	42548	121	44715
86 1/8	31668	93 1/8	34634	100 1/8	37,473	107 1/8	40,142	114 1/8	42,589	121 1/8	44751
86 1/4	31722	93 1/4	34686	100 1/4	37,522	107 1/4	40,188	114 1/4	42,631	121 1/4	44786
86 3/8	31776	93 3/8	34738	100 3/8	37,571	107 3/8	40,233	114 3/8	42,672	121 3/8	44822
86 1/2	31830	93 1/2	34790	100 1/2	37,621	107 1/2	40,279	114 1/2	42,713	121 1/2	44857
86 5/8	31884	93 5/8	34842	100 5/8	37,670	107 5/8	40,325	114 5/8	42,754	121 5/8	44892
86 3/4	31937	93 3/4	34893	100 3/4	37,719	107 3/4	40,370	114 3/4	42,795	121 3/4	44927
86 7/8	31991	93 7/8	34945	100 7/8	37,768	107 7/8	40,416	114 7/8	42,836	121 7/8	44962
87	32045	94	34997	101	37,817	108	40,461	115	42877	122	44997
87 1/8	32098	94 1/8	35048	101 1/8	37,866	108 1/8	40,506	115 1/8	42,917	122 1/8	45031
87 1/4	32152	94 1/4	35100	101 1/4	37,915	108 1/4	40,552	115 1/4	42,958	122 1/4	45066
87 3/8	32206	94 3/8	35151	101 3/8	37,963	108 3/8	40,597	115 3/8	42,998	122 3/8	45100
87 1/2	32259	94 1/2	35203	101 1/2	38,012	108 1/2	40,642	115 1/2	43,039	122 1/2	45134
87 5/8	32313	94 5/8	35254	101 5/8	38,061	108 5/8	40,687	115 5/8	43,079	122 5/8	45168
87 3/4	32366	94 3/4	35306	101 3/4	38,109	108 3/4	40,732	115 3/4	43,119	122 3/4	45203
87 7/8	32420	94 7/8	35357	101 7/8	38,158	108 7/8	40,777	115 7/8	43,159	122 7/8	45236
88	32473	95	35409	102	38,206	109	40,821	116	43,199	123	45270
88 1/8	32526	95 1/8	35460	102 1/8	38,255	109 1/8	40,866	116 1/8	43,239	123 1/8	45304
88 1/4	32580	95 1/4	35511	102 1/4	38,303	109 1/4	40,911	116 1/4	43,279	123 1/4	45337
88 3/8	32633	95 3/8	35562	102 3/8	38,352	109 3/8	40,955	116 3/8	43,319	123 3/8	45371
88 1/2	32686	95 1/2	35614	102 1/2	38,400	109 1/2	41,000	116 1/2	43,359	123 1/2	45404
88 5/8	32740	95 5/8	35665	102 5/8	38,448	109 5/8	41,044	116 5/8	43,398	123 5/8	45437
88 3/4	32793	95 3/4	35716	102 3/4	38,496	109 3/4	41,089	116 3/4	43,438	123 3/4	45470
88 7/8	32846	95 7/8	35767	102 7/8	38,544	109 7/8	41,133	116 7/8	43477	123 7/8	45503
89	32899	96	35818	103	38,592	110	41,177	117	43516	124	45535
89 1/8	32952	96 1/8	35869	103 1/8	38,640	110 1/8	41,221	117 1/8	43555	124 1/8	45568
89 1/4	33005	96 1/4	35920	103 1/4	38,688	110 1/4	41,265	117 1/4	43594	124 1/4	45600
89 3/8	33059	96 3/8	35970	103 3/8	38,736	110 3/8	41,309	117 3/8	43633	124 3/8	45633
89 1/2	33112	96 1/2	36021	103 1/2	38,784	110 1/2	41,353	117 1/2	43672	124 1/2	45665
89 5/8	33165	96 5/8	36072	103 5/8	38,832	110 5/8	41,397	117 5/8	43711	124 5/8	45697
89 3/4	33218	96 3/4	36123	103 3/4	38,879	110 3/4	41,441	117 3/4	43749	124 3/4	45729
89 7/8	33271	96 7/8	36173	103 7/8	38,927	110 7/8	41,484	117 7/8	43788	124 7/8	45760
90	33323	97	36224	104	38,974	111	41,528	118	43826	125	45792
90 1/8	33376	97 1/8	36274	104 1/8	39,022	111 1/8	41,571	118 1/8	43864	125 1/8	45823
90 1/4	33429	97 1/4	36325	104 1/4	39,069	111 1/4	41,615	118 1/4	43903	125 1/4	45855
90 3/8	33482	97 3/8	36375	104 3/8	39,117	111 3/8	41,658	118 3/8	43941	125 3/8	45886
90 1/2	33535	97 1/2	36426	104 1/2	39,164	111 1/2	41,701	118 1/2	43979	125 1/2	45917
90 5/8	33587	97 5/8	36476	104 5/8	39,211	111 5/8	41,744	118 5/8	44017	125 5/8	45948
90 3/4	33640	97 3/4	36527	104 3/4	39,258	111 3/4	41,787	118 3/4	44054	125 3/4	45978
90 7/8	33693	97 7/8	36577	104 7/8	39,305	111 7/8	41,830	118 7/8	44092	125 7/8	46009
91	33745	98	36627	105	39,352	112	41,873	119	44130	126	46039

# 12'-48000 SWT F1 Single-Wall Tank

## 47953 Gals



**CONTAINMENT**  
S O L U T I O N S<sup>®</sup>

DIPSTICK	GALLONS	DIPSTICK	GALLONS
126 1/8	46069	133 1/8	47482
126 1/4	46100	133 1/4	47502
126 3/8	46130	133 3/8	47520
126 1/2	46159	133 1/2	47539
126 5/8	46189	133 5/8	47558
126 3/4	46218	133 3/4	47576
126 7/8	46248	133 7/8	47594
127	46277	134	47611
127 1/8	46306	134 1/8	47628
127 1/4	46335	134 1/4	47645
127 3/8	46363	134 3/8	47662
127 1/2	46392	134 1/2	47678
127 5/8	46420	134 5/8	47694
127 3/4	46449	134 3/4	47710
127 7/8	46477	134 7/8	47725
128	46504	135	47741
128 1/8	46532	135 1/8	47755
128 1/4	46560	135 1/4	47770
128 3/8	46587	135 3/8	47784
128 1/2	46614	135 1/2	47797
128 5/8	46641	135 5/8	47811
128 3/4	46668	135 3/4	47823
128 7/8	46695	135 7/8	47836
129	46721	136	47848
129 1/8	46747	136 1/8	47859
129 1/4	46774	136 1/4	47871
129 3/8	46799	136 3/8	47881
129 1/2	46825	136 1/2	47891
129 5/8	46851	136 5/8	47901
129 3/4	46876	136 3/4	47910
129 7/8	46901	136 7/8	47919
130	46926	137	47926
130 1/8	46951	137 1/8	47934
130 1/4	46976	137 1/4	47940
130 3/8	47000	137 3/8	47946
130 1/2	47024	137 1/2	47950
130 5/8	47048	137 5/8	47953
130 3/4	47072		
130 7/8	47096		
131	47119		
131 1/8	47142		
131 1/4	47165		
131 3/8	47188		
131 1/2	47210		
131 5/8	47233		
131 3/4	47255		
131 7/8	47277		
132	47298		
132 1/8	47320		
132 1/4	47341		
132 3/8	47362		
132 1/2	47383		
132 5/8	47403		
132 3/4	47423		
132 7/8	47443		
133	47463		

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**

Pub. No. CAL 12-13F1 6/2011