

4'-550 DWT6 Double-Wall Tank 548 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	1	6 1/8	40	12 1/8	108	18 1/8	191	24 1/8	281
1/4	1	6 1/4	41	12 1/4	109	18 1/4	193	24 1/4	282
3/8	1	6 3/8	42	12 3/8	111	18 3/8	194	24 3/8	284
1/2	2	6 1/2	43	12 1/2	112	18 1/2	196	24 1/2	286
5/8	2	6 5/8	45	12 5/8	114	18 5/8	198	24 5/8	288
3/4	3	6 3/4	46	12 3/4	116	18 3/4	200	24 3/4	290
7/8	3	6 7/8	47	12 7/8	117	18 7/8	202	24 7/8	292
1	3	7	48	13	119	19	204	25	294
1 1/8	4	7 1/8	50	13 1/8	121	19 1/8	205	25 1/8	296
1 1/4	5	7 1/4	51	13 1/4	122	19 1/4	207	25 1/4	298
1 3/8	5	7 3/8	52	13 3/8	124	19 3/8	209	25 3/8	299
1 1/2	6	7 1/2	54	13 1/2	126	19 1/2	211	25 1/2	301
1 5/8	6	7 5/8	55	13 5/8	127	19 5/8	213	25 5/8	303
1 3/4	7	7 3/4	56	13 3/4	129	19 3/4	215	25 3/4	305
1 7/8	8	7 7/8	57	13 7/8	131	19 7/8	217	25 7/8	307
2	8	8	59	14	132	20	218	26	309
2 1/8	9	8 1/8	60	14 1/8	134	20 1/8	220	26 1/8	311
2 1/4	10	8 1/4	61	14 1/4	136	20 1/4	222	26 1/4	313
2 3/8	10	8 3/8	63	14 3/8	137	20 3/8	224	26 3/8	315
2 1/2	11	8 1/2	64	14 1/2	139	20 1/2	226	26 1/2	316
2 5/8	12	8 5/8	66	14 5/8	141	20 5/8	228	26 5/8	318
2 3/4	13	8 3/4	67	14 3/4	143	20 3/4	230	26 3/4	320
2 7/8	14	8 7/8	68	14 7/8	144	20 7/8	231	26 7/8	322
3	14	9	70	15	146	21	233	27	324
3 1/8	15	9 1/8	71	15 1/8	148	21 1/8	235	27 1/8	326
3 1/4	16	9 1/4	73	15 1/4	150	21 1/4	237	27 1/4	328
3 3/8	17	9 3/8	74	15 3/8	151	21 3/8	239	27 3/8	329
3 1/2	18	9 1/2	76	15 1/2	153	21 1/2	241	27 1/2	331
3 5/8	19	9 5/8	77	15 5/8	155	21 5/8	243	27 5/8	333
3 3/4	20	9 3/4	78	15 3/4	157	21 3/4	245	27 3/4	335
3 7/8	21	9 7/8	80	15 7/8	158	21 7/8	247	27 7/8	337
4	22	10	81	16	160	22	248	28	339
4 1/8	23	10 1/8	83	16 1/8	162	22 1/8	250	28 1/8	341
4 1/4	24	10 1/4	84	16 1/4	164	22 1/4	252	28 1/4	342
4 3/8	25	10 3/8	86	16 3/8	165	22 3/8	254	28 3/8	344
4 1/2	26	10 1/2	87	16 1/2	167	22 1/2	256	28 1/2	346
4 5/8	27	10 5/8	89	16 5/8	169	22 5/8	258	28 5/8	348
4 3/4	28	10 3/4	90	16 3/4	171	22 3/4	260	28 3/4	350
4 7/8	29	10 7/8	92	16 7/8	173	22 7/8	262	28 7/8	352
5	30	11	93	17	174	23	264	29	354
5 1/8	31	11 1/8	95	17 1/8	176	23 1/8	265	29 1/8	355
5 1/4	32	11 1/4	97	17 1/4	178	23 1/4	267	29 1/4	357
5 3/8	33	11 3/8	98	17 3/8	180	23 3/8	269	29 3/8	359
5 1/2	34	11 1/2	100	17 1/2	182	23 1/2	271	29 1/2	361
5 5/8	35	11 5/8	101	17 5/8	183	23 5/8	273	29 5/8	363
5 3/4	36	11 3/4	103	17 3/4	185	23 3/4	275	29 3/4	364
5 7/8	38	11 7/8	104	17 7/8	187	23 7/8	277	29 7/8	366
6	39	12	106	18	189	24	279	30	368

4'-550 DWT6 Double-Wall Tank 548 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	370	36 1/8	451	42 1/8	516
30 1/4	372	36 1/4	453	42 1/4	517
30 3/8	374	36 3/8	454	42 3/8	518
30 1/2	375	36 1/2	456	42 1/2	519
30 5/8	377	36 5/8	457	42 5/8	520
30 3/4	379	36 3/4	459	42 3/4	521
30 7/8	381	36 7/8	461	42 7/8	522
31	382	37	462	43	523
31 1/8	384	37 1/8	464	43 1/8	524
31 1/4	386	37 1/4	465	43 1/4	525
31 3/8	388	37 3/8	467	43 3/8	526
31 1/2	390	37 1/2	468	43 1/2	527
31 5/8	391	37 5/8	469	43 5/8	528
31 3/4	393	37 3/4	471	43 3/4	529
31 7/8	395	37 7/8	472	43 7/8	530
32	397	38	474	44	531
32 1/8	398	38 1/8	475	44 1/8	532
32 1/4	400	38 1/4	477	44 1/4	533
32 3/8	402	38 3/8	478	44 3/8	534
32 1/2	404	38 1/2	480	44 1/2	534
32 5/8	405	38 5/8	481	44 5/8	535
32 3/4	407	38 3/4	482	44 3/4	536
32 7/8	409	38 7/8	484	44 7/8	537
33	410	39	485	45	537
33 1/8	412	39 1/8	486	45 1/8	538
33 1/4	414	39 1/4	488	45 1/4	539
33 3/8	416	39 3/8	489	45 3/8	540
33 1/2	417	39 1/2	490	45 1/2	540
33 5/8	419	39 5/8	492	45 5/8	541
33 3/4	421	39 3/4	493	45 3/4	542
33 7/8	422	39 7/8	494	45 7/8	542
34	424	40	496	46	543
34 1/8	426	40 1/8	497	46 1/8	543
34 1/4	427	40 1/4	498	46 1/4	544
34 3/8	429	40 3/8	500	46 3/8	544
34 1/2	431	40 1/2	501	46 1/2	545
34 5/8	432	40 5/8	502	46 5/8	545
34 3/4	434	40 3/4	503	46 3/4	546
34 7/8	435	40 7/8	504	46 7/8	546
35	437	41	506	47	547
35 1/8	439	41 1/8	507	47 1/8	547
35 1/4	440	41 1/4	508	47 1/4	547
35 3/8	442	41 3/8	509	47 3/8	547
35 1/2	443	41 1/2	510	47 1/2	548
35 5/8	445	41 5/8	512	47 5/8	548
35 3/4	447	41 3/4	513		
35 7/8	448	41 7/8	514		
36	450	42	515		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.

ContainmentSolutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.