

**6'-2000 DWT6 Double-Wall Tank
2107 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	2	6 1/8	86	12 1/8	231	18 1/8	412	24 1/8	619
1/4	2	6 1/4	89	12 1/4	234	18 1/4	417	24 1/4	623
3/8	3	6 3/8	91	12 3/8	238	18 3/8	421	24 3/8	628
1/2	4	6 1/2	94	12 1/2	241	18 1/2	425	24 1/2	632
5/8	5	6 5/8	97	12 5/8	245	18 5/8	429	24 5/8	637
3/4	6	6 3/4	99	12 3/4	248	18 3/4	433	24 3/4	641
7/8	7	6 7/8	102	12 7/8	252	18 7/8	437	24 7/8	646
1	8	7	104	13	255	19	441	25	650
1 1/8	9	7 1/8	107	13 1/8	259	19 1/8	445	25 1/8	655
1 1/4	10	7 1/4	110	13 1/4	263	19 1/4	450	25 1/4	660
1 3/8	11	7 3/8	113	13 3/8	266	19 3/8	454	25 3/8	664
1 1/2	13	7 1/2	115	13 1/2	270	19 1/2	458	25 1/2	669
1 5/8	14	7 5/8	118	13 5/8	273	19 5/8	462	25 5/8	673
1 3/4	16	7 3/4	121	13 3/4	277	19 3/4	466	25 3/4	678
1 7/8	17	7 7/8	124	13 7/8	281	19 7/8	470	25 7/8	682
2	18	8	127	14	284	20	475	26	687
2 1/8	20	8 1/8	129	14 1/8	288	20 1/8	479	26 1/8	692
2 1/4	22	8 1/4	132	14 1/4	292	20 1/4	483	26 1/4	696
2 3/8	23	8 3/8	135	14 3/8	295	20 3/8	487	26 3/8	701
2 1/2	25	8 1/2	138	14 1/2	299	20 1/2	492	26 1/2	705
2 5/8	26	8 5/8	141	14 5/8	303	20 5/8	496	26 5/8	710
2 3/4	28	8 3/4	144	14 3/4	307	20 3/4	500	26 3/4	715
2 7/8	30	8 7/8	147	14 7/8	310	20 7/8	505	26 7/8	719
3	32	9	150	15	314	21	509	27	724
3 1/8	34	9 1/8	153	15 1/8	318	21 1/8	513	27 1/8	728
3 1/4	35	9 1/4	156	15 1/4	322	21 1/4	517	27 1/4	733
3 3/8	37	9 3/8	159	15 3/8	326	21 3/8	522	27 3/8	738
3 1/2	39	9 1/2	162	15 1/2	329	21 1/2	526	27 1/2	742
3 5/8	41	9 5/8	165	15 5/8	333	21 5/8	530	27 5/8	747
3 3/4	43	9 3/4	168	15 3/4	337	21 3/4	535	27 3/4	752
3 7/8	45	9 7/8	172	15 7/8	341	21 7/8	539	27 7/8	756
4	47	10	175	16	345	22	543	28	761
4 1/8	49	10 1/8	178	16 1/8	349	22 1/8	548	28 1/8	766
4 1/4	51	10 1/4	181	16 1/4	353	22 1/4	552	28 1/4	770
4 3/8	54	10 3/8	184	16 3/8	356	22 3/8	557	28 3/8	775
4 1/2	56	10 1/2	188	16 1/2	360	22 1/2	561	28 1/2	780
4 5/8	58	10 5/8	191	16 5/8	364	22 5/8	565	28 5/8	784
4 3/4	60	10 3/4	194	16 3/4	368	22 3/4	570	28 3/4	789
4 7/8	62	10 7/8	197	16 7/8	372	22 7/8	574	28 7/8	794
5	65	11	201	17	376	23	579	29	799
5 1/8	67	11 1/8	204	17 1/8	380	23 1/8	583	29 1/8	803
5 1/4	69	11 1/4	207	17 1/4	384	23 1/4	588	29 1/4	808
5 3/8	72	11 3/8	211	17 3/8	388	23 3/8	592	29 3/8	813
5 1/2	74	11 1/2	214	17 1/2	392	23 1/2	596	29 1/2	817
5 5/8	76	11 5/8	217	17 5/8	396	23 5/8	601	29 5/8	822
5 3/4	79	11 3/4	221	17 3/4	400	23 3/4	605	29 3/4	827
5 7/8	81	11 7/8	224	17 7/8	404	23 7/8	610	29 7/8	831
6	84	12	228	18	408	24	614	30	836

**6'-2000 DWT6 Double-Wall Tank
2107 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	841	36 1/8	1070	42 1/8	1299	48 1/8	1520	54 1/8	1723
30 1/4	846	36 1/4	1075	42 1/4	1304	48 1/4	1524	54 1/4	1727
30 3/8	850	36 3/8	1080	42 3/8	1309	48 3/8	1529	54 3/8	1731
30 1/2	855	36 1/2	1085	42 1/2	1313	48 1/2	1533	54 1/2	1735
30 5/8	860	36 5/8	1090	42 5/8	1318	48 5/8	1537	54 5/8	1739
30 3/4	865	36 3/4	1094	42 3/4	1323	48 3/4	1542	54 3/4	1743
30 7/8	869	36 7/8	1099	42 7/8	1327	48 7/8	1546	54 7/8	1747
31	874	37	1104	43	1332	49	1551	55	1751
31 1/8	879	37 1/8	1109	43 1/8	1337	49 1/8	1555	55 1/8	1755
31 1/4	884	37 1/4	1114	43 1/4	1342	49 1/4	1559	55 1/4	1759
31 3/8	888	37 3/8	1118	43 3/8	1346	49 3/8	1564	55 3/8	1762
31 1/2	893	37 1/2	1123	43 1/2	1351	49 1/2	1568	55 1/2	1766
31 5/8	898	37 5/8	1128	43 5/8	1356	49 5/8	1572	55 5/8	1770
31 3/4	903	37 3/4	1133	43 3/4	1360	49 3/4	1577	55 3/4	1774
31 7/8	907	37 7/8	1138	43 7/8	1365	49 7/8	1581	55 7/8	1778
32	912	38	1142	44	1369	50	1585	56	1782
32 1/8	917	38 1/8	1147	44 1/8	1374	50 1/8	1590	56 1/8	1786
32 1/4	922	38 1/4	1152	44 1/4	1379	50 1/4	1594	56 1/4	1789
32 3/8	927	38 3/8	1157	44 3/8	1383	50 3/8	1598	56 3/8	1793
32 1/2	931	38 1/2	1162	44 1/2	1388	50 1/2	1603	56 1/2	1797
32 5/8	936	38 5/8	1166	44 5/8	1393	50 5/8	1607	56 5/8	1801
32 3/4	941	38 3/4	1171	44 3/4	1397	50 3/4	1611	56 3/4	1804
32 7/8	946	38 7/8	1176	44 7/8	1402	50 7/8	1616	56 7/8	1808
33	950	39	1181	45	1406	51	1620	57	1812
33 1/8	955	39 1/8	1185	45 1/8	1411	51 1/8	1624	57 1/8	1816
33 1/4	960	39 1/4	1190	45 1/4	1416	51 1/4	1628	57 1/4	1819
33 3/8	965	39 3/8	1195	45 3/8	1420	51 3/8	1633	57 3/8	1823
33 1/2	970	39 1/2	1200	45 1/2	1425	51 1/2	1637	57 1/2	1827
33 5/8	974	39 5/8	1205	45 5/8	1429	51 5/8	1641	57 5/8	1830
33 3/4	979	39 3/4	1209	45 3/4	1434	51 3/4	1645	57 3/4	1834
33 7/8	984	39 7/8	1214	45 7/8	1439	51 7/8	1649	57 7/8	1837
34	989	40	1219	46	1443	52	1654	58	1841
34 1/8	994	40 1/8	1224	46 1/8	1448	52 1/8	1658	58 1/8	1845
34 1/4	998	40 1/4	1228	46 1/4	1452	52 1/4	1662	58 1/4	1848
34 3/8	1003	40 3/8	1233	46 3/8	1457	52 3/8	1666	58 3/8	1852
34 1/2	1008	40 1/2	1238	46 1/2	1461	52 1/2	1670	58 1/2	1855
34 5/8	1013	40 5/8	1243	46 5/8	1466	52 5/8	1674	58 5/8	1859
34 3/4	1018	40 3/4	1247	46 3/4	1470	52 3/4	1678	58 3/4	1862
34 7/8	1022	40 7/8	1252	46 7/8	1475	52 7/8	1683	58 7/8	1866
35	1027	41	1257	47	1479	53	1687	59	1869
35 1/8	1032	41 1/8	1262	47 1/8	1484	53 1/8	1691	59 1/8	1873
35 1/4	1037	41 1/4	1266	47 1/4	1488	53 1/4	1695	59 1/4	1876
35 3/8	1042	41 3/8	1271	47 3/8	1493	53 3/8	1699	59 3/8	1880
35 1/2	1046	41 1/2	1276	47 1/2	1497	53 1/2	1703	59 1/2	1883
35 5/8	1051	41 5/8	1280	47 5/8	1502	53 5/8	1707	59 5/8	1887
35 3/4	1056	41 3/4	1285	47 3/4	1506	53 3/4	1711	59 3/4	1890
35 7/8	1061	41 7/8	1290	47 7/8	1511	53 7/8	1715	59 7/8	1893
36	1066	42	1295	48	1515	54	1719	60	1897

6'-2000 DWT6 Double-Wall Tank 2107 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	1900	66 1/8	2038
60 1/4	1903	66 1/4	2040
60 3/8	1907	66 3/8	2043
60 1/2	1910	66 1/2	2045
60 5/8	1913	66 5/8	2047
60 3/4	1916	66 3/4	2049
60 7/8	1920	66 7/8	2052
61	1923	67	2054
61 1/8	1926	67 1/8	2056
61 1/4	1929	67 1/4	2058
61 3/8	1932	67 3/8	2060
61 1/2	1936	67 1/2	2062
61 5/8	1939	67 5/8	2064
61 3/4	1942	67 3/4	2066
61 7/8	1945	67 7/8	2068
62	1948	68	2070
62 1/8	1951	68 1/8	2072
62 1/4	1954	68 1/4	2074
62 3/8	1957	68 3/8	2075
62 1/2	1960	68 1/2	2077
62 5/8	1963	68 5/8	2079
62 3/4	1966	68 3/4	2081
62 7/8	1969	68 7/8	2082
63	1972	69	2084
63 1/8	1975	69 1/8	2086
63 1/4	1978	69 1/4	2087
63 3/8	1981	69 3/8	2089
63 1/2	1983	69 1/2	2090
63 5/8	1986	69 5/8	2092
63 3/4	1989	69 3/4	2093
63 7/8	1992	69 7/8	2094
64	1995	70	2096
64 1/8	1997	70 1/8	2097
64 1/4	2000	70 1/4	2098
64 3/8	2003	70 3/8	2099
64 1/2	2005	70 1/2	2100
64 5/8	2008	70 5/8	2102
64 3/4	2011	70 3/4	2103
64 7/8	2013	70 7/8	2103
65	2016	71	2104
65 1/8	2018	71 1/8	2105
65 1/4	2021	71 1/4	2106
65 3/8	2023	71 3/8	2106
65 1/2	2026	71 1/2	2107
65 5/8	2028	71 5/8	2107
65 3/4	2031		
65 7/8	2033		
66	2036		



CONTAINMENT
SOLUTIONS®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.