

6'-3000 SWT D6 Single-Wall Tank 3187 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	2	6 1/8	134	12 1/8	356	18 1/8	631	24 1/8	942
1/4	3	6 1/4	138	12 1/4	361	18 1/4	637	24 1/4	949
3/8	5	6 3/8	142	12 3/8	366	18 3/8	643	24 3/8	955
1/2	6	6 1/2	146	12 1/2	371	18 1/2	649	24 1/2	962
5/8	7	6 5/8	150	12 5/8	377	18 5/8	656	24 5/8	969
3/4	9	6 3/4	154	12 3/4	382	18 3/4	662	24 3/4	976
7/8	11	6 7/8	158	12 7/8	387	18 7/8	668	24 7/8	983
1	12	7	162	13	393	19	674	25	989
1 1/8	14	7 1/8	166	13 1/8	398	19 1/8	681	25 1/8	996
1 1/4	16	7 1/4	170	13 1/4	404	19 1/4	687	25 1/4	1003
1 3/8	18	7 3/8	174	13 3/8	409	19 3/8	693	25 3/8	1010
1 1/2	20	7 1/2	179	13 1/2	415	19 1/2	699	25 1/2	1017
1 5/8	22	7 5/8	183	13 5/8	420	19 5/8	706	25 5/8	1024
1 3/4	24	7 3/4	187	13 3/4	426	19 3/4	712	25 3/4	1030
1 7/8	27	7 7/8	192	13 7/8	431	19 7/8	718	25 7/8	1037
2	29	8	196	14	437	20	725	26	1044
2 1/8	31	8 1/8	200	14 1/8	442	20 1/8	731	26 1/8	1051
2 1/4	34	8 1/4	205	14 1/4	448	20 1/4	738	26 1/4	1058
2 3/8	36	8 3/8	209	14 3/8	454	20 3/8	744	26 3/8	1065
2 1/2	39	8 1/2	214	14 1/2	459	20 1/2	750	26 1/2	1072
2 5/8	41	8 5/8	218	14 5/8	465	20 5/8	757	26 5/8	1079
2 3/4	44	8 3/4	223	14 3/4	471	20 3/4	763	26 3/4	1086
2 7/8	47	8 7/8	227	14 7/8	476	20 7/8	770	26 7/8	1093
3	50	9	232	15	482	21	776	27	1100
3 1/8	52	9 1/8	237	15 1/8	488	21 1/8	783	27 1/8	1106
3 1/4	55	9 1/4	241	15 1/4	493	21 1/4	789	27 1/4	1113
3 3/8	58	9 3/8	246	15 3/8	499	21 3/8	796	27 3/8	1120
3 1/2	61	9 1/2	251	15 1/2	505	21 1/2	802	27 1/2	1127
3 5/8	64	9 5/8	255	15 5/8	511	21 5/8	809	27 5/8	1134
3 3/4	67	9 3/4	260	15 3/4	517	21 3/4	815	27 3/4	1141
3 7/8	70	9 7/8	265	15 7/8	523	21 7/8	822	27 7/8	1148
4	74	10	270	16	528	22	829	28	1155
4 1/8	77	10 1/8	275	16 1/8	534	22 1/8	835	28 1/8	1162
4 1/4	80	10 1/4	279	16 1/4	540	22 1/4	842	28 1/4	1169
4 3/8	83	10 3/8	284	16 3/8	546	22 3/8	848	28 3/8	1176
4 1/2	87	10 1/2	289	16 1/2	552	22 1/2	855	28 1/2	1183
4 5/8	90	10 5/8	294	16 5/8	558	22 5/8	862	28 5/8	1190
4 3/4	94	10 3/4	299	16 3/4	564	22 3/4	868	28 3/4	1197
4 7/8	97	10 7/8	304	16 7/8	570	22 7/8	875	28 7/8	1204
5	101	11	309	17	576	23	881	29	1211
5 1/8	104	11 1/8	314	17 1/8	582	23 1/8	888	29 1/8	1219
5 1/4	108	11 1/4	319	17 1/4	588	23 1/4	895	29 1/4	1226
5 3/8	111	11 3/8	324	17 3/8	594	23 3/8	902	29 3/8	1233
5 1/2	115	11 1/2	330	17 1/2	600	23 1/2	908	29 1/2	1240
5 5/8	119	11 5/8	335	17 5/8	606	23 5/8	915	29 5/8	1247
5 3/4	122	11 3/4	340	17 3/4	612	23 3/4	922	29 3/4	1254
5 7/8	126	11 7/8	345	17 7/8	619	23 7/8	928	29 7/8	1261
6	130	12	350	18	625	24	935	30	1268

**6'-3000 SWT D6 Single-Wall Tank
3187 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	1275	36 1/8	1619	42 1/8	1962	48 1/8	2292	54 1/8	2599
30 1/4	1282	36 1/4	1626	42 1/4	1969	48 1/4	2299	54 1/4	2605
30 3/8	1289	36 3/8	1633	42 3/8	1976	48 3/8	2306	54 3/8	2611
30 1/2	1296	36 1/2	1640	42 1/2	1983	48 1/2	2312	54 1/2	2617
30 5/8	1304	36 5/8	1647	42 5/8	1990	48 5/8	2319	54 5/8	2623
30 3/4	1311	36 3/4	1655	42 3/4	1997	48 3/4	2326	54 3/4	2629
30 7/8	1318	36 7/8	1662	42 7/8	2004	48 7/8	2332	54 7/8	2635
31	1325	37	1669	43	2011	49	2339	55	2641
31 1/8	1332	37 1/8	1676	43 1/8	2018	49 1/8	2345	55 1/8	2647
31 1/4	1339	37 1/4	1683	43 1/4	2025	49 1/4	2352	55 1/4	2653
31 3/8	1346	37 3/8	1691	43 3/8	2032	49 3/8	2359	55 3/8	2659
31 1/2	1353	37 1/2	1698	43 1/2	2039	49 1/2	2365	55 1/2	2665
31 5/8	1360	37 5/8	1705	43 5/8	2046	49 5/8	2372	55 5/8	2670
31 3/4	1368	37 3/4	1712	43 3/4	2053	49 3/4	2378	55 3/4	2676
31 7/8	1375	37 7/8	1719	43 7/8	2060	49 7/8	2385	55 7/8	2682
32	1382	38	1726	44	2067	50	2391	56	2688
32 1/8	1389	38 1/8	1734	44 1/8	2074	50 1/8	2398	56 1/8	2694
32 1/4	1396	38 1/4	1741	44 1/4	2081	50 1/4	2404	56 1/4	2699
32 3/8	1403	38 3/8	1748	44 3/8	2088	50 3/8	2411	56 3/8	2705
32 1/2	1411	38 1/2	1755	44 1/2	2095	50 1/2	2417	56 1/2	2711
32 5/8	1418	38 5/8	1762	44 5/8	2102	50 5/8	2424	56 5/8	2717
32 3/4	1425	38 3/4	1769	44 3/4	2108	50 3/4	2430	56 3/4	2722
32 7/8	1432	38 7/8	1777	44 7/8	2115	50 7/8	2437	56 7/8	2728
33	1439	39	1784	45	2122	51	2443	57	2734
33 1/8	1446	39 1/8	1791	45 1/8	2129	51 1/8	2450	57 1/8	2739
33 1/4	1454	39 1/4	1798	45 1/4	2136	51 1/4	2456	57 1/4	2745
33 3/8	1461	39 3/8	1805	45 3/8	2143	51 3/8	2462	57 3/8	2750
33 1/2	1468	39 1/2	1812	45 1/2	2150	51 1/2	2469	57 1/2	2756
33 5/8	1475	39 5/8	1820	45 5/8	2157	51 5/8	2475	57 5/8	2761
33 3/4	1482	39 3/4	1827	45 3/4	2164	51 3/4	2481	57 3/4	2767
33 7/8	1489	39 7/8	1834	45 7/8	2170	51 7/8	2488	57 7/8	2773
34	1497	40	1841	46	2177	52	2494	58	2778
34 1/8	1504	40 1/8	1848	46 1/8	2184	52 1/8	2500	58 1/8	2783
34 1/4	1511	40 1/4	1855	46 1/4	2191	52 1/4	2507	58 1/4	2789
34 3/8	1518	40 3/8	1862	46 3/8	2198	52 3/8	2513	58 3/8	2794
34 1/2	1525	40 1/2	1869	46 1/2	2205	52 1/2	2519	58 1/2	2800
34 5/8	1532	40 5/8	1877	46 5/8	2211	52 5/8	2525	58 5/8	2805
34 3/4	1540	40 3/4	1884	46 3/4	2218	52 3/4	2532	58 3/4	2810
34 7/8	1547	40 7/8	1891	46 7/8	2225	52 7/8	2538	58 7/8	2816
35	1554	41	1898	47	2232	53	2544	59	2821
35 1/8	1561	41 1/8	1905	47 1/8	2239	53 1/8	2550	59 1/8	2826
35 1/4	1568	41 1/4	1912	47 1/4	2245	53 1/4	2556	59 1/4	2832
35 3/8	1576	41 3/8	1919	47 3/8	2252	53 3/8	2562	59 3/8	2837
35 1/2	1583	41 1/2	1926	47 1/2	2259	53 1/2	2569	59 1/2	2842
35 5/8	1590	41 5/8	1933	47 5/8	2266	53 5/8	2575	59 5/8	2847
35 3/4	1597	41 3/4	1940	47 3/4	2272	53 3/4	2581	59 3/4	2852
35 7/8	1604	41 7/8	1947	47 7/8	2279	53 7/8	2587	59 7/8	2858
36	1612	42	1955	48	2286	54	2593	60	2863

6'-3000 SWT D6 Single-Wall Tank 3187 Gals



**CONTAINMENT
SOLUTIONS®**

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	2868	66 1/8	3079
60 1/4	2873	66 1/4	3083
60 3/8	2878	66 3/8	3087
60 1/2	2883	66 1/2	3090
60 5/8	2888	66 5/8	3094
60 3/4	2893	66 3/4	3097
60 7/8	2898	66 7/8	3100
61	2903	67	3104
61 1/8	2908	67 1/8	3107
61 1/4	2913	67 1/4	3110
61 3/8	2917	67 3/8	3114
61 1/2	2922	67 1/2	3117
61 5/8	2927	67 5/8	3120
61 3/4	2932	67 3/4	3123
61 7/8	2937	67 7/8	3126
62	2941	68	3129
62 1/8	2946	68 1/8	3132
62 1/4	2951	68 1/4	3135
62 3/8	2955	68 3/8	3138
62 1/2	2960	68 1/2	3140
62 5/8	2964	68 5/8	3143
62 3/4	2969	68 3/4	3146
62 7/8	2973	68 7/8	3148
63	2978	69	3151
63 1/8	2982	69 1/8	3153
63 1/4	2987	69 1/4	3156
63 3/8	2991	69 3/8	3158
63 1/2	2996	69 1/2	3161
63 5/8	3000	69 5/8	3163
63 3/4	3004	69 3/4	3165
63 7/8	3008	69 7/8	3167
64	3013	70	3169
64 1/8	3017	70 1/8	3171
64 1/4	3021	70 1/4	3173
64 3/8	3025	70 3/8	3175
64 1/2	3029	70 1/2	3177
64 5/8	3033	70 5/8	3178
64 3/4	3037	70 3/4	3180
64 7/8	3041	70 7/8	3181
65	3045	71	3182
65 1/8	3049	71 1/8	3184
65 1/4	3053	71 1/4	3185
65 3/8	3057	71 3/8	3186
65 1/2	3061	71 1/2	3186
65 5/8	3065	71 5/8	3187
65 3/4	3068		
65 7/8	3072		
66	3076		

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
 DAYCO/NATIONAL
 DAYTON, OH
 TEL: 1-800-283-2926
 FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
 333 North Rivershire Dr., Suite 190
 Conroe, TX 77304
 Tel: 936-756-7731
 Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.