

**6'-4000 DWT6 Double-Wall Tank  
3958 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	3	6 1/8	168	12 1/8	444	18 1/8	787	24 1/8	1172
1/4	4	6 1/4	173	12 1/4	451	18 1/4	794	24 1/4	1181
3/8	6	6 3/8	178	12 3/8	458	18 3/8	802	24 3/8	1189
1/2	8	6 1/2	183	12 1/2	464	18 1/2	810	24 1/2	1198
5/8	9	6 5/8	188	12 5/8	471	18 5/8	817	24 5/8	1206
3/4	11	6 3/4	193	12 3/4	477	18 3/4	825	24 3/4	1214
7/8	13	6 7/8	198	12 7/8	484	18 7/8	833	24 7/8	1223
1	16	7	203	13	491	19	841	25	1231
1 1/8	18	7 1/8	208	13 1/8	498	19 1/8	848	25 1/8	1240
1 1/4	20	7 1/4	213	13 1/4	504	19 1/4	856	25 1/4	1248
1 3/8	23	7 3/8	219	13 3/8	511	19 3/8	864	25 3/8	1257
1 1/2	25	7 1/2	224	13 1/2	518	19 1/2	872	25 1/2	1265
1 5/8	28	7 5/8	229	13 5/8	525	19 5/8	880	25 5/8	1274
1 3/4	31	7 3/4	235	13 3/4	532	19 3/4	888	25 3/4	1282
1 7/8	33	7 7/8	240	13 7/8	539	19 7/8	895	25 7/8	1291
2	36	8	245	14	546	20	903	26	1299
2 1/8	39	8 1/8	251	14 1/8	552	20 1/8	911	26 1/8	1308
2 1/4	42	8 1/4	256	14 1/4	559	20 1/4	919	26 1/4	1316
2 3/8	46	8 3/8	262	14 3/8	566	20 3/8	927	26 3/8	1325
2 1/2	49	8 1/2	268	14 1/2	573	20 1/2	935	26 1/2	1333
2 5/8	52	8 5/8	273	14 5/8	581	20 5/8	943	26 5/8	1342
2 3/4	55	8 3/4	279	14 3/4	588	20 3/4	951	26 3/4	1350
2 7/8	59	8 7/8	285	14 7/8	595	20 7/8	959	26 7/8	1359
3	62	9	290	15	602	21	967	27	1368
3 1/8	66	9 1/8	296	15 1/8	609	21 1/8	975	27 1/8	1376
3 1/4	69	9 1/4	302	15 1/4	616	21 1/4	983	27 1/4	1385
3 3/8	73	9 3/8	308	15 3/8	623	21 3/8	991	27 3/8	1393
3 1/2	77	9 1/2	314	15 1/2	630	21 1/2	999	27 1/2	1402
3 5/8	81	9 5/8	320	15 5/8	638	21 5/8	1008	27 5/8	1411
3 3/4	85	9 3/4	326	15 3/4	645	21 3/4	1016	27 3/4	1419
3 7/8	88	9 7/8	332	15 7/8	652	21 7/8	1024	27 7/8	1428
4	92	10	338	16	660	22	1032	28	1437
4 1/8	96	10 1/8	344	16 1/8	667	22 1/8	1040	28 1/8	1445
4 1/4	101	10 1/4	350	16 1/4	674	22 1/4	1048	28 1/4	1454
4 3/8	105	10 3/8	356	16 3/8	682	22 3/8	1056	28 3/8	1463
4 1/2	109	10 1/2	362	16 1/2	689	22 1/2	1065	28 1/2	1471
4 5/8	113	10 5/8	368	16 5/8	696	22 5/8	1073	28 5/8	1480
4 3/4	117	10 3/4	374	16 3/4	704	22 3/4	1081	28 3/4	1489
4 7/8	122	10 7/8	380	16 7/8	711	22 7/8	1089	28 7/8	1498
5	126	11	387	17	719	23	1098	29	1506
5 1/8	131	11 1/8	393	17 1/8	726	23 1/8	1106	29 1/8	1515
5 1/4	135	11 1/4	399	17 1/4	734	23 1/4	1114	29 1/4	1524
5 3/8	140	11 3/8	406	17 3/8	741	23 3/8	1122	29 3/8	1532
5 1/2	144	11 1/2	412	17 1/2	749	23 1/2	1131	29 1/2	1541
5 5/8	149	11 5/8	419	17 5/8	756	23 5/8	1139	29 5/8	1550
5 3/4	154	11 3/4	425	17 3/4	764	23 3/4	1147	29 3/4	1559
5 7/8	158	11 7/8	431	17 7/8	771	23 7/8	1156	29 7/8	1567
6	163	12	438	18	779	24	1164	30	1576

**6'-4000 DWT6 Double-Wall Tank  
3958 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	1585	36 1/8	2010	42 1/8	2434	48 1/8	2844	54 1/8	3224
30 1/4	1594	36 1/4	2019	42 1/4	2443	48 1/4	2852	54 1/4	3232
30 3/8	1603	36 3/8	2028	42 3/8	2452	48 3/8	2860	54 3/8	3239
30 1/2	1611	36 1/2	2037	42 1/2	2460	48 1/2	2869	54 1/2	3247
30 5/8	1620	36 5/8	2046	42 5/8	2469	48 5/8	2877	54 5/8	3254
30 3/4	1629	36 3/4	2055	42 3/4	2478	48 3/4	2885	54 3/4	3262
30 7/8	1638	36 7/8	2063	42 7/8	2486	48 7/8	2893	54 7/8	3269
31	1647	37	2072	43	2495	49	2901	55	3276
31 1/8	1655	37 1/8	2081	43 1/8	2504	49 1/8	2910	55 1/8	3284
31 1/4	1664	37 1/4	2090	43 1/4	2513	49 1/4	2918	55 1/4	3291
31 3/8	1673	37 3/8	2099	43 3/8	2521	49 3/8	2926	55 3/8	3298
31 1/2	1682	37 1/2	2108	43 1/2	2530	49 1/2	2934	55 1/2	3306
31 5/8	1691	37 5/8	2117	43 5/8	2539	49 5/8	2942	55 5/8	3313
31 3/4	1699	37 3/4	2126	43 3/4	2547	49 3/4	2950	55 3/4	3320
31 7/8	1708	37 7/8	2134	43 7/8	2556	49 7/8	2958	55 7/8	3327
32	1717	38	2143	44	2564	50	2967	56	3335
32 1/8	1726	38 1/8	2152	44 1/8	2573	50 1/8	2975	56 1/8	3342
32 1/4	1735	38 1/4	2161	44 1/4	2582	50 1/4	2983	56 1/4	3349
32 3/8	1744	38 3/8	2170	44 3/8	2590	50 3/8	2991	56 3/8	3356
32 1/2	1753	38 1/2	2179	44 1/2	2599	50 1/2	2999	56 1/2	3363
32 5/8	1761	38 5/8	2188	44 5/8	2607	50 5/8	3007	56 5/8	3370
32 3/4	1770	38 3/4	2197	44 3/4	2616	50 3/4	3015	56 3/4	3377
32 7/8	1779	38 7/8	2205	44 7/8	2625	50 7/8	3023	56 7/8	3384
33	1788	39	2214	45	2633	51	3031	57	3391
33 1/8	1797	39 1/8	2223	45 1/8	2642	51 1/8	3039	57 1/8	3398
33 1/4	1806	39 1/4	2232	45 1/4	2650	51 1/4	3047	57 1/4	3405
33 3/8	1815	39 3/8	2241	45 3/8	2659	51 3/8	3055	57 3/8	3412
33 1/2	1823	39 1/2	2250	45 1/2	2667	51 1/2	3062	57 1/2	3419
33 5/8	1832	39 5/8	2258	45 5/8	2676	51 5/8	3070	57 5/8	3426
33 3/4	1841	39 3/4	2267	45 3/4	2684	51 3/4	3078	57 3/4	3433
33 7/8	1850	39 7/8	2276	45 7/8	2693	51 7/8	3086	57 7/8	3440
34	1859	40	2285	46	2701	52	3094	58	3447
34 1/8	1868	40 1/8	2294	46 1/8	2710	52 1/8	3102	58 1/8	3454
34 1/4	1877	40 1/4	2303	46 1/4	2718	52 1/4	3109	58 1/4	3460
34 3/8	1886	40 3/8	2311	46 3/8	2727	52 3/8	3117	58 3/8	3467
34 1/2	1894	40 1/2	2320	46 1/2	2735	52 1/2	3125	58 1/2	3474
34 5/8	1903	40 5/8	2329	46 5/8	2744	52 5/8	3133	58 5/8	3480
34 3/4	1912	40 3/4	2338	46 3/4	2752	52 3/4	3141	58 3/4	3487
34 7/8	1921	40 7/8	2347	46 7/8	2760	52 7/8	3148	58 7/8	3494
35	1930	41	2355	47	2769	53	3156	59	3500
35 1/8	1939	41 1/8	2364	47 1/8	2777	53 1/8	3164	59 1/8	3507
35 1/4	1948	41 1/4	2373	47 1/4	2786	53 1/4	3171	59 1/4	3513
35 3/8	1957	41 3/8	2382	47 3/8	2794	53 3/8	3179	59 3/8	3520
35 1/2	1966	41 1/2	2390	47 1/2	2802	53 1/2	3186	59 1/2	3527
35 5/8	1975	41 5/8	2399	47 5/8	2811	53 5/8	3194	59 5/8	3533
35 3/4	1983	41 3/4	2408	47 3/4	2819	53 3/4	3202	59 3/4	3539
35 7/8	1992	41 7/8	2417	47 7/8	2827	53 7/8	3209	59 7/8	3546
36	2001	42	2425	48	2836	54	3217	60	3552

## 6'-4000 DWT6 Double-Wall Tank 3958 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	3559	66 1/8	3823
60 1/4	3565	66 1/4	3827
60 3/8	3571	66 3/8	3832
60 1/2	3577	66 1/2	3836
60 5/8	3584	66 5/8	3840
60 3/4	3590	66 3/4	3845
60 7/8	3596	66 7/8	3849
61	3602	67	3853
61 1/8	3608	67 1/8	3857
61 1/4	3614	67 1/4	3861
61 3/8	3620	67 3/8	3865
61 1/2	3626	67 1/2	3869
61 5/8	3632	67 5/8	3873
61 3/4	3638	67 3/4	3877
61 7/8	3644	67 7/8	3881
62	3650	68	3885
62 1/8	3656	68 1/8	3888
62 1/4	3662	68 1/4	3892
62 3/8	3668	68 3/8	3896
62 1/2	3673	68 1/2	3899
62 5/8	3679	68 5/8	3903
62 3/4	3685	68 3/4	3906
62 7/8	3690	68 7/8	3909
63	3696	69	3912
63 1/8	3701	69 1/8	3915
63 1/4	3707	69 1/4	3919
63 3/8	3712	69 3/8	3922
63 1/2	3718	69 1/2	3924
63 5/8	3723	69 5/8	3927
63 3/4	3729	69 3/4	3930
63 7/8	3734	69 7/8	3933
64	3739	70	3935
64 1/8	3745	70 1/8	3938
64 1/4	3750	70 1/4	3940
64 3/8	3755	70 3/8	3942
64 1/2	3760	70 1/2	3945
64 5/8	3765	70 5/8	3947
64 3/4	3770	70 3/4	3949
64 7/8	3775	70 7/8	3950
65	3780	71	3952
65 1/8	3785	71 1/8	3954
65 1/4	3790	71 1/4	3955
65 3/8	3795	71 3/8	3956
65 1/2	3800	71 1/2	3957
65 5/8	3804	71 5/8	3958
65 3/4	3809		
65 7/8	3814		
66	3818		



**CONTAINMENT**  
S O L U T I O N S®

**HOW TO PROPERLY GAUGE YOUR TANK:**

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

**Water Paste Detection**

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870  
DAYCO/NATIONAL  
DAYTON, OH  
TEL: 1-800-283-2926  
FAX: 1-800-688-4854

**Caution**

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

**Containment Solutions, Inc.**  
333 North Rivershire Dr., Suite 190  
Conroe, TX 77304  
Tel: 936-756-7731  
Fax: 936-756-7766

**Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.**