

**6'-8000 DWT6 Double-Wall Tank
7985 Gals**

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
1/8	6	6 1/8	346	12 1/8	909	18 1/8	1601	24 1/8	2377
1/4	9	6 1/4	356	12 1/4	922	18 1/4	1617	24 1/4	2394
3/8	12	6 3/8	366	12 3/8	936	18 3/8	1632	24 3/8	2411
1/2	16	6 1/2	376	12 1/2	949	18 1/2	1648	24 1/2	2428
5/8	20	6 5/8	386	12 5/8	963	18 5/8	1663	24 5/8	2444
3/4	24	6 3/4	397	12 3/4	976	18 3/4	1679	24 3/4	2461
7/8	28	6 7/8	407	12 7/8	990	18 7/8	1694	24 7/8	2478
1	32	7	417	13	1003	19	1710	25	2495
1 1/8	37	7 1/8	428	13 1/8	1017	19 1/8	1726	25 1/8	2512
1 1/4	42	7 1/4	439	13 1/4	1031	19 1/4	1741	25 1/4	2529
1 3/8	47	7 3/8	449	13 3/8	1044	19 3/8	1757	25 3/8	2546
1 1/2	52	7 1/2	460	13 1/2	1058	19 1/2	1773	25 1/2	2563
1 5/8	58	7 5/8	471	13 5/8	1072	19 5/8	1789	25 5/8	2580
1 3/4	64	7 3/4	482	13 3/4	1086	19 3/4	1805	25 3/4	2597
1 7/8	69	7 7/8	493	13 7/8	1100	19 7/8	1820	25 7/8	2614
2	75	8	504	14	1114	20	1836	26	2631
2 1/8	82	8 1/8	515	14 1/8	1128	20 1/8	1852	26 1/8	2648
2 1/4	88	8 1/4	527	14 1/4	1142	20 1/4	1868	26 1/4	2666
2 3/8	94	8 3/8	538	14 3/8	1156	20 3/8	1884	26 3/8	2683
2 1/2	101	8 1/2	549	14 1/2	1171	20 1/2	1900	26 1/2	2700
2 5/8	108	8 5/8	561	14 5/8	1185	20 5/8	1916	26 5/8	2717
2 3/4	115	8 3/4	572	14 3/4	1199	20 3/4	1932	26 3/4	2734
2 7/8	122	8 7/8	584	14 7/8	1213	20 7/8	1948	26 7/8	2751
3	129	9	596	15	1228	21	1965	27	2769
3 1/8	136	9 1/8	608	15 1/8	1242	21 1/8	1981	27 1/8	2786
3 1/4	144	9 1/4	619	15 1/4	1257	21 1/4	1997	27 1/4	2803
3 3/8	151	9 3/8	631	15 3/8	1271	21 3/8	2013	27 3/8	2820
3 1/2	159	9 1/2	643	15 1/2	1286	21 1/2	2030	27 1/2	2838
3 5/8	167	9 5/8	655	15 5/8	1300	21 5/8	2046	27 5/8	2855
3 3/4	175	9 3/4	667	15 3/4	1315	21 3/4	2062	27 3/4	2872
3 7/8	183	9 7/8	680	15 7/8	1330	21 7/8	2078	27 7/8	2890
4	191	10	692	16	1345	22	2095	28	2907
4 1/8	199	10 1/8	704	16 1/8	1359	22 1/8	2111	28 1/8	2924
4 1/4	208	10 1/4	716	16 1/4	1374	22 1/4	2128	28 1/4	2942
4 3/8	216	10 3/8	729	16 3/8	1389	22 3/8	2144	28 3/8	2959
4 1/2	225	10 1/2	741	16 1/2	1404	22 1/2	2161	28 1/2	2977
4 5/8	233	10 5/8	754	16 5/8	1419	22 5/8	2177	28 5/8	2994
4 3/4	242	10 3/4	767	16 3/4	1434	22 3/4	2194	28 3/4	3012
4 7/8	251	10 7/8	779	16 7/8	1449	22 7/8	2210	28 7/8	3029
5	260	11	792	17	1464	23	2227	29	3046
5 1/8	269	11 1/8	805	17 1/8	1479	23 1/8	2243	29 1/8	3064
5 1/4	279	11 1/4	818	17 1/4	1494	23 1/4	2260	29 1/4	3081
5 3/8	288	11 3/8	830	17 3/8	1509	23 3/8	2277	29 3/8	3099
5 1/2	297	11 1/2	843	17 1/2	1525	23 1/2	2293	29 1/2	3116
5 5/8	307	11 5/8	856	17 5/8	1540	23 5/8	2310	29 5/8	3134
5 3/4	316	11 3/4	869	17 3/4	1555	23 3/4	2327	29 3/4	3151
5 7/8	326	11 7/8	883	17 7/8	1570	23 7/8	2343	29 7/8	3169
6	336	12	896	18	1586	24	2360	30	3187

6'-8000 DWT6 Double-Wall Tank 7985 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS	DIPSTICK	GALLONS
30 1/8	3204	36 1/8	4055	42 1/8	4904	48 1/8	5725	54 1/8	6491
30 1/4	3222	36 1/4	4073	42 1/4	4921	48 1/4	5742	54 1/4	6506
30 3/8	3239	36 3/8	4091	42 3/8	4939	48 3/8	5759	54 3/8	6521
30 1/2	3257	36 1/2	4108	42 1/2	4956	48 1/2	5775	54 1/2	6537
30 5/8	3274	36 5/8	4126	42 5/8	4974	48 5/8	5792	54 5/8	6552
30 3/4	3292	36 3/4	4144	42 3/4	4991	48 3/4	5808	54 3/4	6567
30 7/8	3310	36 7/8	4162	42 7/8	5009	48 7/8	5825	54 7/8	6581
31	3327	37	4179	43	5026	49	5841	55	6596
31 1/8	3345	37 1/8	4197	43 1/8	5044	49 1/8	5858	55 1/8	6611
31 1/4	3363	37 1/4	4215	43 1/4	5061	49 1/4	5874	55 1/4	6626
31 3/8	3380	37 3/8	4233	43 3/8	5078	49 3/8	5891	55 3/8	6641
31 1/2	3398	37 1/2	4251	43 1/2	5096	49 1/2	5907	55 1/2	6656
31 5/8	3416	37 5/8	4268	43 5/8	5113	49 5/8	5923	55 5/8	6670
31 3/4	3433	37 3/4	4286	43 3/4	5130	49 3/4	5940	55 3/4	6685
31 7/8	3451	37 7/8	4304	43 7/8	5148	49 7/8	5956	55 7/8	6700
32	3469	38	4322	44	5165	50	5972	56	6714
32 1/8	3486	38 1/8	4339	44 1/8	5182	50 1/8	5988	56 1/8	6729
32 1/4	3504	38 1/4	4357	44 1/4	5199	50 1/4	6005	56 1/4	6743
32 3/8	3522	38 3/8	4375	44 3/8	5217	50 3/8	6021	56 3/8	6758
32 1/2	3540	38 1/2	4393	44 1/2	5234	50 1/2	6037	56 1/2	6772
32 5/8	3557	38 5/8	4410	44 5/8	5251	50 5/8	6053	56 5/8	6786
32 3/4	3575	38 3/4	4428	44 3/4	5268	50 3/4	6069	56 3/4	6801
32 7/8	3593	38 7/8	4446	44 7/8	5285	50 7/8	6085	56 7/8	6815
33	3610	39	4464	45	5303	51	6101	57	6829
33 1/8	3628	39 1/8	4481	45 1/8	5320	51 1/8	6117	57 1/8	6843
33 1/4	3646	39 1/4	4499	45 1/4	5337	51 1/4	6133	57 1/4	6857
33 3/8	3664	39 3/8	4517	45 3/8	5354	51 3/8	6149	57 3/8	6871
33 1/2	3681	39 1/2	4534	45 1/2	5371	51 1/2	6165	57 1/2	6885
33 5/8	3699	39 5/8	4552	45 5/8	5388	51 5/8	6181	57 5/8	6899
33 3/4	3717	39 3/4	4570	45 3/4	5405	51 3/4	6197	57 3/4	6913
33 7/8	3735	39 7/8	4587	45 7/8	5422	51 7/8	6213	57 7/8	6927
34	3753	40	4605	46	5439	52	6228	58	6941
34 1/8	3770	40 1/8	4623	46 1/8	5456	52 1/8	6244	58 1/8	6955
34 1/4	3788	40 1/4	4640	46 1/4	5473	52 1/4	6260	58 1/4	6968
34 3/8	3806	40 3/8	4658	46 3/8	5490	52 3/8	6275	58 3/8	6982
34 1/2	3824	40 1/2	4676	46 1/2	5507	52 1/2	6291	58 1/2	6996
34 5/8	3841	40 5/8	4693	46 5/8	5524	52 5/8	6307	58 5/8	7009
34 3/4	3859	40 3/4	4711	46 3/4	5541	52 3/4	6322	58 3/4	7023
34 7/8	3877	40 7/8	4728	46 7/8	5558	52 7/8	6338	58 7/8	7036
35	3895	41	4746	47	5575	53	6353	59	7050
35 1/8	3913	41 1/8	4764	47 1/8	5592	53 1/8	6369	59 1/8	7063
35 1/4	3930	41 1/4	4781	47 1/4	5608	53 1/4	6384	59 1/4	7076
35 3/8	3948	41 3/8	4799	47 3/8	5625	53 3/8	6400	59 3/8	7090
35 1/2	3966	41 1/2	4816	47 1/2	5642	53 1/2	6415	59 1/2	7103
35 5/8	3984	41 5/8	4834	47 5/8	5659	53 5/8	6430	59 5/8	7116
35 3/4	4002	41 3/4	4851	47 3/4	5675	53 3/4	6446	59 3/4	7129
35 7/8	4019	41 7/8	4869	47 7/8	5692	53 7/8	6461	59 7/8	7142
36	4037	42	4886	48	5709	54	6476	60	7155

6'-800 DWT6 Double-Wall Tank 7985 Gals

DIPSTICK	GALLONS	DIPSTICK	GALLONS
60 1/8	7168	66 1/8	7707
60 1/4	7181	66 1/4	7716
60 3/8	7193	66 3/8	7725
60 1/2	7206	66 1/2	7734
60 5/8	7219	66 5/8	7743
60 3/4	7231	66 3/4	7752
60 7/8	7244	66 7/8	7761
61	7256	67	7769
61 1/8	7269	67 1/8	7778
61 1/4	7281	67 1/4	7786
61 3/8	7294	67 3/8	7794
61 1/2	7306	67 1/2	7803
61 5/8	7318	67 5/8	7811
61 3/4	7330	67 3/4	7819
61 7/8	7342	67 7/8	7826
62	7354	68	7834
62 1/8	7366	68 1/8	7842
62 1/4	7378	68 1/4	7849
62 3/8	7390	68 3/8	7857
62 1/2	7401	68 1/2	7864
62 5/8	7413	68 5/8	7871
62 3/4	7424	68 3/4	7878
62 7/8	7436	68 7/8	7884
63	7447	69	7891
63 1/8	7459	69 1/8	7898
63 1/4	7470	69 1/4	7904
63 3/8	7481	69 3/8	7910
63 1/2	7492	69 1/2	7916
63 5/8	7503	69 5/8	7922
63 3/4	7514	69 3/4	7928
63 7/8	7525	69 7/8	7933
64	7536	70	7938
64 1/8	7547	70 1/8	7943
64 1/4	7557	70 1/4	7948
64 3/8	7568	70 3/8	7953
64 1/2	7578	70 1/2	7958
64 5/8	7589	70 5/8	7962
64 3/4	7599	70 3/4	7966
64 7/8	7609	70 7/8	7970
65	7620	71	7973
65 1/8	7630	71 1/8	7976
65 1/4	7640	71 1/4	7979
65 3/8	7649	71 3/8	7982
65 1/2	7659	71 1/2	7984
65 5/8	7669	71 5/8	7985
65 3/4	7679		
65 7/8	7688		
66	7698		



CONTAINMENT
S O L U T I O N S®

HOW TO PROPERLY GAUGE YOUR TANK:

Underground storage tanks require periodic measurement to determine current inventory level. Using the proper methods when gauging your tank's contents will insure the most accurate reading and insure that you do not damage your tank. The following procedure should be followed whenever you use a gauge stick to determine the amount of product that is in your tank:

- 1) Use a wood dipstick with a rubber or nylon tip. Metallic dipsticks are not recommended. This will insure that frequent tank gaugings or an accidental dropping of the gauge stick into the tank will not damage the tank bottom.
- 2) Slowly lower your gauge stick into the fill port until it touches the tank bottom. Never free drop the gauge stick. This can result in inaccurate measurements due to product splashing. Free dropping can also result in gauge stick damage and tank damage.
- 3) Remove your dipstick slowly and read the product level directly from the gauge stick.

Water Paste Detection

To detect water in the tank bottom, water detection paste is available from petroleum equipment distributors. However, some water detection paste cannot detect antifreeze mixtures. If antifreeze mixtures are used for the cavity monitoring fluid, the following product is capable of detecting water or antifreeze (brine or up to 50 percent glycol) solution in the tank water bottoms:

WATER FINDER #7686-1870
DAYCO/NATIONAL
DAYTON, OH
TEL: 1-800-283-2926
FAX: 1-800-688-4854

Caution

Pressurized deliveries are not recommended. If the delivery vehicle uses pumps to fill the tank, install overfill shutoff equipment in the tank and truck to prevent the tank from being overfilled. **Overfilling the tank under pressure will damage the tank even if the tank vent is unrestricted.**

Containment Solutions, Inc.
333 North Rivershire Dr., Suite 190
Conroe, TX 77304
Tel: 936-756-7731
Fax: 936-756-7766

Note: Calibration chart is based on the fluid level above a 5/16" deflector plate.